



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41213011-012



Production Method: Cured
Harvest/Lot ID: 0513677831428689
Batch#: 0513677831428689
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 5866054146362039
Harvest Date: 12/05/24
Sample Size Received: 3 units
Total Amount: 389 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 12/13/24
Sampled: 12/13/24
Completed: 12/17/24
Sampling Method: SOP.T.20.010

Dec 17, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

22.171%

Total THC/Container : 3103.940 mg



Total CBD

0.040%

Total CBD/Container : 5.600 mg



Total Cannabinoids

26.477%

Total Cannabinoids/Container : 3706.780 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.462	24.754	ND	0.046	ND	0.097	0.998	ND	ND	ND	0.120
mg/unit	64.68	3465.56	ND	6.44	ND	13.58	139.72	ND	ND	ND	16.80
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.209g

Extraction date:
12/16/24 10:45:49

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081252POT

Instrument Used : DA-LC-001

Analyzed Date : 12/17/24 09:24:39

Batch Date : 12/16/24 07:34:49

Dilution : 400

Reagent : 111324.R48; 092724.11; 121424.R04

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41213011-012
Harvest/Lot ID: 0513677831428689

Batch# : 0513677831428689 Sample Size Received : 3 units
Sampled : 12/13/24 Total Amount : 389 units
Ordered : 12/13/24 Completed : 12/17/24 Expires: 12/17/25
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	169.26	1.209		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	50.68	0.362		ALPHA-BISABOLOL	0.007	ND	ND	
LINALOOL	0.007	35.28	0.252		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	32.48	0.232		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	15.82	0.113		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	13.44	0.096		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	5.74	0.041		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	4.20	0.030		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.06	0.029		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	4.06	0.029		4451, 585, 1440	1.0365g	12/14/24 12:24:54	4451	
FENCHYL ALCOHOL	0.007	3.50	0.025		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA081201TER			Batch Date : 12/14/24 10:33:58	
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-008				
CAMPHENE	0.007	ND	ND		Analyzed Date : 12/17/24 09:24:42				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 032524.17				
CEDROL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
EUCALYPTOL	0.007	ND	ND		Pipette : DA-065				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.209						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/17/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41213011-012

Harvest/Lot ID: 0513677831428689

Batch# : 0513677831428689

Sampled : 12/13/24

Ordered : 12/13/24

Sample Size Received : 3 units

Total Amount : 389 units

Completed : 12/17/24 Expires: 12/17/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.239	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.239	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440 Weight: 1.0078g Extraction date: 12/16/24 13:22:57 Extracted by: 450,585					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081220PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 12/14/24 12:24:55					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/17/24 10:26:18					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Reagent : 121224.R01; 081023.01					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.0078g Extraction date: 12/16/24 13:22:57 Extracted by: 450,585					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081221VOL Instrument Used : DA-GCMS-011 Batch Date : 12/14/24 12:26:02					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/17/24 10:22:39					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Reagent : 121224.R01; 081023.01; 111824.R23; 111824.R24					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/17/24



Certificate of Analysis

PASSED


Sunnyside


 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com


 Sample : DA41213011-012
 Harvest/Lot ID: 0513677831428689

 Batch# : 0513677831428689 Sample Size Received : 3 units
 Total Amount : 389 units
 Sampled : 12/13/24 Completed : 12/17/24 Expires: 12/17/25
 Ordered : 12/13/24 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>1170</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	1170	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10.00	CFU/g	1170	PASS	100000																																													
<table><tr><td>Analyzed by: 4044, 4520, 585, 1440</td><td>Weight: 1.181g</td><td>Extraction date: 12/14/24 10:57:12</td><td>Extracted by: 4044,4520</td></tr></table>	Analyzed by: 4044, 4520, 585, 1440	Weight: 1.181g	Extraction date: 12/14/24 10:57:12	Extracted by: 4044,4520																																														
Analyzed by: 4044, 4520, 585, 1440	Weight: 1.181g	Extraction date: 12/14/24 10:57:12	Extracted by: 4044,4520																																															
<table><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA081191MIC</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td><td colspan="2">Batch Date : 12/14/24 08:39:16</td></tr><tr><td colspan="6">Analyzed Date : 12/17/24 10:56:22</td></tr></table>						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA081191MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 12/14/24 08:39:16		Analyzed Date : 12/17/24 10:56:22																										
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																		
Analytical Batch : DA081191MIC																																																		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 12/14/24 08:39:16																																														
Analyzed Date : 12/17/24 10:56:22																																																		
<table><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 111524.95; 111524.108; 120524.R12; 062624.19</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Dilution : 10						Reagent : 111524.95; 111524.108; 120524.R12; 062624.19						Consumables : N/A						Pipette : N/A																										
Dilution : 10																																																		
Reagent : 111524.95; 111524.108; 120524.R12; 062624.19																																																		
Consumables : N/A																																																		
Pipette : N/A																																																		
<table><tr><td>Analyzed by: 4044, 3390, 585, 1440</td><td>Weight: 1.181g</td><td>Extraction date: 12/14/24 10:57:12</td><td>Extracted by: 4044,4520</td></tr></table>	Analyzed by: 4044, 3390, 585, 1440	Weight: 1.181g	Extraction date: 12/14/24 10:57:12	Extracted by: 4044,4520																																														
Analyzed by: 4044, 3390, 585, 1440	Weight: 1.181g	Extraction date: 12/14/24 10:57:12	Extracted by: 4044,4520																																															
<table><tr><td colspan="6">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA081192TYM</td></tr><tr><td colspan="4">Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</td><td colspan="2">Batch Date : 12/14/24 08:40:33</td></tr><tr><td colspan="6">Analyzed Date : 12/17/24 09:14:56</td></tr></table>						Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA081192TYM						Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 12/14/24 08:40:33		Analyzed Date : 12/17/24 09:14:56																										
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																																																		
Analytical Batch : DA081192TYM																																																		
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 12/14/24 08:40:33																																														
Analyzed Date : 12/17/24 09:14:56																																																		
<table><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 111524.95; 111524.108; 110724.R13</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Dilution : 10						Reagent : 111524.95; 111524.108; 110724.R13						Consumables : N/A						Pipette : N/A																										
Dilution : 10																																																		
Reagent : 111524.95; 111524.108; 110724.R13																																																		
Consumables : N/A																																																		
Pipette : N/A																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																	
<table><tr><td>Analyzed by: 3379, 3621, 585, 1440</td><td>Weight: 1.0078g</td><td>Extraction date: 12/16/24 13:22:57</td><td>Extracted by: 450,585</td></tr></table>	Analyzed by: 3379, 3621, 585, 1440	Weight: 1.0078g	Extraction date: 12/16/24 13:22:57	Extracted by: 450,585																																		
Analyzed by: 3379, 3621, 585, 1440	Weight: 1.0078g	Extraction date: 12/16/24 13:22:57	Extracted by: 450,585																																			
<table><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="6">Analytical Batch : DA081222MYC</td></tr><tr><td colspan="4">Instrument Used : N/A</td><td colspan="2">Batch Date : 12/14/24 12:27:33</td></tr><tr><td colspan="6">Analyzed Date : 12/17/24 09:16:14</td></tr></table>						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA081222MYC						Instrument Used : N/A				Batch Date : 12/14/24 12:27:33		Analyzed Date : 12/17/24 09:16:14														
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																						
Analytical Batch : DA081222MYC																																						
Instrument Used : N/A				Batch Date : 12/14/24 12:27:33																																		
Analyzed Date : 12/17/24 09:16:14																																						
<table><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 121224.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 240321-634-A; 040724CH01; 326250IW</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Dilution : 250						Reagent : 121224.R01; 081023.01						Consumables : 240321-634-A; 040724CH01; 326250IW						Pipette : N/A														
Dilution : 250																																						
Reagent : 121224.R01; 081023.01																																						
Consumables : 240321-634-A; 040724CH01; 326250IW																																						
Pipette : N/A																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.100	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																	
ARSENIC	0.02	ppm	<0.100	PASS	0.2																																	
CADMIUM	0.02	ppm	ND	PASS	0.2																																	
MERCURY	0.02	ppm	ND	PASS	0.2																																	
LEAD	0.02	ppm	ND	PASS	0.5																																	
<table><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2488g</td><td>Extraction date: 12/14/24 15:27:16</td><td>Extracted by: 1022,1879,4056</td></tr></table>	Analyzed by: 1022, 585, 1440	Weight: 0.2488g	Extraction date: 12/14/24 15:27:16	Extracted by: 1022,1879,4056																																		
Analyzed by: 1022, 585, 1440	Weight: 0.2488g	Extraction date: 12/14/24 15:27:16	Extracted by: 1022,1879,4056																																			
<table><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA081204HEA</td></tr><tr><td colspan="4">Instrument Used : DA-ICPMS-004</td><td colspan="2">Batch Date : 12/14/24 10:44:22</td></tr><tr><td colspan="6">Analyzed Date : 12/17/24 10:19:42</td></tr></table>						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA081204HEA						Instrument Used : DA-ICPMS-004				Batch Date : 12/14/24 10:44:22		Analyzed Date : 12/17/24 10:19:42														
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																						
Analytical Batch : DA081204HEA																																						
Instrument Used : DA-ICPMS-004				Batch Date : 12/14/24 10:44:22																																		
Analyzed Date : 12/17/24 10:19:42																																						
<table><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 112524.R05; 112624.R32; 120924.R13; 121224.R02; 120924.R11; 120924.R12; 120324.07; 121324.R01</td></tr><tr><td colspan="6">Consumables : 179436; 040724CH01; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr></table>						Dilution : 50						Reagent : 112524.R05; 112624.R32; 120924.R13; 121224.R02; 120924.R11; 120924.R12; 120324.07; 121324.R01						Consumables : 179436; 040724CH01; 210508058						Pipette : DA-061; DA-191; DA-216														
Dilution : 50																																						
Reagent : 112524.R05; 112624.R32; 120924.R13; 121224.R02; 120924.R11; 120924.R12; 120324.07; 121324.R01																																						
Consumables : 179436; 040724CH01; 210508058																																						
Pipette : DA-061; DA-191; DA-216																																						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Metaverse (S)
Metaverse (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41213011-012
Harvest/Lot ID: 0513677831428689

Batch# : 0513677831428689 Sample Size Received : 3 units
Sampled : 12/13/24 Total Amount : 389 units
Ordered : 12/13/24 Completed : 12/17/24 Expires: 12/17/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.92	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/14/24 14:52:02			Extracted by: 1879	Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 12/15/24 10:09:27			Extracted by: 4512
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA081232FIL						Analytical Batch : DA081200MOI					
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 12/14/24 14:36:51			Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385			Batch Date : 12/14/24 10:33:20		
Analyzed Date : 12/14/24 21:38:38						Moisture Analyzer					
Dilution : N/A						Analyzed Date : 12/17/24 08:22:16					
Reagent : N/A						Dilution : N/A					
Consumables : N/A						Reagent : 092520.50; 020124.02					
Pipette : N/A						Consumables : N/A					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Pipette : DA-066					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.528	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.809g	Extraction date: 12/15/24 11:22:00	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA081210WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 12/14/24 12:15:41		
Analyzed Date : 12/17/24 09:18:18					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/17/24