

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Kaycha Labs**

Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix: Derivative Classification: High THC



Classification: High THC Type: Extract for Inhalation Production Method: Other - Not Listed Harvest/Lot ID: 2461469984711033 Batch#: 2461469984711033 Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 5018985112276053 Harvest Date: 12/09/24 Sample Size Received: 16 units Total Amount: 1585 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 12/13/24 Sampled: 12/13/24

Completed: 12/17/24 Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

MICC



**COMPLIANCE FOR RETAIL** 

**Certificate of Analysis** 

Dec 17, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

SAFETY R	ESULTS										MISC.
R Ø		Hg	Ţ	ؠۯ	<u>ک</u>	Ä			$\bigcirc$		Ô
Pesticio PASS		avy Metals ASSED	Microbials PASSED	Mycot PAS		Residuals Solvents <b>PASSED</b>	Filth PASSED		r Activity <b>SSED</b>	Moisture NOT TESTED	Terpenes PASSEE
Ä	Cannab	oinoid									PASSEI
	Total 85 Total T				3 1.	al CBD 194% CBD/Container			390	al Cannabinoids	<b>)</b>
%	<sup>D9-THC</sup> 85.051	THCA 0.098	свр 1.149	CBDA 0.052	d8-thc	свд 3.114	CBGA ND	CBN 0.872	тнсv 0.325	CBDV ND	свс 0.263
mg/unit	850.51	0.98	11.49	0.52	ND	31.14	ND	8.72	3.25	ND	2.63
LOD	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %	<b>0.001</b> %
alyzed by: 35, 3605, 585	, 1440			Weight: 0.1081g		Extraction date: 12/16/24 10:53:3	2			Extracted by: 3335	
nalytical Batch strument Used	I: SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.03 I: DA-LC-003 12/17/24 09:26:50						Batch Date : 12/16/24	07:46:19			
consumables : 9	24.R01; 092724.11; 047.109; 040724CH 9; DA-108; DA-078	; 111324.R47 101; CE0123; R1KB1	14270								
I Spectrum can	nabinoid analysis utili	zing High Performance	Liquid Chromatography	with UV detection in	accordance with E.S.	5. Rule 64FR20-39.					

Sunnyside\*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/17/24



Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41213011-022 Harvest/Lot ID: 2461469984711033 Sampled : 12/13/24 Ordered : 12/13/24

Batch#: 2461469984711033 Sample Size Received: 16 units Total Amount : 1585 units Completed : 12/17/24 Expires: 12/17/25 Sample Method : SOP.T.20.010

Page 2 of 6

## Terpenes

lerpenes .	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	46.36	4.636			LINALOOL		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	17.86	1.786			NEROL		0.007	ND	ND	
ETA-MYRCENE	0.007	6.64	0.664			PULEGONE		0.007	ND	ND	
CIMENE	0.007	4.03	0.403			SABINENE		0.007	ND	ND	
MONENE	0.007	2.75	0.275			SABINENE HYDRATE		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	2.56	0.256			ALPHA-CEDRENE		0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	2.11	0.211			CIS-NEROLIDOL		0.003	ND	ND	
LPHA-PINENE	0.007	1.44	0.144			TRANS-NEROLIDOL		0.005	ND	ND	
ETA-PINENE	0.007	1.36	0.136			Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-HUMULENE	0.007	1.28	0.128		1	4451, 585, 1440	0.2129g		12/14/24 13		4451
PHA-TERPINENE	0.007	1.21	0.121		1	Analysis Method : SOP.T.30.061A.FL, SO	OP.T.40.061A.FL				
AMMA-TERPINENE	0.007	0.93	0.093		1	Analytical Batch : DA081202TER Instrument Used : DA-GCMS-004					Date: 12/14/24 10:36:09
ALENCENE	0.007	0.53	0.053		Ì	Analyzed Date : 12/17/24 09:26:53				Batch L	Date: 12/14/24 10:30:09
LPHA-BISABOLOL	0.007	0.53	0.053			Dilution : 10					
ARNESENE	0.001	0.52	0.052			Reagent : 032524.17					
JCALYPTOL	0.007	0.39	0.039			Consumables : 947.109; 240321-634-A	; 280670723; CE	0123			
LPHA-TERPINEOL	0.007	0.38	0.038			Pipette : DA-065					
ARYOPHYLLENE OXIDE	0.007	0.36	0.036			Terpenoid testing is performed utilizing Gas	Chromatography M	ass Spectr	ometry. For all F	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
INCHYL ALCOHOL	0.007	0.31	0.031								
JAIOL	0.007	0.31	0.031								
EXAHYDROTHYMOL	0.007	0.30	0.030								
	0.007	0.28	0.028								
CARENE	0.007	0.28	0.028								
AMPHENE	0.013	ND	ND								
ORNEOL			ND ND								
AMPHENE ORNEOL AMPHOR	0.013	ND									
AMPHENE DRNEOL AMPHOR EDROL	0.013	ND ND	ND								
AMPHENE ORNEOL AMPHOR EDROL ENCHONE	0.013 0.007 0.007	ND ND ND	ND ND								
AMPHENE ORNEOL AMPHOR EDROL ENCHONE ERANIOL	0.013 0.007 0.007 0.007	ND ND ND ND	ND ND ND								
AMPHENE IORNEOL AMPHOR EDROL ENCHONE ERANIOL ERANIOL	0.013 0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND								
I-CARENE CAMPHENE SONNEOL CAMPHOR TEOROL FERANIOL SERANIUL ACETATE SOBORNEOL SOPULEGOL	0.013 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND	ND ND ND ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/17/24



Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

#### Sample : DA41213011-022 Harvest/Lot ID: 2461469984711033

Sampled : 12/13/24 Ordered : 12/13/24

Batch#: 2461469984711033 Sample Size Received: 16 units Total Amount : 1585 units Completed : 12/17/24 Expires: 12/17/25 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
FOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
FOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND			ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN			0.1	PASS	
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010				ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
IFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	nnm	0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND				0.1	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010				
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND			traction date		Extracto	d byg
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440		16/24 13:25:4		Extracte 450.585	a by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gaine					)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		211 2 (20010))	50111101202	in E (Gaines vine	
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081212PES					
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date:12/14/2	24 12:16:55	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/17/24 10:45:25					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 121224.R01; 081023.01 Consumables : 240321-634-A: 040724CH	01.3262501W				
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	01, 320230100				
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid Chron	natography Tr	inle-Quadrunol	e Mass Snectror	metry in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	active and a control	nacography n	ipie quadrapoi	e mass opecaror	neay m
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight	Extractio	n date:		Extracted b	by:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.26g	12/16/24	13:25:40		450,585	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine	esville), SOP.T.30.15	1A.FL (Davie)	), SOP.T.40.15	1.FL	
IALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081214VOL			10/14/04 10	10.01	
ETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010		Batch Date	:12/14/24 12:	19:21	
IETHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :12/17/24 10:03:35					
ETHOMYL	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 121224.R01; 081023.01; 11182	04 R23- 111824 P24				
EVINPHOS	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 040724CH					
YCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed	utilizing Gas Chroma	tography Tripl	e-Quadrupole I	Mass Spectrome	etry in
		1.6111				accordance with F.S. Rule 64ER20-39.	5	9 (F 9 (C)P)			,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/17/24

PASSED

## PASSED



. . . . . . . . . . . . . . . . . . Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41213011-022 Harvest/Lot ID: 2461469984711033 Sampled : 12/13/24 Ordered : 12/13/24

Batch#: 2461469984711033 Sample Size Received: 16 units Total Amount : 1585 units Completed : 12/17/24 Expires: 12/17/25 Sample Method : SOP.T.20.010

Page 4 of 6



# **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
CETONITRILE	6.000	ppm	60	PASS	ND			
ENZENE	0.100	ppm	1	PASS	ND			
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
HLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
OTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.0228g	Extraction date: 12/17/24 11:55:20		<b>E</b> x 85	tracted by:			
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA081231SOL nstrument Used : DA-GCMS-002 nalyzed Date : 12/17/24 14:25:26	Batch Date : 12/14/24 14:27:40							

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/17/24



Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41213011-022 Harvest/Lot ID: 2461469984711033

Sampled : 12/13/24 Ordered : 12/13/24

Batch#: 2461469984711033 Sample Size Received: 16 units Total Amount : 1585 units Completed : 12/17/24 Expires: 12/17/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microl	bial			PAS	SED	သို့	Мус	oto	xins	5			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1			0.00	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2			0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Wei	ght:	Extraction	date:		Extracte	d bv:
TOTAL YEAS	T AND MOLD	10.00	CFU/g	<10	PASS	100000		5, 1440	0.26		12/16/24			450,585	
Analyzed by: 4531, 4520, 58	5, 1440	Weight: 0.884g	Extraction (		Extracte 4044	d by:	Analysis Metho SOP.T.30.102.					40.101.FL	. (Gainesvi	ille),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA081193MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date :						te :	Analytical Bate Instrument Us Analyzed Date	ed:N/A			В	atch Date	:12/14/24	4 12:20:5	3
DA-380],Fisher Scientific Isote Block (55*C) D	Thermocycler DA-010,Incubator (36*C) DA-097 [calibrated with 12/14/24 08:41:53 DA-380],Fisher Scientific Isotemp Heat Block (55*C) DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp Heat Block (95*C) DA-367 Analyzed Date : 12/17/24 12:00:08						Dilution : 250 Reagent : 121 Consumables : Pipette : N/A		A; 04072			Quadrupo	le Mass Sne	ctrometry	in
Dilution : 10 Reagent : 1115 Consumables : Pipette : N/A	524.95; 111524.10 7578001027	08; 120524.RI	12; 062624.3	19			accordance wit	Heav	20-39.						SED
Analyzed by: 4531, 3390, 58	5, 1440	Weight: 0.884g	Extraction (		Extracte 4044	d by:	Hg	neav	'y I'	IEL	115			FAJ	JLD
Analysis Metho	od: SOP.T.40.208	(Gainesville),					Metal				LOD	Units	Result	Pass / Fail	Action Level
	d : Incubator (25		alibrated wi	th Batch Date	e:12/14/2	4 08:43:03	3 TOTAL CONT	AMINANT LO	DAD MET	TALS	0.08	ppm	ND	PASS	1.1
DA-382]							ARSENIC				0.02	ppm	ND	PASS	0.2
-	: 12/17/24 09:59:	57					CADMIUM				0.02	ppm	ND	PASS	0.2
Dilution : 10 Reagent : 1115	524.95; 111524.1	08; 110724.R1	L3				MERCURY LEAD				0.02 0.02	ppm ppm	ND ND	PASS PASS	0.2 0.5
Consumables : Pipette : N/A	N/A						Analyzed by: 1022, 585, 144		<b>ight:</b> 541q		tion date: /24 11:34:2			<b>:ted by:</b> 4621 405	6
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						in	1022, 585, 1440 0.2541g 12/15/24 11:34:26 1022,4621,4056   Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA081206HEA Instrument Used : DA-ICPMS-004 Batch Date : 12/14/24 10:54:11   Analyzed Date : 12/17/24 10:29:40 Batch Date : 12/14/24 10:54:11								
							Dilution : 50 Reagent : 112 120324.07; 12 Consumables : Pipette : DA-0	1324.R01 179436; 0407	724CH01			24.R02; 1	20924.R1	1; 12092	4.R12;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/17/24



Page 6 of 6

..... Supply Vape Cartridge 1g - Jack Herer (S) Jack Herer (S) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41213011-022 Harvest/Lot ID: 2461469984711033 Batch#: 2461469984711033 Sample Size Received: 16 units Sampled : 12/13/24 Ordered : 12/13/24

Total Amount : 1585 units Completed : 12/17/24 Expires: 12/17/25 Sample Method : SOP.T.20.010

	Filth/For Materia	PASSED					
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1q		action dat		Extracted by: 1879		
	: Filth/Foreign Mater 2/14/24 21:38:30		Jacope	Batch D	ate . 12/14	4/24 14:36:51	
	aterial inspection is pe ordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope	
$\bigcirc$	Water A	ctiv	ity		ΡΑ	SSED	
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.520	P/F PASS	Action Level	

Analyzed by: 4512, 585, 1440	Weight: 0.3255g	Extraction date: 12/15/24 08:29:44	Extracted by: 4512
Analysis Method : SO Analytical Batch : DA Instrument Used : DA Analyzed Date : 12/12	081211WAT 257 Rotronic Hygr	oPalm Batch Date	<b>e:</b> 12/14/24 12:16:07
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A			
	ned using a Detropia	UvereDelm UD 32 AW/in accord	anco with E C

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

12/17/24