



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41218005-002



Production Method: Other - Not Listed

Harvest/Lot ID: 6712929832928285

Batch#: 6712929832928285

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 3024182681904330

Harvest Date: 12/11/24

Sample Size Received: 31 units

Total Amount: 898 units

Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 12/17/24

Sampled: 12/18/24

Completed: 12/20/24

Sampling Method: SOP.T.20.010

PASSED

Dec 20, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

78.284%

Total THC/Container : 391.420 mg



Total CBD

0.135%

Total CBD/Container : 0.675 mg



Total Cannabinoids

80.161%

Total Cannabinoids/Container : 400.805 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	78.194	0.103	0.124	0.013	ND	0.572	ND	0.111	0.251	ND	0.793
mg/unit	390.97	0.52	0.62	0.07	ND	2.86	ND	0.56	1.26	ND	3.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4571

Weight:
0.0988g

Extraction date:
12/18/24 12:57:31

Extracted by:
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081334POT

Instrument Used : DA-LC-007

Analyzed Date : 12/19/24 10:31:36

Batch Date : 12/18/24 10:28:31

Dilution : 400

Reagent : 092724.13; 121624.R07; 121624.R04

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218005-002
Harvest/Lot ID: 6712929832928285

Batch# : 6712929832928285 Sample Size Received : 31 units
Sampled : 12/18/24 Total Amount : 898 units
Ordered : 12/18/24 Completed : 12/20/24 Expires: 12/20/25
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.19	5.238		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.09	1.618		SABINENE	0.007	ND	ND	
LINALOOL	0.007	6.85	1.369		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.54	0.507		VALENCENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.17	0.433		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	2.02	0.404		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.93	0.185		ALPHA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.77	0.154		CIS-NEROLIDOL	0.003	ND	ND	
BETA-MYRCENE	0.007	0.64	0.128		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.005	0.57	0.113		3605, 4451, 585, 4571	0.2505g	12/18/24 12:46:55	3605	
BORNEOL	0.013	0.42	0.084		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.20	0.040		Analytical Batch : DA081332TER				
GERANIOL	0.007	0.20	0.039		Instrument Used : DA-GCMS-004				
FENCHONE	0.007	0.18	0.036		Analyzed Date : 12/19/24 10:31:37				
BETA-PINENE	0.007	0.15	0.030		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.14	0.027		Reagent : 032524.13				
ALPHA-PINENE	0.007	0.13	0.026		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ISOBORNEOL	0.007	0.12	0.024		Pipette : DA-065				
GAMMA-TERPINENE	0.007	0.11	0.021		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)				5.238					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41218005-002

Harvest/Lot ID: 6712929832928285

Batch #: 6712929832928285

Sampled : 12/18/24

Ordered : 12/18/24

Sample Size Received : 31 units

Total Amount : 898 units

Completed : 12/20/24 Expires: 12/20/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4571 Weight: 0.2317g Extraction date: 12/18/24 15:11:10 Extracted by: 450,3379					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081348PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/19/24 11:05:03					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 121624.R02; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4571 Weight: 0.2317g Extraction date: 12/18/24 15:11:10 Extracted by: 450,3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081349VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/19/24 11:03:47					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 121624.R02; 081023.01; 111824.R23; 111824.R24					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218005-002
Harvest/Lot ID: 6712929832928285

Batch# : 6712929832928285 Sample Size Received : 31 units
Sampled : 12/18/24 Total Amount : 898 units
Ordered : 12/18/24 Completed : 12/20/24 Expires: 12/20/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4571

Weight:
0.0214g

Extraction date:
12/19/24 16:50:26

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA081358SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 12/20/24 09:31:49

Batch Date : 12/18/24 12:57:35

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/20/24



Certificate of Analysis

PASSED



Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA41218005-002
 Harvest/Lot ID: 6712929832928285

 Batch# : 6712929832928285 Sample Size Received : 31 units
 Sampled : 12/18/24 Total Amount : 898 units
 Ordered : 12/18/24 Completed : 12/20/24 Expires: 12/20/25
 Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4571	Weight: 0.2317g	Extraction date: 12/18/24 15:11:10	Extracted by: 450,3379		
Analyzed by: 4044, 4520, 585, 4571	Weight: 1.068g	Extraction date: 12/18/24 11:11:29		Extracted by: 4044,4531		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA081350MYC					
Analytical Batch : DA081325MIC				Batch Date : 12/18/24 09:41:14		Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720											
Thermocycler DA-171,Fisher Scientific Isotemp Heat Block (55°C)											
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367											
Analyzed Date : 12/19/24 10:26:57						Batch Date : 12/18/24 11:01:55					
Dilution : 10						Dilution : 250					
Reagent : 111524.112; 111524.125; 120524.R12; 051624.08						Reagent : 121624.R02; 081023.01					
Consumables : 7578001003						Consumables : 240321-634-A; 040724CH01; 326250IW					
Pipette : N/A						Pipette : N/A					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 4044, 3390, 585, 4571						Analyzed by: 1022, 585, 4571					
Weight: 1.068g						Weight: 0.2806g					
Extraction date: 12/18/24 11:11:29						Extraction date: 12/18/24 14:07:31					
Extracted by: 4044,4531						Extracted by: 1022,1879,4056					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA081326TYM						Analytical Batch : DA081336HEA					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]			Batch Date : 12/18/24 09:44:35			Instrument Used : DA-ICPMS-004			Batch Date : 12/18/24 10:32:43		
Analyzed Date : 12/20/24 15:44:44						Analyzed Date : 12/19/24 16:24:00					
Dilution : 10						Dilution : 50					
Reagent : 111524.112; 111524.125; 110724.R13						Reagent : 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07; 121324.R01					
Consumables : N/A						Consumables : 179436; 040724CH01; 210508058					
Pipette : N/A						Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Apl and Bnanas (S)
Apl and Bnanas (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218005-002

Harvest/Lot ID: 6712929832928285

Batch# : 6712929832928285

Sampled : 12/18/24

Ordered : 12/18/24

Sample Size Received : 31 units

Total Amount : 898 units

Completed : 12/20/24 Expires: 12/20/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4571	Weight: 1g	Extraction date: 12/18/24 21:34:09	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA081359FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/18/24 23:51:03

Batch Date : 12/18/24 21:25:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.505	PASS	0.85

Analyzed by: 4512, 585, 4571	Weight: 0.1864g	Extraction date: 12/18/24 15:22:36	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA081341WAT

Instrument Used : N/A

Analyzed Date : 12/19/24 09:16:05

Batch Date : 12/18/24 10:43:03

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/20/24