

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41218005-004

Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative Classification: High THC

Type: Distillate

Production Method: Other - Not Listed Harvest/Lot ID: 4531834464579406

Batch#: 4531834464579406

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 3814521073246806

Harvest Date: 12/10/24

Sample Size Received: 31 units

Total Amount: 909 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 12/17/24 Sampled: 12/18/24 **Completed: 12/20/24**

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture



MISC.

Terpenes **PASSED**

PASSED



ma/unit

Analyzed by: 3335, 1665, 585, 4571

LOD

Cannabinoid

Dec 20, 2024 | Sunnyside

Total THC

81.878% Total THC/Container: 409.390 mg

THCA

0.049

0.25

0.001



Weight

Total CBD 0.202%

Total CBD/Container: 1.010 mg

Extraction date:

12/18/24 12:57:31



Total Cannabinoids 86.027%

Extracted by:

Total Cannabinoids/Container: 430.135

THCV CBD CBDA D8-THC CBG CBGA CBN CRDV CBC 0.176 0.030 ND 2.555 ND 0.911 0.304 ND 0.166 0.88 0.15 ND 12.78 ND 4.56 1.52 ND 0.83 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % %

Ratch Date: 12/18/24 10:28:31

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081334POT

81.836

409.18

0.001

Instrument Used : DA-LC-007 Analyzed Date : 12/19/24 10:31:41 Dilution: 400

Reagent: 092724.13; 121624.R07; 121624.R04 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/20/24



Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative Type: Distillate



PASSED

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218005-004 Harvest/Lot ID: 4531834464579406

Batch#: 4531834464579406 Sample Size Received: 31 units Sampled: 12/18/24

Ordered: 12/18/24

Total Amount: 909 units **Completed :** 12/20/24 **Expires:** 12/20/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/uni	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.58	4.115			SABINENE		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	6.05	1.209			SABINENE HYDRATE		0.007	ND	ND	
BETA-MYRCENE	0.007	4.08	0.816			VALENCENE		0.007	ND	ND	
LIMONENE	0.007	2.69	0.537			ALPHA-CEDRENE		0.005	ND	ND	
OCIMENE	0.007	2.50	0.499			ALPHA-HUMULENE		0.007	ND	ND	
ALPHA-PINENE	0.007	1.39	0.278			ALPHA-TERPINEOL		0.007	ND	ND	
BETA-PINENE	0.007	1.31	0.261			CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.71	0.141			TRANS-NEROLIDOL		0.005	ND	ND	
3-CARENE	0.007	0.50	0.100			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ALPHA-TERPINENE	0.007	0.38	0.076		Ï	4451, 585, 4571	0.2107g		12/18/24 12		4451
ALPHA-BISABOLOL	0.007	0.30	0.059			Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL				
GAMMA-TERPINENE	0.007	0.24	0.047			Analytical Batch : DA081352TER					
CAMPHENE	0.007	0.20	0.040			Instrument Used : DA-GCMS-009 Analyzed Date : 12/19/24 10:31:44				Batch D	Date: 12/18/24 11:04:18
BETA-CARYOPHYLLENE	0.007	0.16	0.031			Dilution: 10					
FENCHYL ALCOHOL	0.007	0.11	0.021			Reagent: 032524.13					
BORNEOL	0.013	ND	ND			Consumables: 947.109; 240321-634-	A; 280670723; CEO	123			
CAMPHOR	0.007	ND	ND			Pipette : DA-065					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	s Chromatography Ma	ass Spectr	ometry. For all	Flower samp	ples, the Total Terpenes % is dry-weight corrected.
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
LINALOOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
Total (%)			4.115								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing 97164

Signature 12/20/24



Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41218005-004 Harvest/Lot ID: 4531834464579406

Sampled: 12/18/24 Ordered: 12/18/24

Batch#: 4531834464579406 Sample Size Received: 31 units Total Amount : 909 units

Completed: 12/20/24 Expires: 12/20/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

sticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	P. P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
AL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
MECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE			1.1.			
PHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
QUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
TAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
XYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
BOFURAN	0.010		0.1	PASS	ND		(5015) +	0.010		0.15	PASS	ND
ORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *					
ORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
MAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
IINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted I	
ETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4571	0.2099g		15:11:10		450,3379	Jy:
OPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101				SOP T 40 101)
FENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gamesvine)	, 50111150120	LII L (DUVIC)	501111101202	L (Odinesvine	,,
XAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081348PES						
HEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch	Date: 12/18/	24 10:57:48	
OXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/19/24 11:05	06					
PYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	01					
RONIL	0.010	ppm	0.1	PASS	ND	Reagent: 121624.R02; 081023. Consumables: 240321-634-A; (6250IW				
NICAMID	0.010	ppm	0.1	PASS	ND	Pipette: N/A	0,240101,32	0230111				
DIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is p	erformed utilizing	Liquid Chrom	atography T	riple-Quadrupo	le Mass Spectror	netry in
YTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20			3 -1- 3			. ,
ZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	y:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 4571	0.2099g	12/18/24			450,3379	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151		, SOP.T.30.15	1A.FL (Davie), SOP.T.40.15	1.FL	
ATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081349V0			D-4-b D :	-12/10/24 11	.00.11	
ALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-01 Analyzed Date : 12/19/24 11:03			Batch Date	:12/18/24 11	:00:11	
HIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	40					
HOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 121624.R02; 081023.	N1: 111824 P22	· 111824 P24				
/INPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 240321-634-A; (5401			
								. ,				
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-2	L8					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/20/24



Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218005-004 Harvest/Lot ID: 4531834464579406

Batch#: 4531834464579406 Sample Size Received: 31 units Sampled: 12/18/24 Ordered: 12/18/24

Total Amount: 909 units Completed: 12/20/24 Expires: 12/20/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Λ			Б.	п
н	3	J	Е.	u

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 4571	Weight: 0.0223g	Extraction date: 12/19/24 16:50:27		Ext 850	racted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081358SOL Instrument Used: DA-GCMS-003

Analyzed Date: 12/20/24 09:31:51

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/18/24 12:57:35

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino Lab Director

> Signature 12/20/24

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative



Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41218005-004 Harvest/Lot ID: 4531834464579406

Sampled: 12/18/24 Ordered: 12/18/24

Batch#: 4531834464579406 Sample Size Received: 31 units Total Amount: 909 units Completed: 12/20/24 Expires: 12/20/25 Sample Method: SOP.T.20.010

Page 5 of 6

LOD

0.00 ppm

0.00

0.00

0.00 ppm

0.00

Extraction date:

12/18/24 15:11:10

ppm

ppm



Microbial

PASSED



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Analyzed by:

3379, 585, 4571

Instrument Used : N/A

Analyte

Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Extracted by:

Result

ND

ND

ND

Batch Date: 12/18/24 11:01:55

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		7
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	3

Analyzed by: 4044, 4520, 585, 4571 Weight: **Extraction date:** Extracted by: 12/18/24 11:11:29 4044,4531 1.082g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA081325MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Weight:

Analyzed Date: 12/19/24 10:27:08

Dilution: 10

Reagent: 111524.112; 111524.125; 120524.R12; 051624.08

Consumables: 7578001003

Pipette: N/A Analyzed by

Reagent: 121624.R02; 081023.01

Consumables: 240321-634-A; 040724CH01; 326250IW

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA081350MYC

Analyzed Date: 12/19/24 10:31:09

Weight:

0.2099g

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Pipette: N/A

Dilution: 250

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

35

Heavy Metals

PASSED

Action

Result Pass /

4044, 3390, 585, 4571	1.082g	12/18/24 11:11:29	4044,4531
Analysis Method : SOP.T.40.20 Analytical Batch : DA081326T\ Instrument Used : Incubator (2 DA-382] Analyzed Date : 12/20/24 15:4	/M :5*C) DA- 328		Batch Date : 12/18/24 09:44:
Dilution: 10 Reagent: 111524.112; 111524 Consumables: N/A Pipette: N/A	4.125; 11072	4.R13	
Total yeast and mold testing is no	rformed utilizin	og MPN and traditional cu	Itura based techniques in

Extraction date

Extracted by

						Fail	Level	
TOTAL CONTAMINAN	ALS	0.08	ppm	ND	PASS	1.1		
ARSENIC			0.02	ppm	ND	PASS	0.2	
CADMIUM			0.02	ppm	ND	PASS	0.2	
MERCURY			0.02	ppm	ND	PASS	0.2	
LEAD			0.02	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction	n date:		Extra	cted by:		
L022, 585, 4571	0.2325g	12/18/24	14:18:0)1	1022,	1879,405	56	

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081336HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/18/24 10:32:43 Analyzed Date: 12/19/24 16:24:01

Dilution: 50

Reagent: 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15;

120324.07; 121324.R01

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/20/24



Kaycha Labs

Supply Vape Cartridge 500mg - Durban Poison (S)

Durban Poison (S) Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41218005-004 Harvest/Lot ID: 4531834464579406

Batch#: 4531834464579406 Sample Size Received: 31 units Sampled: 12/18/24 Ordered: 12/18/24

Total Amount: 909 units Completed: 12/20/24 Expires: 12/20/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 4571 Weight: Extraction date: Extracted by: 1g 12/18/24 21:34:09 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA081359FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/18/24 21:25:00

Analyzed Date: 12/18/24 23:51:02

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Batch Date: 12/18/24 10:43:03

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.433	PASS	0.85
Analyzed by: 4512, 585, 4571	Weight: 0.0919g		raction o		Ext 45:	racted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA081341WAT Instrument Used : N/A

Analyzed Date: 12/19/24 09:16:10

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for Signature Testing 97164 12/20/24