

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41218015-007



Dec 21, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Kaycha Labs

Supply Shake 7g - Chs (S)

Chs (S)

Matrix: Flower Classification: High THC Type: Flower-Cured

Production Method: Cured

Harvest/Lot ID: 5473169769999291

Batch#: 5473169769999291

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 4344450696429255

Harvest Date: 12/17/24

Sample Size Received: 5 units Total Amount: 1000 units Retail Product Size: 7 gram

Retail Serving Size: 7 gram

Servings: 1

Ordered: 12/18/24 Sampled: 12/18/24 Completed: 12/21/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

Sunnyside

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Ratch Date: 12/19/24 10:26:10



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **PASSED**

PASSED



Cannabinoid



Total CBD 0.108%



Total Cannabinoids

ng/unit 43.05 1561.28 ND 8.68 2.80 9.59 17.92 ND ND ND 8.19	% 0.615 22.304 ND 0.124 0.040 0.137 0.256 ND ND ND 0.117 mg/unit 43.05 1561.28 ND 8.68 2.80 9.59 17.92 ND ND ND ND 8.19 LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	nalyzed by: 335, 1665, 585,	, 1440			Weight: 0.2046q		Extraction date: 12/19/24 13:16:5	55			Extracted by: 3335	
0.615 22.304 ND 0.124 0.040 0.137 0.256 ND ND ND 0.117 19/unit 43.05 1561.28 ND 8.68 2.80 9.59 17.92 ND ND ND ND 8.19	% 0.615 22.304 ND 0.124 0.040 0.137 0.256 ND ND ND 0.117 mg/unit 43.05 1561.28 ND 8.68 2.80 9.59 17.92 ND ND ND ND 8.19		%	%	%	%	%	%	%	%	%	%	%
0.615 22.304 ND 0.124 0.040 0.137 0.256 ND ND ND 0.117	% 0.615 22.304 ND 0.124 0.040 0.137 0.256 ND ND ND 0.117	LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
		mg/unit	43.05	1561.28	ND	8.68	2.80	9.59	17.92	ND	ND	ND	8.19
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	%	0.615	22.304	ND	0.124	0.040	0.137	0.256	ND	ND	ND	0.117
			D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	СВИ	тнсу	CBDV	СВС

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081386POT

Instrument Used : DA-LC-001 Analyzed Date : 12/21/24 06:48:46

Dilution: 400

Dilution: 400
Reagent: 121424.R03; 071624.04; 121424.R04
Consumables: 947.109; 040724CH01; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Chs (S)

Chs (S) Matrix: Flower



Type: Flower-Cured

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-007 Harvest/Lot ID: 5473169769999291

Sampled: 12/18/24

Batch#: 5473169769999291 Sample Size Received: 5 units **Ordered:** 12/18/24

Total Amount: 1000 units **Completed :** 12/21/24 **Expires:** 12/21/25 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	t %	Result (%)
TOTAL TERPENES	0.007	70.77	1.011			ALPHA-BISABOLOL	0.007	ND	ND	
LINALOOL	0.007	18.06	0.258			ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.89	0.227			ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	9.59	0.137			ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	7.28	0.104			ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.72	0.096			ALPHA-TERPINOLENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	3.29	0.047			CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	2.87	0.041			GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	2.87	0.041			Analyzed by:	Weight:	Extra	ction date:	Extracted by:
TRANS-NEROLIDOL	0.005	2.66	0.038			3605, 4451, 585, 1440	1.0671g		9/24 12:41:46	
BETA-PINENE	0.007	1.54	0.022		Ī	Analysis Method : SOP.T.30.061A.FL, SOP.T	.40.061A.FL			
3-CARENE	0.007	ND	ND			Analytical Batch : DA081370TER				
BORNEOL	0.013	ND	ND			Instrument Used: DA-GCMS-009 Analyzed Date: 12/20/24 10:44:49			Batch Da	te: 12/19/24 09:44:21
CAMPHENE	0.007	ND	ND			Dilution: 10				
CAMPHOR	0.007	ND	ND			Reagent : 032524.13				
CARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables: 947.109; 240321-634-A; 28	0670723; CE0123			
CEDROL	0.007	ND	ND			Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chro	matography Mass Spectro	metry. For all	l Flower sample	es, the Total Terpenes % is dry-weight corrected.
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
VALENCENE	0.007	ND	ND							
Total (%)			1.011							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Chs (S)

Chs (S)

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-007 Harvest/Lot ID: 5473169769999291

Pacc/Eail Pacult

Sampled: 12/18/24 Ordered: 12/18/24

Action

Batch#: 5473169769999291 Sample Size Received: 5 units Total Amount: 1000 units **Completed :** 12/21/24 **Expires:** 12/21/25 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

P	Δ	S	S	Ē	D

Pesticide	LOD Un	nits Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppr		PASS	< 0.050			0.010		Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppr		PASS	ND	OXAMYL						
TOTAL PERMETHRIN	0.010 ppr		PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppr		PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010 ppr		PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppr		PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppr		PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppr		PASS	ND	PROPOXUR		0.010	nnm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppr		PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010 ppr		PASS	ND	SPIROMESIFEN		0.010	1.1.	0.1	PASS	ND
	0.010 ppr		PASS	ND							ND
ALDICARB AZOXYSTROBIN	0.010 ppr		PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	
	0.010 ppr		PASS	ND	SPIROXAMINE		0.010	1.1.	0.1	PASS	ND
BIFENAZATE	0.010 ppr		PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010 ppr		PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010 ppr		PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010 ppr		PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010 ppr		PASS	ND	PENTACHLORONITROBENZENE (PO	'NR) *	0.010	mag	0.15	PASS	ND
CHLORANTRANILIPROLE			PASS	<0.050	PARATHION-METHYL *	,	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppr 0.010 ppr		PASS	<0.050 ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS			PASS	ND					0.7	PASS	ND
CLOFENTEZINE	0.010 ppr		PASS		CHLORDANE *		0.010				
COUMAPHOS	0.010 ppr			ND	CHLORFENAPYR *		0.010	1.1.	0.1	PASS	ND
DAMINOZIDE	0.010 ppr		PASS PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010 ppr			ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010 ppr		PASS	ND	Analyzed by: We	eight: Ext	raction	n date:		Extracted by:	
DIMETHOATE	0.010 ppr		PASS	ND	3379, 585, 1440 0.8	3785g 12/	19/24 1	L3:46:08		4640,450,3379)
ETHOPROPHOS	0.010 ppr		PASS	ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), SOP.	.30.10	2.FL (Davie)	, SOP.T.40.10	1.FL (Gainesville),
ETOFENPROX	0.010 ppr		PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010 ppr		PASS	ND	Analytical Batch : DA081388PES Instrument Used : DA-LCMS-003 (PB	-C\		D-4-1	Date: 12/19	(24.10.40.52	
FENHEXAMID	0.010 ppr		PASS	ND	Analyzed Date :12/20/24 10:07:10	15)		ватст	Date: 12/19/	/24 10:40:52	
FENOXYCARB	0.010 ppr		PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010 ppr		PASS	ND	Reagent: 121824.R01; 121824.R08	: 121624.R02: 121	824.R0	2: 102124.R	08: 121824.R	06: 081023.01	
FIPRONIL	0.010 ppr		PASS	ND	Consumables: 6698360-03						
FLONICAMID	0.010 ppr		PASS	ND	Pipette: DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010 ppr		PASS	ND	Testing for agricultural agents is perfo	rmed utilizing Liquid	d Chrom	natography T	riple-Quadrupo	ole Mass Spectron	netry in
HEXYTHIAZOX	0.010 ppr		PASS	ND	accordance with F.S. Rule 64ER20-39.						
IMAZALIL	0.010 ppr		PASS	ND	Analyzed by: Wei 450, 585, 1440 0.87		action	date: 3:46:08		Extracted by: 4640.450.3379	
IMIDACLOPRID	0.010 ppr		PASS	ND	,) COD T 40 1		
KRESOXIM-METHYL	0.010 ppr		PASS	ND	Analysis Method : SOP.T.30.151.FL Analytical Batch : DA081390VOL	(Gainesville), SOP.	.30.13	IA.FL (Davie	e), SUP.1.40.1:	DI.FL	
MALATHION	0.010 ppr		PASS	ND	Instrument Used : DA-GCMS-001			Batch Date	:12/19/24 10):43:32	
METALAXYL	0.010 ppr		PASS	ND	Analyzed Date :12/20/24 10:04:25						
METHIOCARB	0.010 ppr		PASS	ND	Dilution: 250						
METHOMYL	0.010 ppr		PASS	ND	Reagent: 121624.R02; 081023.01;						
MEVINPHOS	0.010 ppr		PASS	ND	Consumables: 6698360-03; 24032	1-634-A; 040724CH	101; 14	725401			
MYCLOBUTANIL	0.010 ppr		PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010 ppr	m 0.25	PASS	ND	Testing for agricultural agents is perfo accordance with F.S. Rule 64ER20-39.	rmed utilizing Gas (hromat	ography Trip	ie-Quadrupole	Mass Spectrome	try in
					accordance men i .s. Nuic 04EN20°33.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Chs (S)

Chs (S)

Matrix: Flower Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41218015-007 Harvest/Lot ID: 5473169769999291

Batch#: 5473169769999291 Sample Size Received: 5 units Sampled: 12/18/24 Ordered: 12/18/24

Total Amount: 1000 units Completed: 12/21/24 Expires: 12/21/25 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction date:		Extra	acted by:	
TOTAL YEAST AND MOLD	10.00	CFU/g	6000	PASS	100000		0.8785g	12/19/24 13:46:	:08		,450,337	

Analyzed by: Weight: **Extraction date:** Extracted by: 0.935g 4044, 4520, 585, 1440 12/19/24 11:17:09 4520,4044

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA081365MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 12/19/24

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 12/20/24 10:18:09

Reagent: 111524.114; 111524.120; 120524.R12; 051624.08 Consumables: 7578001093

Pipette: N/A

Analyzed by: 4044, 585, 1440	Extraction date: 12/19/24 11:17:09	Extracted by: 4520,4044

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA081366TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 12/19/24 08:16:05

Analyzed Date : $12/21/24 \ 20:46:13$

Dilution: 10 Reagent: 111524.114; 111524.120; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Ç.	Mycotoxins	
lyte		LO

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch: DA081389MYC

Instrument Used : N/A Batch Date: 12/19/24 10:43:30

Analyzed Date: 12/20/24 09:49:59

Dilution: 250Reagent: 121824.R01; 121824.R08; 121624.R02; 121824.R02; 102124.R08; 121824.R06;

081023.01 Consumables: 6698360-03

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

ND	1 455	0.5	
ND	PASS	0.5	
ND	PASS	0.2	
ND	PASS	0.2	
ND	PASS	0.2	
ND	PASS	1.1	
esuit	Pass / Fail	Level	
	ND ND ND	Fail ND PASS ND PASS ND PASS	ND PASS 1.1 ND PASS 0.2 ND PASS 0.2 ND PASS 0.2

12/19/24 11:32:41

1022, 4056, 585, 1440 0.2531g Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA081373HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/19/24 09:59:30 Analyzed Date: 12/20/24 09:40:57

Dilution: 50

Reagent : 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07; 121324.R01

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Shake 7g - Chs (S)

Chs (S) Matrix: Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41218015-007 Harvest/Lot ID: 5473169769999291

Batch#: 5473169769999291 Sample Size Received: 5 units Sampled: 12/18/24

Total Amount: 1000 units Ordered: 12/18/24 Sample Method: SOP.T.20.010

Completed: 12/21/24 Expires: 12/21/25

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture Analyzei

Consumables : N/A

Pipette: DA-066

Analysis Method: SOP.T.40.021

Analyzed Date: 12/20/24 09:48:17

Reagent: 092520.50; 020124.02

Moisture

PASSED

Batch Date: 12/19/24

Analyte LOD Units Result P/F Action Level Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS **Moisture Content** 1.00 % PASS 15 1 11.80

Analyzed by: 1879, 585, 1440 Extraction date: Analyzed by: 4512, 585, 1440 Extraction date Weight: Extracted by: Weight: 1g 12/20/24 20:19:24 1879 0.5g 12/19/24 16:49:52 4512

Analysis Method: SOP.T.40.090

Analytical Batch : DA081413FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 12/20/24 21:06:31

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity



Batch Date: 12/19/24 11:28:05

Batch Date: 12/19/24 16:05:12

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

Analytical Batch: DA081409MOI Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 11:27:33

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.010 aw 0.578 0.65 Extraction date: 12/19/24 16:22:27 Analyzed by: 4512, 585, 1440 Extracted by: 4512 0.612g

Analysis Method: SOP.T.40.019 Analytical Batch: DA081410WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date: 12/20/24 09:51:53

Dilution: N/A Reagent: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164