

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix: Derivative Classification: High THC Type: Live Resin



Batch#: 4364707735560313

Harvest Date: 12/10/24 Sample Size Received: 16 units Total Amount: 730 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 12/18/24 Sampled: 12/18/24 Completed: 12/21/24

> > PASSED

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1987388443054202

Sampling Method: SOP.T.20.010

Pages 1 of 6

Production Method: Other - Not Listed Harvest/Lot ID: 4364707735560313

Sunnyside^{*}

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41218015-016



Dec 21, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	RESULTS										MISC.
r の	€]	Hg	Ċ,	ç	Ŷ	Ä			\bigcirc		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents PASSED	Filth PASSED	Water Activity PASSED		Moisture NOT TESTED	Terpenes PASSED
Ä	Cannal	pinoid								I	PASSED
	79	I THC 9908 THC/Container	/•		30.	l CBD 155% CBD/Container				al Cannabinoids) iiner : 822.970
	D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	79.660	0.283	0.126	0.034	ND	1.415	ND	0.091	0.095	ND	0.593
mg/unit	796.60	2.83	1.26	0.34	ND	14.15	ND	0.91	0.95	ND	5.93
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
Analyzed by: 3335, 3605, 585		70	70	Weight: 0.107g	70	Extraction date: 12/19/24 13:41:33	,-	70	70	Extracted by: 3335	70
Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA081381POT Instrument Used: DA-LC-007 Batch: 12/20/24 10:59:59											
Dilution: 400 Reagent: 121624.R06; 092724.11; 121624.R03 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078											
Full Spectrum car	nnabinoid analysis util	izing High Performance	e Liquid Chromatography	with UV detection in	accordance with F.S.	Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24



Matrix : Derivative

Type: Live Resin

. Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-016 Harvest/Lot ID: 4364707735560313 Batch#: 4364707735560313 Sample Size Received: 16 units Sampled : 12/18/24 Ordered : 12/18/24

Total Amount : 730 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

erpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	53.83	5.383		SABINENE HYDRATE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	11.38	1.138		VALENCENE	0.007	ND	ND	
INALOOL	0.007	9.61	0.961		ALPHA-CEDRENE	0.005	ND	ND	
ETA-MYRCENE	0.007	7.81	0.781		ALPHA-PHELLANDRENE	0.007	ND	ND	
MONENE	0.007	6.55	0.655		ALPHA-TERPINENE	0.007	ND	ND	
ARNESENE	0.007	4.05	0.405		ALPHA-TERPINOLENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	4.01	0.401		CIS-NEROLIDOL	0.003	ND	ND	
LPHA-BISABOLOL	0.007	2.51	0.251		GAMMA-TERPINENE	0.007	ND	ND	
LPHA-TERPINEOL	0.007	2.10	0.210		Analyzed by:	Weight:		tion date:	Extracted by:
ENCHYL ALCOHOL	0.007	1.63	0.163		3605, 4451, 585, 1440	0.2267g		24 12:45:31	
RANS-NEROLIDOL	0.005	1.11	0.111		Analysis Method : SOP.T.30.061A.FL, S	50P.T.40.061A.FL			
ORNEOL	0.013	0.88	0.088		Analytical Batch : DA081371TER Instrument Used : DA-GCMS-008			Batab Da	te: 12/19/24 09:45:20
ETA-PINENE	0.007	0.70	0.070		Analyzed Date : 12/20/24 11:00:01			Datch Da	ue:12/19/24-09.45.20
ARYOPHYLLENE OXIDE	0.007	0.53	0.053		Dilution : 10				
ENCHONE	0.007	0.49	0.049		Reagent : 032524.13				
PHA-PINENE	0.007	0.47	0.047		Consumables : 947.109; 240321-634-/ Pipette : DA-065	A; 280670723; CE0123			
CARENE	0.007	ND	ND					e1	
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	s Chromatography Mass Spectro	metry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
MPHOR	0.007	ND	ND						
DROL	0.007	ND	ND						
JCALYPTOL	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
	0.007	ND	ND						
EROL	0.007	ND	ND						
IEROL OCIMENE	0.007								
	0.007	ND	ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24



Matrix : Derivative

Type: Live Resin

. Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H)



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA41218015-016 Harvest/Lot ID: 4364707735560313

Sampled : 12/18/24 Ordered : 12/18/24

Batch#: 4364707735560313 Sample Size Received: 16 units Total Amount : 730 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	T. P.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nnm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	T-F	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND				1.1.		PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	T-F	0.1		ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010	T. P.	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	T. P.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
IOSCALID	0.010	1 P. P.	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND		DCND) *	0.010		0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	w:
IMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.2513g		15:55:30		450,3379	.,.
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.F	L (Gainesville	, SOP.T.30.10	2.FL (Davie),	50P.T.40.101	FL (Gainesville)),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA081395PES	(850)					
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-005 Analyzed Date :12/20/24 10:13:0			Batch	Date:12/19/2	24 10:46:58	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250	10					
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 121724.R14: 121824.R	08·121624 B	12· 121724 R1	5· 102124 R0	B· 121824 R0	6.081023.01	
IPRONIL	0.010		0.1	PASS	ND	Consumables : 6698360-03	00, 121024.00	2, 121/24.1(1	5, 102124.110	0, 121024.110	0,001025.01	
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219	9					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe	rformed utilizin	g Liquid Chrom	natography Tri	ole-Quadrupol	e Mass Spectron	netry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-3	19.					
MAZALIL	0.010		0.1	PASS	ND		Weight:	Extractio			Extracted b	y:
MIDACLOPRID	0.010		0.4	PASS	ND).2513g	12/19/24			450,3379	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.F	L (Gainesville)), SOP.T.30.15	1A.FL (Davie)	SOP.T.40.15	1.FL	
IALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA081398VOL Instrument Used : DA-GCMS-011			Batch Date	12/19/24 10:	49.21	
IETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/20/24 10:11:5	4		Saten Bate			
1ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
IETHOMYL	0.010		0.1	PASS	ND	Reagent: 121624.R02; 081023.0						
IEINOI-IIE			0.1	PASS	ND	Consumables : 6698360-03; 2403	321-634-4.040	1724CH01 · 14	725/01			
	0.010							<i>724CH01, 14</i>	/23401			
MEVINPHOS MYCLOBUTANIL NALED	0.010 0.010 0.010	ppm	0.1 0.25	PASS	ND ND	Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is pe	3					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/21/24



Matrix : Derivative

Type: Live Resin

Page 4 of 6

. Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-016 Harvest/Lot ID: 4364707735560313 Batch#: 4364707735560313 Sample Size Received: 16 units Sampled : 12/18/24 Ordered : 12/18/24

Total Amount : 730 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0291g			4 Extracted by: 850			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081414SOL nstrument Used : DA-GCMS-002 Analyzed Date : 12/20/24 17:04:37	Batch Date : 12/19/24 17:55:28						

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24

PASSED

PASSED



Matrix : Derivative Type: Live Resin

Page 5 of 6

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Julio Cha

Sample : DA41218015-016 Harvest/Lot ID: 4364707735560313 Batch#: 4364707735560313 Sample Size Received: 16 units

Sampled : 12/18/24 Total Amount : 730 units Ordered : 12/18/24

Completed : 12/21/24 Expires: 12/21/25

Email: Julio.Cha	avez@crescolabs.c	com		dered : 12/18/24			: 12/21/24 Expire sthod : SOP.T.20.0							
(Fr	Micro	bial			PAS	SED	သို့	Мус	otoxiı	าร		l	PAS	SEI
Analyte		LOI	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Actio Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN I	32		0.00	ppm	ND	PASS	0.02
SPERGILLUS	NIGER			Not Present	PASS		AFLATOXIN I	31		0.00	ppm	ND	PASS	0.02
SPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
SPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02
ALMONELLA	SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGEI	LA			Not Present	PASS		Analyzed by:	14	/eight:	Extraction dat		E	xtracted I	2011
OTAL YEAST	AND MOLD	10.0	0 CFU/g	<10	PASS	100000	3379, 585, 144			12/19/24 15:5			50,3379	Jy.
	5, 1440 d : SOP.T.40.056 n : DA081367MIC		Extraction d 12/19/24 11 058.FL, SOP.T	:01:50	Extracted 4520,404		Analysis Metho SOP.T.30.102. Analytical Bato Instrument Use	L (Davie), SO h : DA081397	P.T.40.102.FL	(Davie)		(Gainesvi		9
A-020,Fisher S cientific Isoter	vcler DA-013,Fish Scientific Isotem np Heat Block (5 12/20/24 10:58	p Heat Block 55*C) DA-021	(95*C) DA-04				Dilution : 250 Reagent : 1217 081023.01 Consumables : Pipette : DA-09	6698360-03		24.R02; 1217	24.R15; 1	02124.R0	8; 121824	4.R06;
	24.114; 111524. 7578001093	.120; 120524	.R12; 051624	.08			Mycotoxins test accordance with			aphy with Triple	-Quadrupol	e Mass Spe	ctrometry	in
nalyzed by: 390, 4044, 585	5, 1440	Weight: 0.845g	Extraction d 12/19/24 11		Extracted 4520,404		Hg	Heav	y Me	tals		I	PAS	SE
nalytical Batch	d: SOP.T.40.208 n: DA081368TYN d: Incubator (25	N.			te : 12/19/2	4 08:45:42	Metal			LOD	Units	Result		Actio
A-382]		-,											Fail	Leve
nalyzed Date :	12/21/24 20:50	:21					TOTAL CONT	AMINANT LO	AD METALS	0.08	ppm	ND	PASS	1.1
ilution:10							ARSENIC			0.02	ppm	ND	PASS	0.2
	24.114; 111524.	.120; 110724	.R13				CADMIUM			0.02	ppm	ND	PASS	0.2
onsumables :	N/A						MERCURY			0.02	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 4056, 58	5, 1440	Weight: 0.2939g	Extractior 12/19/24			Extracted 1879,102		
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA081377 ed:DA-ICPMS-)82.FL, SOP.T. HEA ·004	40.082.FL		2/19/24 1		
							Dilution : 50 Reagent : 1125	24 B05: 1126	24 B32· 1216	24 B16· 1212	24 R02· 1	21624 B1	4. 12162	1 R15·

112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07: 121324.R01 Consumables : 179436; 040724CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24

PASSED



Matrix : Derivative

Type: Live Resin

Page 6 of 6

Cresco Liquid Live Resin Cartridge 1g - Mt. Ripsmore (H) Mt. Ripsmore (H)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-016 Harvest/Lot ID: 4364707735560313 Batch#: 4364707735560313 Sample Size Received: 16 units Sampled : 12/18/24 Ordered : 12/18/24

Total Amount : 730 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

	Filth/For Materia	PASSED				
Analyte Filth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1q		action da		Ex 1	tracted by: 79
	: Filth/Foreign Mater 2/20/24 21:11:23	rial Micro	oscope	Batch D	ate:12/19	9/24 16:05:12
Filth and foreign m	aterial inspection is pe ordance with F.S. Rule	rformed b 64ER20-3	y visual in:	spection utilizir	ng naked ey	e and microscope
\bigcirc	Water A				ΡΑ	SSED
Analyte Water Activity		LOD 0.010	Units aw	Result 0.440	P/F PASS	Action Level 0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2508g	Extraction date: 12/19/24 16:10:24	Extracted by: 4512
Analysis Method : SOP.T Analytical Batch : DA083 Instrument Used : DA25 Analyzed Date : 12/20/2	L411WAT 7 Rotronic Hygr	oPalm Batch Date	: 12/19/24 11:30:38
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A			
Water Activity is performed	l using a Rotronic	HygroPalm HP 23-AW in accorda	ance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/21/24