

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE DA41218015-017

Laboratory Sample ID: DA41218015-017

Certificate of Analysis

Kaycha Labs

Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix: Derivative Classification: High THC



Type: Live Resin Production Method: Other - Not Listed Harvest/Lot ID: 3807483195399967 Batch#: 3807483195399967 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 3978155046672835 Harvest Date: 12/17/24 Sample Size Received: 16 units Total Amount: 763 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 12/18/24 Sampled: 12/18/24 Completed: 12/21/24

Pages 1 of 6

Sampling Method: SOP.T.20.010

PASSED

Dec 21, 2024 | Sunnyside

CRESCO

indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.
R Ø	E	Hg	Ċ.	ڳ		Ä			$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycotoxii PASSEI)	Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes PASSED
Ä	Cannal	oinoid								I	PASSEI
Total THC 71.992% Total THC/Container : 719.920 mg Total CBD/Container : 2.020 mg Total CBD/Container : 2.020 mg Total Cannabinoids/Container : 838.130 mg											
	D9-THC	тнса	CBD		D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC
% mg/unit	3.990 39.90	77.540 775.40	ND ND		0.132 1.32	0.262 2.62	1.433 14.33	0.040 0.40	ND ND	ND ND	0.155 1.55
LOD	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 335, 3605, 166	5, 585, 1440			Weight: 0.1159g		Extraction 12/19/24 1				Extracted by: 3335	
nalytical Batch strument Used	: SOP.T.40.031, S DA081381POT DA-LC-007 12/21/24 20:50:39					E	Batch Date : 12/19/24	10:14:15			
Consumables : 9	24.R06; 092724.11 947.109; 040724CH 9; DA-108; DA-078	H01; CE0123; R1KB1	14270			Rule 64ER20-39.					

Sunnyside^{*}

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24



Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-017 Harvest/Lot ID: 3807483195399967

Sampled : 12/18/24 Ordered : 12/18/24

Batch#: 3807483195399967 Sample Size Received: 16 units Total Amount : 763 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/un	it %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	62.28	6.228			SABINENE HYDRATE	0.007	ND	ND	
ETA-MYRCENE	0.007	19.20	1.920			VALENCENE	0.007	ND	ND	
MONENE	0.007	10.41	1.041			ALPHA-CEDRENE	0.005	ND	ND	
TA-CARYOPHYLLENE	0.007	9.20	0.920			ALPHA-PHELLANDRENE	0.007	ND	ND	
ALOOL	0.007	8.11	0.811			ALPHA-TERPINENE	0.007	ND	ND	
RNESENE	0.007	3.30	0.330			CIS-NEROLIDOL	0.003	ND	ND	
PHA-HUMULENE	0.007	3.10	0.310			GAMMA-TERPINENE	0.007	ND	ND	
PHA-BISABOLOL	0.007	1.91	0.191			TRANS-NEROLIDOL	0.005	ND	ND	
PHA-TERPINEOL	0.007	1.62	0.162		1	Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
TA-PINENE	0.007	1.40	0.140		1	3605, 4451, 585, 1440	0.2713g		/24 12:45:31	
NCHYL ALCOHOL	0.007	1.31	0.131		i	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	061A.FL			
PHA-PINENE	0.007	0.82	0.082			Analytical Batch : DA081371TER Instrument Used : DA-GCMS-008			Batah Da	te: 12/19/24 09:45:20
RNEOL	0.013	0.72	0.072			Analyzed Date : 12/21/24 20:50:43			Datch Da	te:12/19/24 09.45.20
PHA-TERPINOLENE	0.007	0.40	0.040			Dilution : 10				
MPHENE	0.007	0.39	0.039			Reagent : 032524.13				
CHONE	0.007	0.39	0.039			Consumables : 947.109; 240321-634-A; 280670 Pipette : DA-065	723; CE0123			
ARENE	0.007	ND	ND							
MPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromato	grapny Mass Spectro	metry. For all	Flower samps	es, the Total Terpenes % is dry-weight corrected
RYOPHYLLENE OXIDE	0.007	ND	ND							
DROL	0.007	ND	ND							
CALYPTOL	0.007	ND	ND							
RANIOL	0.007	ND	ND							
RANYL ACETATE	0.007	ND	ND							
IAIOL	0.007	ND	ND							
XAHYDROTHYMOL	0.007	ND	ND							
DBORNEOL	0.007	ND	ND							
DPULEGOL	0.007	ND	ND							
ROL	0.007	ND	ND							
IMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
tal (%)			6.228							

Total (%)

6.228

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24



Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA41218015-017 Harvest/Lot ID: 3807483195399967

Sampled : 12/18/24 Ordered : 12/18/24

Batch#: 3807483195399967 Sample Size Received: 16 units Total Amount : 763 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	Level 5	PASS	ND		0.010	maa	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	P.P.	0.2	PASS	ND	OXAMYL		1.1.			
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010	1.1.	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		maa	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND						
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
-	0.010		0.1	PASS	ND	CAPTAN *		mag	0.7	PASS	ND
CHLORPYRIFOS CLOFENTEZINE	0.010		0.2	PASS	ND			ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.2	PASS	ND	CHLORDANE *		1.1.		PASS	
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *		ppm	0.1		ND
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DIAZINON DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010	P.P.	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted I	oy:
ETHOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 1440 0.2555g		4 15:55:30		450,3379	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	, SOP.T.30.10)2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA081395PES					
ETOXAZOLE FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch	Date : 12/19/2	24 10:46:58	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/20/24 10:13:07		Duten	Bate 112, 13, 1	21 201 10100	
	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE FIPRONIL	0.010		0.1	PASS	ND	Reagent : 121724.R14; 121824.R08; 121624.R0	2; 121724.R1	15; 102124.RO	8; 121824.R0	6; 081023.01	
FLONICAMID	0.010		0.1	PASS	ND	Consumables : 6698360-03					
	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL HEXYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizin accordance with F.S. Rule 64ER20-39.	g Liquid Chror	matography Tri	ple-Quadrupol	le Mass Spectror	netry in
IMAZALIL	0.010		0.1	PASS	ND		Future et in			Frature at a d la	
IMIDACLOPRID	0.010		0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1440 0.2555g	Extractio 12/19/24	15:55:30		Extracted b 450.3379	y:
KRESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville)			SOP T 40 15		
	0.010		0.2	PASS	ND	Analytical Batch : DA081398VOL	, 501.1.50.15	JIANE (Duvic)	, 501.11.40.15	1.1 C	
MALATHION METALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch Date	:12/19/24 10:	:49:21	
METALAXYL METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 12/20/24 10:11:54					
	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL			0.1	PASS	ND	Reagent: 121624.R02; 081023.01; 111824.R23					
MEVINPHOS MYCLOBUTANIL	0.010 0.010		0.1	PASS	ND	Consumables : 6698360-03; 240321-634-A; 040 Pipette : DA-080; DA-146; DA-218	7724CHU1; 14	+/25401			
				PASS	ND	Testing for agricultural agents is performed utilizin	a Gas Chroma	tography Triple	o Quadrunela I	Macc Sportromo	tru in
NALED	0.010	рш	0.25	PA33	NU	accordance with F.S. Rule 64ER20-39.	y das chroma	itography inpi	e-quaurupole i	mass specirome	u y III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24

PASSED

PASSED



Page 4 of 6

Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-017 Harvest/Lot ID: 3807483195399967 Sampled : 12/18/24 Ordered : 12/18/24

Batch#: 3807483195399967 Sample Size Received: 16 units Total Amount : 763 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0284g	Extraction date: 12/20/24 12:32:14		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081414SOL nstrument Used : DA-GCMS-002 Analyzed Date : 12/20/24 17:04:34			Batch Date : 12/19/24 1	7:55:28	

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/21/24

PASSED

PASSED



Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41218015-017 Harvest/Lot ID: 3807483195399967

Sampled : 12/18/24 Ordered : 12/18/24

Batch#: 3807483195399967 Sample Size Received: 16 units Total Amount : 763 units Completed : 12/21/24 Expires: 12/21/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microl	bial				PAS	SED	လို့	Му	cotox	ins			PAS	SED
Analyte		LC	D	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS	Level	AFLATOXIN E	2		0.00	maa	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN E	1		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXIN	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN O	1		0.00	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENI	E			Not Present	PASS		AFLATOXIN O	i2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA				Not Present	PASS		Analyzed by:		Weight:	Extraction dat	·•·	F	xtracted	
TOTAL YEAS	T AND MOLD	10	.00	CFU/g	<10	PASS	100000		D	0.2555g	12/19/24 15:5			150,3379	Jy.
Analyzed by: 390, 4520, 58 Analysis Metho	35, 1440 od : SOP.T.40.0560	Weight: 0.977g	1	xtraction da 2/19/24 11: 3.FL, SOP.T.	01:50	Extracted 4520,404		SOP.T.30.102.F Analytical Batc	L (Davie), h:DA0813	SOP.T.40.102					
Analytical Bate	ch : DA081367MIC ed : PathogenDx S					atch Date :	12/10/24	Instrument Use Analyzed Date	. ,	10:14:07	B	atch Date	:12/19/2	4 10:49:1	9
DA-020,Fisher Scientific Isote	cycler DA-013,Fish Scientific Isotemp mp Heat Block (5 12/20/24 10:58:) Heat Bloc 5*C) DA-02	k (95			-0. 1 0.30		Dilution : 250 Reagent : 1217 081023.01 Consumables : Pipette : DA-09	6698360-0	13	21624.R02; 1217	24.R15; 1	L02124.R0)8; 12182	4.R06;
leagent : 1115	524.114; 111524.1 7578001093	120; 12052	24.R1	12; 051624.	08			Mycotoxins testi accordance with	ng utilizing I F.S. Rule 64	Liquid Chromato IER20-39.	ography with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3390, 4044, 58	35, 1440	Weight: 0.977g		xtraction da 2/19/24 11:		Extracted 4520,404		Hg	Неа	avy M	etals			PAS	SEC
Analytical Bate	od : SOP.T.40.208 :h : DA081368TYM ed : Incubator (25*	1				te : 12/19/2	4 08:45:4	Metal		_	LOD	Units	Result	Fail	Action Level
nalyzed Date	: 12/21/24 20:50:	21						TOTAL CONT	AMINANT	LOAD META		ppm	ND	PASS	1.1
ilution:10								ARSENIC			0.02	ppm	ND	PASS	0.2
	524.114; 111524.1	120; 11072	24.R1	13				CADMIUM			0.02	ppm	ND ND	PASS PASS	0.2 0.2
consumables : Pipette : N/A	N/A							LEAD			0.02	ppm ppm	ND	PASS	0.2
	mold testing is perfo n F.S. Rule 64ER20-39		ng MF	PN and traditi	onal culture base	d techniques	; in	Analyzed by: 1022, 4056, 58	5, 1440	Weigh 0.299g				Extracted 1879,102	
								Analysis Metho Analytical Batc Instrument Use Analyzed Date	h:DA0813 d:DA-ICPI	77HEA MS-004		h Date : 1	L2/19/24 1	10:04:46	
								Dilution : 50 Reagent : 1125 120324.07; 12 Consumables : Pipette : DA-06	L324.R01 179436; 04	40724CH01; 2	21624.R16; 1212 210508058	24.R02; 1	121624.R1	4; 12162	4.R15;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/21/24



Cresco Live Budder 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

းို

Analyte

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41218015-017 Harvest/Lot ID: 3807483195399967 Batch# : 3807483195399967 Sample Size Received : 16 units Sampled : 12/18/24 Total Amount : 763 units

 Batch#:3807483195399967
 Sample Size Received:16 units

 Sampled:12/18/24
 Total Amount:763 units

 Ordered:12/18/24
 Completed:12/21/24 Expires:12/21/25

 Sample Method:SOP.T.20.010

Filth/Foreign PASSED Material

Filth and For	eign Material	0.100 %	ND	PASS	1					
Analyzed by: 1879, 585, 1440	Weight: D 1g	Extraction date 12/20/24 20:19		Extracted by: 5 1879						
Analytical Batcl Instrument Use	d : SOP.T.40.090 h : DA081413FIL d : Filth/Foreign Mate : 12/20/24 21:11:22	rial Microscope	Batch I	Date : 12/19	9/24 16:05:12					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A										
	material inspection is pe ccordance with F.S. Rule		ection utilizi	ng naked ey	e and microscope					
(\bigcirc)	Water A	ctivity		PA	SSED					

Analyte Water Activity		LOD 0.010	Units aw	Result 0.408	P/F PASS	Action Level 0.85				
Analyzed by: Weight: Extraction date: Extracted by: 4512, 585, 1440 0.1917g 12/19/24 16:10:25 4512										
Analysis Method : SOP.T.40.019 Analytical Batch : DA081411WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 12/20/24 09:54:09										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/21/24

PASSED

Page 6 of 6