



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41218015-019



Dec 21, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

86.011%

Total THC/Container : 430.055 mg



Total CBD

0.339%

Total CBD/Container : 1.695 mg



Total Cannabinoids

90.732%

Total Cannabinoids/Container : 453.660 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.962	0.056	0.339	ND	ND	2.900	ND	0.865	0.380	ND	0.230
mg/unit	429.81	0.28	1.70	ND	ND	14.50	ND	4.33	1.90	ND	1.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.1049g

Extraction date:
12/19/24 13:40:17

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081382POT

Instrument Used : DA-LC-003

Analyzed Date : 12/20/24 11:00:04

Batch Date : 12/19/24 10:17:21

Dilution : 400

Reagent : 121624.R07; 092724.11; 121624.R04

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Blue Dream (H)
Blue Dream (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218015-019
Harvest/Lot ID: 3875897703050531

Batch# : 3875897703050531 Sample Size Received : 31 units
Sampled : 12/18/24 Total Amount : 829 units
Ordered : 12/18/24 Completed : 12/21/24 Expires: 12/21/25
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.77	4.154		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.37	1.073		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.71	0.941		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.02	0.603		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.23	0.446		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.19	0.238		CIS-NEROLIDOL	0.003	ND	ND	
LIMONENE	0.007	1.05	0.210		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.82	0.164		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-HUMULENE	0.007	0.68	0.135						
ALPHA-PHELLANDRENE	0.007	0.35	0.070		Analysis by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.26	0.051		3605, 4451, 585, 1440	0.245g	12/19/24 12:45:31	3605	
GUAIOL	0.007	0.25	0.049		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	0.24	0.048		Analytical Batch : DA001371TER				
FENCHYL ALCOHOL	0.007	0.23	0.045		Instrument Used : DA-GCMS-008				
CAMPHENE	0.007	0.21	0.042		Analyzed Date : 12/20/24 11:00:06				Batch Date : 12/19/24 09:45:20
3-CARENE	0.007	0.20	0.039		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 032524.13				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			4.154						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Blue Dream (H)

Blue Dream (H)

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218015-019

Harvest/Lot ID: 3875897703050531

Batch# : 3875897703050531

Sampled : 12/18/24

Ordered : 12/18/24

Sample Size Received : 31 units

Total Amount : 829 units

Completed : 12/21/24 Expires: 12/21/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2593g Extraction date: 12/19/24 15:55:30 Extracted by: 450,3379 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA081395PES Instrument Used :DA-LCMS-005 (PES) Batch Date :12/19/24 10:46:58 Analysis Date :12/20/24 10:13:09 Dilution : 250 Reagent : 121724.R14; 121824.R08; 121624.R02; 121724.R15; 102124.R08; 121824.R06; 081023.01 Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-219					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 585, 1440 Weight: 0.2593g Extraction date: 12/19/24 15:55:30 Extracted by: 450,3379 Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA081398VOL Instrument Used :DA-GCMS-011 Batch Date :12/19/24 10:49:21 Analysis Date :12/20/24 10:11:55 Dilution : 250 Reagent : 121624.R02; 081023.01; 111824.R23; 111824.R24 Consumables : 6698360-03; 240321-634-A; 040724CH01; 14725401 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Blue Dream (H)
Blue Dream (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41218015-019

Harvest/Lot ID: 3875897703050531

Batch# : 3875897703050531

Sampled : 12/18/24

Ordered : 12/18/24

Sample Size Received : 31 units

Total Amount : 829 units

Completed : 12/21/24 Expires: 12/21/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0278g

Extraction date:
12/20/24 13:59:15

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA081415SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 12/20/24 17:09:07

Batch Date : 12/19/24 17:58:51

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Blue Dream (H)
Blue Dream (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA41218015-019
Harvest/Lot ID: 3875897703050531

Batch# : 3875897703050531 Sample Size Received : 31 units
Sampled : 12/18/24 Total Amount : 829 units
Ordered : 12/18/24 Completed : 12/21/24 Expires: 12/21/25
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.919g	Extraction date: 12/19/24 11:01:50	Extracted by: 4520,4044							
Analytical Batch : DA081367MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021										
Batch Date : 12/19/24 08:40:56										
Analysis Date : 12/20/24 10:58:05										
Dilution : 10										
Reagent : 111524.114; 111524.120; 120524.R12; 051624.08										
Consumables : 7578001093										
Pipette : N/A										
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.919g	Extraction date: 12/19/24 11:01:50	Extracted by: 4520,4044							
Analytical Batch : DA081368TYM										
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]										
Batch Date : 12/19/24 08:45:42										
Analysis Date : 12/21/24 20:50:23										
Dilution : 10										
Reagent : 111524.114; 111524.120; 110724.R13										
Consumables : N/A										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02					
Analysis by: 3379, 585, 1440	Weight: 0.2593g	Extraction date: 12/19/24 15:55:30	Extracted by: 450,3379							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)										
Analytical Batch : DA081397MYC										
Instrument Used : N/A	Batch Date : 12/19/24 10:49:19									
Analysis Date : 12/20/24 10:14:07										
Dilution : 250										
Reagent : 121724.R14; 121824.R08; 121624.R02; 121724.R15; 102124.R08; 121824.R06; 081023.01										
Consumables : 6698360-03										
Pipette : DA-093; DA-094; DA-219										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1					
ARSENIC	0.02	ppm	ND	PASS	0.2					
CADMIUM	0.02	ppm	ND	PASS	0.2					
MERCURY	0.02	ppm	ND	PASS	0.2					
LEAD	0.02	ppm	ND	PASS	0.5					
Analysis by: 1022, 4056, 585, 1440	Weight: 0.2052g	Extraction date: 12/19/24 12:56:25	Extracted by: 1022,1879							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA081377HEA										
Instrument Used : DA-ICPMS-004	Batch Date : 12/19/24 10:04:46									
Analysis Date : 12/20/24 10:16:30										
Dilution : 50										
Reagent : 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07; 121324.R01										
Consumables : 179436; 040724CH01; 210508058										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Blue Dream (H)
Blue Dream (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41218015-019

Harvest/Lot ID: 3875897703050531

Batch# : 3875897703050531

Sampled : 12/18/24

Ordered : 12/18/24

Sample Size Received : 31 units

Total Amount : 829 units

Completed : 12/21/24 Expires: 12/21/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 12/20/24 20:19:25 Extracted by: 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA081413FIL

Instrument Used : Filtration/Foreign Material Microscope

Batch Date : 12/19/24 16:05:12

Analyzed Date : 12/20/24 21:11:17

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.468	PASS	0.85

Analyzed by: 4512, 585, 1440 Weight: 0.205g Extraction date: 12/19/24 16:10:25 Extracted by: 4512

Analysis Method : SOP.T.40.019

Analytical Batch : DA081411WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 12/19/24 11:30:38

Analyzed Date : 12/20/24 09:54:10

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/21/24