

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41219013-003

Certificate of Analysis

Kaycha Labs

Sunnyside Chews 100mg 10pk Watermelon Watermelon



Matrix: Edible Classification: High THC Type: Soft Chew Production Method: Other - Not Listed Harvest/Lot ID: 7493389530392880 Batch#: 7493389530392880 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 9432973184449302

Harvest Date: 12/13/24

Sample Size Received: 12 units Total Amount: 2338 units Retail Product Size: 40.0903 gram

Retail Serving Size: 0.1 gram

Servings: 1

Ordered: 12/19/24

- Sampled: 12/19/24
- Completed: 12/23/24

Sampling Method: SOP.T.20.010

Pages 1 of 5



Dec 23, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Sunnyside*

chews

SAFETY	RESULTS

SAFETY RI	ESULTS										MISC.
н÷ Ø	[Hg	Ç	ç	e e	Ä			\bigcirc		Ô
Pesticio PASSE		vy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes NOT TESTED
Ä	Cannab	inoid								F	PASSED
	1	THC 260%			3 0.	al CBD 005% CBD/Container	-		30.	l Cannabinoids 278% Cannabinoids/Conta	iner : 111.451
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	0.260	ND	0.005	ND	ND	0.011	ND	0.002	ND	ND	ND
mg/unit	104.23 0.001	ND 0.001	2.00 0.001	ND 0.001	ND 0.001	4.41 0.001	ND 0.001	0.80 0.001	ND 0.001	ND 0.001	ND 0.001
LOD	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1335, 1665, 585,	1440			Weight: 3.1124g		Extraction date: 12/20/24 13:04:0				Extracted by: 3335	
Analytical Batch nstrument Used	: SOP.T.40.031, SO : DA081445POT : DA-LC-007 12/22/24 20:44:02	P.T.30.031					Batch Date : 12/20/24	10:16:45			
	4.R07; 092724.11; 47.109; 040724CH										

Sunnyside*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Sunnyside Chews 100mg 10pk Watermelon Watermelon Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA41219013-003 Harvest/Lot ID: 7493389530392880

Sampled : 12/19/24 Ordered : 12/19/24

Batch#: 7493389530392880 Sample Size Received: 12 units Total Amount : 2338 units Completed : 12/23/24 Expires: 12/23/25 Sample Method : SOP.T.20.010

Page 2 of 5

Action Level 0.5



Pesticides

LOD 0.010	Units	Action Level	Pass/Fail	Result	Pesticide		
	0.000						
	hhui	5	PASS	ND	OXAMYL		
0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		
0.010	ppm	0.1	PASS	ND	PHOSMET		
0.010	ppm	0.5	PASS	ND			
0.010	ppm	0.2	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND	PROPOXUR		
0.010	ppm	0.1	PASS	ND	PYRIDABEN		
0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		
0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		
0.010	ppm	0.1	PASS	ND	SPIROXAMINE		
0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.5	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	1	PASS	ND		NE (PCNB) *	
0.010	ppm	1	PASS	ND	PARATHION-METHYL *		
0.010	ppm	0.1	PASS	ND	CAPTAN *		
0.010	ppm	0.2	PASS	ND	CHLORDANE *		
0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		
0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		
0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		
0.010	ppm	0.1	PASS	ND		Woight	Ex
0.010	ppm	0.1	PASS	ND			12
0.010	ppm	0.1	PASS	ND		5	
0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	o in e (ouncovinc),	,
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND		33:57	
0.010	ppm	0.1	PASS	ND		22.01	
0.010	ppm	0.1	PASS	ND			625011
0.010	ppm	0.1	PASS	ND		, 04072401101, 520	0250111
0.010	ppm	0.1	PASS	ND	1 · · · ·	s performed utilizing	a Liauid
0.010	ppm	0.1	PASS	ND			,
0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Ext
0.010	ppm	0.4	PASS	ND	450, 585, 1440	0	12/
0.010	ppm	0.1	PASS	ND			, SOP.T
0.010	ppm	0.2	PASS	ND			
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND		A T	
0.010	ppm	0.1	PASS	ND		23.01: 111824.R23	: 11187
0.010	ppm	0.1	PASS	ND			
0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA	-218	
0.010	- P				1 10 200 1 2110 210 210	210	
	0.010 0.010	0.010 ppm 0.010 ppm	0.010 ppm 0.2 0.010 ppm 0.1 0.010 ppm <td>0.010 ppm 0.2 PASS 0.010 ppm 0.1 PASS 0.010 ppm 1 PASS 0.010 ppm 1 PASS 0.010 ppm 0.1 PASS 0.010</td> <td>0.010 ppm 0.2 PASS ND 0.010 ppm 0.1 PASS</td> <td>0.010 ppm 0.5 PASS ND PIPERONYL BUTOXIDE 0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND CAPTAN * 0</td> <td>0.010 ppm 0.5 PASS ND PIPERONYL BUTOXIDE 0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORNITOBENZENE (PCNB) * 0.010 ppm 1 PASS ND PENTACHLORONITROBENZENE (PCNB) * 0.010 ppm 1 PASS ND CAPTAN * 0.010 ppm 0.1 PASS ND CHLORENAPR *<</td>	0.010 ppm 0.2 PASS 0.010 ppm 0.1 PASS 0.010 ppm 1 PASS 0.010 ppm 1 PASS 0.010 ppm 0.1 PASS 0.010	0.010 ppm 0.2 PASS ND 0.010 ppm 0.1 PASS	0.010 ppm 0.5 PASS ND PIPERONYL BUTOXIDE 0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND CAPTAN * 0	0.010 ppm 0.5 PASS ND PIPERONYL BUTOXIDE 0.010 ppm 0.1 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS ND PYRIDABEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 PASS ND THIACLORNITOBENZENE (PCNB) * 0.010 ppm 1 PASS ND PENTACHLORONITROBENZENE (PCNB) * 0.010 ppm 1 PASS ND CAPTAN * 0.010 ppm 0.1 PASS ND CHLORENAPR *<

Dilution : 250 Reagent : 121624 B02: 08102	01-111024 02:	2 111224 024				
Analytical Batch :DA081454V Instrument Used :DA-GCMS-0 Analyzed Date :12/23/24 09:1	DL 10			ate:12/20/241		
450, 585, 1440 Analysis Method : SOP.T.30.15	0.9881g	12/20/24), SOP.T.30.15		vie), SOP.T.40.1	3379,450	
Analyzed by:	Weight:	Extractio	n date:		Extracted	d by:
Testing for agricultural agents is accordance with F.S. Rule 64ER2		ıg Liquid Chrom	natography	y Triple-Quadrup	ole Mass Spect	rometry in
Dilution : 250 Reagent : 121624.R02; 08102 Consumables : 240321-634-A; Pipette : N/A	040724CH01; 32					
Analysis Method :SOP.T.30.10 SOP.T.40.102.FL (Davie) Analytical Batch :DA081449PI Instrument Used :DA-LCMS-00 Analyzed Date :12/23/24 09:3	ES)3 (PES)), SOP.T.30.10		ie), SOP.T.40.10		lle),
Analyzed by: 3379, 585, 1440	Weight: 0.9881g	12/20/24	14:10:42		Extracte 3379,450)
CYPERMETHRIN *		0.050	on date:	0.5		ND
CYFLUTHRIN *		0.050		0.5	PASS	ND
CHLORFENAPYR *		0.010		0.1	PASS	ND
CHLORDANE *		0.010		0.1	PASS	ND
CAPTAN *		0.070		0.7	PASS	ND
PARATHION-METHYL *		0.010	T. F.	0.1	PASS	ND
PENTACHLORONITROBENZEN	E (PCNB) *	0.010	ppm	0.15	PASS	ND
TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
THIACLOPRID		0.010	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
SPIROXAMINE		0.010		0.1	PASS	ND
SPIROTETRAMAT		0.010		0.1	PASS	ND
SPIROMESIFEN		0.010		0.1	PASS	ND
PYRIDABEN		0.010	T. F.	0.2	PASS	ND
PROPOXUR		0.010		0.1	PASS	ND
PROPICONAZOLE		0.010		0.1	PASS	ND
PIPERONYL BUTOXIDE PRALLETHRIN		0.010		0.1	PASS	ND
PHOSMET		0.010 0.010		0.1	PASS	ND ND
PACLOBUTRAZOL		0.010		0.1	PASS	ND

LOD Units

0.010 ppm

824.R24 W; 14725401

Chromatography Triple-Quadrupole Mass Spectrometry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24

PASSED

PASSED

Result

ND

Pass/Fail

PASS



Page 3 of 5

..... Sunnyside Chews 100mg 10pk Watermelon Watermelon Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41219013-003 Harvest/Lot ID: 7493389530392880

Sampled : 12/19/24 Ordered : 12/19/24

Batch#: 7493389530392880 Sample Size Received: 12 units Total Amount : 2338 units Completed : 12/23/24 Expires: 12/23/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
THANOL	500.000	ppm		TESTED	ND	
THYL ACETATE	40.000	ppm	400	PASS	ND	
THYL ETHER	50.000	ppm	500	PASS	ND	
THYLENE OXIDE	0.500	ppm	5	PASS	ND	
EPTANE	500.000	ppm	5000	PASS	ND	
IETHANOL	25.000	ppm	250	PASS	ND	
HEXANE	25.000	ppm	250	PASS	ND	
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
ROPANE	500.000	ppm	5000	PASS	ND	
OLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
nalyzed by: 50, 585, 1440	Weight: 0.0244g	Extraction date: 12/23/24 15:10:05				
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA081473SOL nstrument Used : DA-GCMS-003 Nalyzed Date : 12/23/24 15:51:17	Batch Date : 12/20/24 15:02:06					

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24

PASSED

PASSED



Sunnyside Chews 100mg 10pk Watermelon Watermelon Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41219013-003 Harvest/Lot ID: 7493389530392880

Sampled : 12/19/24 Ordered : 12/19/24

Batch#: 7493389530392880 Sample Size Received: 12 units Total Amount : 2338 units Completed : 12/23/24 Expires: 12/23/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Microb	ial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		Analyzed by:		Weight:	Extraction dat	e:	E	xtracted	by:
TOTAL YEAS	T AND MOLD	10.00	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.9881g	12/20/24 14:1	0:42	3	379,450	-
Analyzed by: 1520, 585, 144	Weight 0 0.951g		ction date: //24 11:02:5	3	Extracted 4044	by:		L (Davie),	, SOP.T.40.102	nesville), SOP.T. .FL (Davie)	40.101.FL	. (Gainesv	ille),	
nalytical Bate nstrument Us 720 Thermoc 0A-020,Fisher icientific Isote	<pre>od : SOP.T.40.056C, 9 th : DA081421MIC ed : PathogenDx Sca ycler DA-010,Fisher Scientific Isotemp H imp Heat Block (55* 12/22/24 20:40:14</pre>	nner DA-111, Scientific Isot leat Block (95 C) DA-021	Applied Bio temp Heat B	systems B Block (55*C) 0	atch Date : 18:47:30	12/20/24	Instrument Use Analyzed Date Dilution : 250 Reagent : 1210	ed:N/A :12/23/24	81023.01	B H01; 326250IW	atch Date	: 12/20/24	4 10:27:0	4
consumables : Pipette : N/A	524.119; 111524.134 7578001092						Mycotoxins test accordance with	n F.S. Rule 6		ography with Triple	-Quadrupo		PAS	
Analyzed by: 3390, 4777, 45	571, 585, 1440	Weight: 0.951g	Extractio 12/20/24	11:02:53	Extract 4044	ted by:	Цпдр	nco		clais				
Analytical Bate	od : SOP.T.40.208 (G h : DA081423TYM				12/20/2	4 00 40 5	Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Us DA-382]	ed : Incubator (25*C)) DA- 328 [Cal	inprated with	Batch Dat	te:12/20/2	4 08:48:5	TOTAL CONT	AMINANT	LOAD META	LS 0.08	ppm	ND	PASS	1.1
	: 12/22/24 20:41:06						ARSENIC			0.02	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	524.119; 111524.134	4; 110724.R1	3				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perform	ned utilizing MPI	N and traditio	onal culture base	d techniques	s in	Analyzed by: 4056, 585, 144	0	Weight: 0.2222g	Extraction dat 12/20/24 13:4			xtracted k 056,1879	
ccordance with	F.S. Rule 64ER20-39.						Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA081 ed:DA-ICP	30.082.FL, SOF 451HEA PMS-004	P.T.40.082.FL		2/20/24 1	0:21:47	
							Dilution : 50							

Dilution : 50 Reagent : 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07; 121324.R01 Consumables : 179436; 040724CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Page 5 of 5

..... Sunnyside Chews 100mg 10pk Watermelon Watermelon Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41219013-003 Harvest/Lot ID: 7493389530392880

PASSED

Sampled : 12/19/24 Ordered : 12/19/24

Batch#: 7493389530392880 Sample Size Received: 12 units Total Amount : 2338 units Completed : 12/23/24 Expires: 12/23/25 Sample Method : SOP.T.20.010

Homogeneity

Amount of tests conducted : 22

Analyte Filth and Foreign Material		LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		action dat 20/24 20:1			tracted by: 79
Analysis Method : SOF Analytical Batch : DAC Instrument Used : Filt Analyzed Date : 12/20	81413FIL h/Foreign Mater	rial Micro	oscope	Batch I	Date : 12/1	9/24 16:05:12
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						
Filth and foreign materia technologies in accordar				pection utilizi	ng naked ey	e and microscope
\bigcirc	/ator A				ΡΔ	SSED

Water Activity

Analyte		OD Units	Result	P/F	Action Level	
Water Activity		.010 aw	0.679	PASS	0.85	
Analyzed by:	Weight:	Extraction		Extracted by:		
4512, 585, 1440	7.0546g	12/20/24		4512		
Analysis Method : SOP Analytical Batch : DA08 Instrument Used : DA2 Analyzed Date : 12/22/	81435WAT 57 Rotronic Hygr	oPalm	Batch Dat	:e:12/20/2	24 09:57:00	
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.354	25
Analyzed by	Average Weight	Extra	ction date :		Extracted By :
4621, 3702, 585, 1440	3.909g	12/20)/24 14:17:01		4621
Analysis Method : SOP.T.30.111. Analytical Batch : DA081424HOM Instrument Used : DA-LC-004 Analyzed Date : 12/22/24 20:41:2			h Date : 12/20/2	24 08:51	:30
Dilution : 40 Reagent : 121624.R10; 071124.2 Consumables : 947.109; LCJ0311 Pipette : DA-055; DA-063; DA-06	R; 040724CH			l; CE0123	3; R1KB14270
Homogeneity testing is performed ut accordance with F.S. Rule 64ER20-39		formance L	iquid Chromatogr	aphy with	UV detection in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24

PASSED

PASSED