



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41219013-005



Production Method: Other - Not Listed

Harvest/Lot ID: 2156104714236689

Batch#2156104714236689

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1575538734874683

Harvest Date: 12/17/24

Sample Size Received: 16 units

Total Amount: 509 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 12/19/24

Sampled: 12/19/24

Completed: 12/24/24

Sampling Method: SOP.T.20.010

Dec 24, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

75.760%

Total THC/Container : 757.600 mg



Total CBD

0.066%

Total CBD/Container : 0.660 mg



Total Cannabinoids

87.914%

Total Cannabinoids/Container : 879.140 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 6.159 | 79.363 | 0.022 | 0.063 | 0.029 | 0.992 | 1.069 | ND | 0.021 | ND | 0.233 |
| mg/unit | 61.59 | 793.63 | 0.22 | 0.63 | 0.29 | 9.92 | 10.69 | ND | 0.21 | ND | 2.33 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 4351, 1440

Weight:
0.1043g

Extraction date:
12/20/24 13:07:01

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081441POT

Instrument Used : DA-LC-007

Analyzed Date : 12/24/24 09:39:27

Batch Date : 12/20/24 10:12:37

Dilution : 400

Reagent : 121624.R07; 092724.11; 121624.R04

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)
Metaverse (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41219013-005

Harvest/Lot ID: 2156104714236689

Batch# : 2156104714236689

Sampled : 12/19/24

Ordered : 12/19/24

Sample Size Received : 16 units

Total Amount : 509 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|--------------------------------|------------|
| TOTAL TERPENES | 0.007 | 19.65 | 1.965 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 6.45 | 0.645 | | VALENCENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 3.14 | 0.314 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 2.21 | 0.221 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| FARNESENE | 0.001 | 1.71 | 0.171 | | ALPHA-PINENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 1.54 | 0.154 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 0.83 | 0.083 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| TRANS-NEROLIDOL | 0.005 | 0.65 | 0.065 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 0.60 | 0.060 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| BORNEOL | 0.013 | 0.58 | 0.058 | | 4451, 3605, 585, 1440 | 0.2387g | 12/20/24 12:51:03 | 4451 | |
| FENCHYL ALCOHOL | 0.007 | 0.53 | 0.053 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.40 | 0.040 | | Analytical Batch : DA081456TER | | | | |
| FENCHONE | 0.007 | 0.28 | 0.028 | | Instrument Used : DA-GCMS-004 | | | Batch Date : 12/20/24 10:31:19 | |
| ALPHA-BISABOLOL | 0.007 | 0.27 | 0.027 | | Analyzed Date : 12/24/24 09:39:29 | | | | |
| BETA-PINENE | 0.007 | 0.24 | 0.024 | | Dilution : 10 | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.22 | 0.022 | | Reagent : 032524.13 | | | | |
| 3-CARENE | 0.007 | ND | ND | | Consumables : 947.109; 240321-634-A; 280670723; CE0123 | | | | |
| CAMPHENE | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| CAMPHOR | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | | 1.965 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)
Metaverse (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41219013-005

Harvest/Lot ID: 2156104714236689

Batch# : 2156104714236689

Sampled : 12/19/24

Ordered : 12/19/24

Sample Size Received : 16 units

Total Amount : 509 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | Weight: 0.2093g | Extraction date: 12/20/24 14:14:34 | Extracted by: 3379,450 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA081436PES | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 12/20/24 09:59:56 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 12/23/24 09:05:38 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 121624.R02; 081023.01 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 240321-634-A; 040724CH01; 326250IW | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : N/A | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | Weight: 0.2093g | Extraction date: 12/20/24 14:14:34 | Extracted by: 3379,450 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA081438VOL | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 12/20/24 10:04:01 | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 12/22/24 20:29:05 | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Reagent : 121624.R02; 081023.01; 111824.R23; 111824.R24 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)
Metaverse (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41219013-005

Harvest/Lot ID: 2156104714236689

Batch# : 2156104714236689

Sampled : 12/19/24

Ordered : 12/19/24

Sample Size Received : 16 units

Total Amount : 509 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.024g

Extraction date:
12/23/24 15:10:05

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08147350L
Instrument Used : DA-GCMS-003
Analyzed Date : 12/23/24 15:51:19

Batch Date : 12/20/24 15:02:06

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)
Metaverse (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA41219013-005
Harvest/Lot ID: 2156104714236689

Batch# : 2156104714236689 Sample Size Received : 16 units
Sampled : 12/19/24 Total Amount : 509 units
Ordered : 12/19/24 Completed : 12/24/24 Expires: 12/24/25
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | |
|--|------------------|---------------|---------------|--------------------|--------------------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA081421MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 | | | | | Batch Date : 12/20/24 08:47:30 |
| Analysis Date : 12/22/24 20:40:15 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 111524.119; 111524.134; 120524.R12; 051624.08 | | | | | |
| Consumables : 7578001092 | | | | | |
| Pipette : N/A | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA081423TYM | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | Batch Date : 12/20/24 08:48:59 |
| Analysis Date : 12/22/24 20:41:07 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 111524.119; 111524.134; 110724.R13 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|---------------|---------------|--------------------|--------------------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA081437MYC | | | | | |
| Instrument Used : N/A | | | | | Batch Date : 12/20/24 10:03:11 |
| Analysis Date : 12/23/24 09:02:15 | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 121624.R02; 081023.01 | | | | | |
| Consumables : 240321-634-A; 040724CH01; 326250IW | | | | | |
| Pipette : N/A | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|---------------|---------------|--------------------|--------------------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA081450HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | Batch Date : 12/20/24 10:21:32 |
| Analysis Date : 12/22/24 20:27:49 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15; 120324.07; 121324.R01 | | | | | |
| Consumables : 179436; 040724CH01; 210508058 | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Metaverse (S)
Metaverse (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41219013-005

Harvest/Lot ID: 2156104714236689

Batch# : 2156104714236689

Sampled : 12/19/24

Ordered : 12/19/24

Sample Size Received : 16 units

Total Amount : 509 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

Analyzed by: 1879, 585, 1440
Weight: 1g
Extraction date: 12/20/24 20:19:29
Extracted by: 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA081413FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 12/19/24 16:05:12

Analyzed Date : 12/20/24 21:02:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.774 | PASS | 0.85 |

Analyzed by: 4512, 585, 1440
Weight: 0.3714g
Extraction date: 12/20/24 12:40:10
Extracted by: 4512

Analysis Method : SOP.T.40.019

Analytical Batch : DA081435WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 12/20/24 09:57:00

Analyzed Date : 12/22/24 20:13:35

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/24/24