

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41219013-007

Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix: Derivative Classification: High THC

Type: Distillate

Production Method: Other - Not Listed Harvest/Lot ID: 5727527375166091

Batch#: 5727527375166091

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 7298645059417642

Harvest Date: 12/17/24

Sample Size Received: 16 units Total Amount: 1485 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 12/19/24 Sampled: 12/19/24

Completed: 12/23/24

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 12/20/24 10:12:37



Water Activity **PASSED**



Moisture



MISC.

Terpenes **PASSED**

PASSED



Cannabinoid

Dec 23, 2024 | Sunnyside

Total THC 87.067%

Total THC/Container: 870.670 mg



Total CBD 0.383%

Total CBD/Container: 3.830 mg



Total Cannabinoids

Total Cannabinoids/Container: 918.780

THCA THCV CBD CRDA D8-THC CBG CRGA CBN CBDV СВС 87.031 0.042 0.383 ND ND 2.918 ND 0.870 0.386 ND 0.248 870.31 0.42 3.83 ND ND 29.18 ND 8.70 3.86 ND 2.48 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD Analyzed by: 3335, 1665, 585, 1440 Weight Extraction date: Extracted by: 12/20/24 13:07:01

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081441POT

Instrument Used : DA-LC-007 Analyzed Date : 12/22/24 20:41:43

Dilution: 400

Reagent: 121624.R07; 092724.11; 121624.R04 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/23/24



Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix: Derivative

Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41219013-007 Harvest/Lot ID: 5727527375166091

Sampled: 12/19/24 **Ordered:** 12/19/24

Batch#: 5727527375166091 Sample Size Received: 16 units Total Amount: 1485 units

Completed: 12/23/24 **Expires:** 12/23/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	48.25	4.825			ISOPULEGOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	16.47	1.647			OCIMENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	9.27	0.927			PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.32	0.432			SABINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.35	0.335			SABINENE HYDRATE	0.007	ND	ND	
LPHA-PINENE	0.007	3.22	0.322			ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	3.03	0.303			CIS-NEROLIDOL	0.003	ND	ND	
3-CARENE	0.007	1.22	0.122			TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	1.06	0.106		Ï	Analyzed by:	Weight:	Extra	tion date:	Extracted by:
LIMONENE	0.007	0.77	0.077		i	4451, 3605, 585, 1440	0.2105g		/24 12:51:0	
LINALOOL	0.007	0.75	0.075			Analysis Method: SOP.T.30.061A.FL, SOP.T.40	0.061A.FL			
ENCHYL ALCOHOL	0.007	0.71	0.071			Analytical Batch : DA081456TER				ate: 12/20/24 10:31:19
ALENCENE	0.007	0.66	0.066		İ	Instrument Used: DA-GCMS-004 Analyzed Date: 12/23/24 12:40:38			Batch D	ate: 12/20/24 10:51:19
GERANIOL	0.007	0.51	0.051		i i	Dilution: 10				
ARYOPHYLLENE OXIDE	0.007	0.48	0.048			Reagent: 032524.13				
ALPHA-TERPINEOL	0.007	0.45	0.045			Consumables: 947.109; 240321-634-A; 2806	70723; CE0123			
GUAIOL	0.007	0.40	0.040			Pipette : DA-065			F1	
IEROL	0.007	0.40	0.040			Terpenoid testing is performed utilizing Gas Chroma	itography Mass Spectro	metry. For all	riower samp	ies, the Total Terpenes % is dry-weight corrected.
AMPHENE	0.007	0.33	0.033							
LPHA-TERPINENE	0.007	0.29	0.029							
LPHA-CEDRENE	0.005	0.28	0.028							
GAMMA-TERPINENE	0.007	0.28	0.028							
BORNEOL	0.013	ND	ND							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
ARNESENE	0.001	ND	ND							
ENCHONE	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
otal (%)			4.825							

Total (%) 4.825

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix : Derivative Type: Distillate



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41219013-007 Harvest/Lot ID: 5727527375166091

Batch#: 5727527375166091 **Sample Size Received:** 16 units

Pass/Fail Result

Sampled: 12/19/24 Ordered: 12/19/24 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/23/24 Expires: 12/23/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	1.1.	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND					0.1		
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0.010			PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND					0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010				
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	1.1.	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2218a		on date: 14:14:34		Extracted I 3379.450	by:
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101				SOP T 40 101		.)
ETOFENPROX	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gainesville), .	301.1.30.10.	Z.I L (Davie),	, 301.1.40.101	.i L (Gairlesville	1,
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA081436PE	S					
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch	Date: 12/20/	24 09:59:56	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Analyzed Date: 12/23/24 09:05	:41					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Dilution : 250	01					
FIPRONIL	0.010 ppm	0.1	PASS	ND	Reagent: 121624.R02; 081023 Consumables: 240321-634-A;		2501W				
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: N/A	J40724CH01, J202	LJUIVV				
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is p	erformed utilizing	Liquid Chrom	natography Ti	riple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20						,
IMAZALIL	0.010 ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted I	by:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	4640, 585, 1440	0.2218g		14:14:34		3379,450	
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151		SOP.T.30.15	1A.FL (Davie	e), SOP.T.40.15	1.FL	
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA081438V0 Instrument Used : DA-GCMS-00			Batch Date	:12/20/24 10	.04.01	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date: 12/22/24 20:29			Dattii Date	:.±2/2U/24 1U	.U-4.UI	
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 121624.R02; 081023	.01; 111824.R23: 1	111824.R24				
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 240321-634-A;		250IW; 1472	5401			
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-2						
NALED	0.010 ppm	0.25	PASS	ND	Testing for agricultural agents is p		Gas Chromat	ography Trip	le-Quadrupole	Mass Spectrome	etry in
					accordance with F.S. Rule 64ER20	-59.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41219013-007 Harvest/Lot ID: 5727527375166091

Sampled: 12/19/24

Batch#: 5727527375166091 Sample Size Received: 16 units Total Amount: 1485 units Ordered: 12/19/24

Completed: 12/23/24 Expires: 12/23/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0214g	Extraction date: 12/23/24 15:10:05		Extr 850	acted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081473SOL Instrument Used: DA-GCMS-003

Analyzed Date: 12/23/24 15:51:30Dilution: 1

Reagent: 030420.09 Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/20/24 15:02:06

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41219013-007 Harvest/Lot ID: 5727527375166091

Sampled: 12/19/24 Ordered: 12/19/24

Batch#: 5727527375166091 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/23/24 Expires: 12/23/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



DACCED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LC
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		0.2218g	12/20/24

Analyzed by: 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.934g 12/20/24 11:02:54

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA081421MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 12/20/24

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 12/22/24 20:40:18

Reagent: 111524.119; 111524.134; 120524.R12; 051624.08 Consumables: 7578001092

Pipette: N/A

Analyzed by:			Extracted by:
3390, 4777, 4571, 585, 1440	0.934g	12/20/24 11:02:54	4044

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA081423TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 12/20/24 08:48:59

Analyzed Date : 12/22/24 20:41:09

Dilution: 10

Reagent: 111524.119; 111524.134; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

J. K.	Mycotoxiiis			PASSED					
Analyte		LOD	Units	Result	Pass / Fail	Action Level			
AFLATOXIN B	2	0.00	ppm	ND	PASS	0.02			
AFLATOXIN B	1	0.00	ppm	ND	PASS	0.02			
OCHRATOXIN	Δ	0.00	nnm	ND	PASS	0.02			

AFLATOXIN G1 AFLATOXIN G2		0.00 ppm 0.00 ppm	ND ND	PASS PASS	0.02
Analyzed by:	Weight:	Extraction date:		xtracted	
3379, 585, 1440	0.2218a	12/20/24 14:14:34	3	379.450	-

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA081437MYC

Instrument Used : N/A Batch Date: 12/20/24 10:03:11

Analyzed Date: 12/23/24 09:02:16

Dilution: 250 Reagent: 121624.R02; 081023.01

Consumables: 240321-634-A; 040724CH01; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINAN	NT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by: 4056, 585, 1440	Weight: 0.2476g	Extraction dat 12/20/24 12:5			Extracted 4056	l by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081450HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/20/24 10:21:32 Analyzed Date: 12/22/24 20:27:50

Dilution: 50

Reagent: 112524.R05; 112624.R32; 121624.R16; 121224.R02; 121624.R14; 121624.R15;

120324.07; 121324.R01

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/23/24



Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S)

Spr Lmn Haze (S) Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41219013-007 Harvest/Lot ID: 5727527375166091

Sampled: 12/19/24 Ordered: 12/19/24

Batch#: 5727527375166091 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/23/24 Expires: 12/23/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/20/24 20:19:29 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA081413FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/19/24 16:05:12 Analyzed Date: 12/20/24 21:02:41

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.580	PASS	0.85
Analyzed by: 4512, 585, 1440	Weight: 0.08q		raction d 20/24 12		Ext 45	racted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA081435WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 12/20/24 09:57:00 Analyzed Date: 12/22/24 20:13:36

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Signature Testing 97164 12/23/24