

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE

DA41220014-004

HAR I WARRAND

Laboratory Sample ID: DA41220014-004

Certificate of Analysis

Kaycha Labs

Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix: Derivative Classification: High THC Type: Live Resin



Production Method: Other - Not Listed Harvest/Lot ID: 3532292555573221 Batch#3532292555573221 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 1978711326385527 Harvest Date: 12/18/24 Sample Size Received: 16 units Total Amount: 688 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 12/20/24 Sampled: 12/20/24 **Completed:** 12/24/24 Sampling Method: SOP.T.20.010

Pages 1 of 6



RESCO

Dec 24, 2024 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.			
R Ø	[Нд	Ç	Ş	0 0	Ä			\bigcirc		Ô			
Pesticio PASSI		vy Metals ASSED	Microbials PASSED	Mycotox PASSI		Residuals Solvents PASSED	· · · , · · · ·		Moisture NOT TESTED	Terpenes PASSED				
Ä	Cannab	inoid								F	PASSED			
	Total THC 75.791% Total THC/Container : 757.910 mg Total CBD Total CBD Total CBD Total CBD Total CBD Total CBD Total CBD/Container : 0.630 mg Total Cannabinoids/Container : 867.800 mg													
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	CBC			
%	7.137 71.37	78.283 782.83	0.063 0.63	ND ND	ND ND	0.762 7.62	0.216 2.16	ND ND	0.050 0.50		0.269 2.69			
mg/unit LOD	0.001	0.001	0.03	0.001	0.001	0.001	0.001	0.001	0.001	0.001	2.69			
200	%	%	%	%	%	%	%	%	%	%	%			
Analyzed by: 4351, 1665, 585,	, 1440			Weight: 0.1000g		Extraction date: 12/23/24 12:53:4	.7			Extracted by: 4351				
Analytical Batch Instrument Used	I: SOP.T.40.031, SO : DA081536POT I: DA-LC-003 12/24/24 10:56:01	P.T.30.031					Batch Date : 12/23/24	07:28:13						
Consumables : 9	24.R01; 112724.02; 947.109; 040724CH 5; DA-063; DA-067		4270											
		ing High Performance	Liquid Chromatography	with UV detection in ac	cordance with F.S.	Rule 64ER20-39.								

Sunnyside^{*}

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24



. Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Live Resin



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41220014-004 Harvest/Lot ID: 3532292555573221 Batch#: 3532292555573221 Sample Size Received: 16 units Sampled : 12/20/24 Ordered : 12/20/24

Total Amount : 688 units Completed : 12/24/24 Expires: 12/24/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	32.78	3.278		SABINENE H	DRATE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	11.67	1.167		VALENCENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	5.41	0.541		ALPHA-CEDF	ENE	0.005	ND	ND	
INALOOL	0.007	3.57	0.357		ALPHA-PHEL	LANDRENE	0.007	ND	ND	
ETA-MYRCENE	0.007	2.53	0.253		ALPHA-TERP	INENE	0.007	ND	ND	
MONENE	0.007	2.45	0.245		ALPHA-TERP	INOLENE	0.007	ND	ND	
ARNESENE	0.007	1.57	0.157		CIS-NEROLIE	OL	0.003	ND	ND	
LPHA-BISABOLOL	0.007	1.21	0.121		GAMMA-TER	PINENE	0.007	ND	ND	
LPHA-TERPINEOL	0.007	1.02	0.102		Analyzed by:		Weight:		tion date:	Extracted by:
RANS-NEROLIDOL	0.005	0.90	0.090		3605, 4451, 58	5, 1440	0.2201g		24 09:22:29	3605
ENCHYL ALCOHOL	0.007	0.84	0.084			d: SOP.T.30.061A.FL, SOP.T.40.06	1A.FL			
ARYOPHYLLENE OXIDE	0.007	0.67	0.067			h : DA081510TER ed : DA-GCMS-008			Babah Dat	e:12/21/24 12:55:34
TA-PINENE	0.007	0.53	0.053			: 12/24/24 10:56:03			Datch Dat	E:12/21/24 12.JJ.34
PHA-PINENE	0.007	0.41	0.041		Dilution : 10					
CARENE	0.007	ND	ND		Reagent: 032					
DRNEOL	0.013	ND	ND			947.109; 240321-634-A; 2806707	23; CE0123			
AMPHENE	0.007	ND	ND		Pipette : DA-0					
AMPHOR	0.007	ND	ND		Terpenoid testin	g is performed utilizing Gas Chromatogr	raphy Mass Spectro	metry. For all F	Hower sample	s, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND							
ICALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
	0.007	ND	ND							
PULEGONE	0.007									
PULEGONE GABINENE	0.007	ND	ND							

Total (%)

3.278

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24



..... Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA41220014-004 Harvest/Lot ID: 3532292555573221

Sampled : 12/20/24 Ordered : 12/20/24

Batch#: 3532292555573221 Sample Size Received: 16 units Total Amount : 688 units Completed : 12/24/24 Expires: 12/24/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE					
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	nnm	0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND		0.010		0.1	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
DUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	maa	0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted b	
IMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440 0.2547a		10:34:51		4640.3379	Jy:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvil			SOP.T.40.101		·).
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					.,,
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081516PES					
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date : 12/21/2	24 13:35:01	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/24/24 10:36:25					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 122024.R05; 081023.01					
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A: 040724CH01:	326250IW				
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	520250111				
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilized	zing Liguid Chror	natography Tri	ple-Quadrupol	le Mass Spectror	metry in
EXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	5 11 1 1				
IAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig		action date:		Extracted	
IDACLOPRID	0.010	ppm	0.4	PASS	ND	4640, 450, 585, 1440 0.254		2/24 10:34:5		4640,3379	9
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvil	le), SOP.T.30.15	1A.FL (Davie)	, SOP.T.40.15	1.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081517VOL			10/01/04 10	20.10	
ETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001 Analyzed Date :12/24/24 10:34:31		DATCH DATE	:12/21/24 13:	.00.10	
ETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 122024.R05; 081023.01; 111824.R	23: 111824.R24				
EVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01;		25401			
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24

PASSED

PASSED



Page 4 of 6

..... Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41220014-004 Harvest/Lot ID: 3532292555573221 Sampled : 12/20/24 Ordered : 12/20/24

Batch#: 3532292555573221 Sample Size Received: 16 units Total Amount : 688 units Completed : 12/24/24 Expires: 12/24/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CETONE	75.000	ppm	750	PASS	ND				
CETONITRILE	6.000	ppm	60	PASS	ND				
ENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	ND				
THYL ACETATE	40.000	ppm	400	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
HEXANE	25.000	ppm	250	PASS	ND				
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
ROPANE	500.000	ppm	5000	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 1440	Weight: 0.0228g	Extraction date: 12/23/24 13:45:07		E x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081529SOL nstrument Used : DA-GCMS-002 Analyzed Date : 12/23/24 16:42:39		Batch Date : 12/22/24 11:40:16							

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24

PASSED

PASSED



Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Live Resin



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41220014-004 Harvest/Lot ID: 3532292555573221 Batch#: 3532292555573221 Sample Size Received : 16 units

Sampled : 12/20/24 Ordered : 12/20/24

Sample Size Received : 16 units Total Amount : 688 units Completed : 12/24/24 Expires: 12/24/25 Sample Method : SOP.T.20.010

Page 5 of 6

Œ,	Microk	oial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte ASPERGILLUS TERREUS ASPERGILLUS NIGER ASPERGILLUS FUMIGATUS ASPERGILLUS FLAVUS SALMONELLA SPECIFIC GENE ECOLI SHIGELLA TOTAL YEAST AND MOLD		LOE		Result Not Present Not Present Not Present Not Present Not Present <10	Pass / Fail PASS PASS PASS PASS PASS PASS	Action Level	Analyte AFLATOXIN AFLATOXIN OCHRATOXIN AFLATOXIN AFLATOXIN Analyzed by: 3379, 585, 144		0.00 ppm NE 0.00 ppm NE 0.00 ppm NE 0.00 ppm NE			Action Level 0.02 0.02 0.02 0.02 0.02 0.02		
Analyzed by: Weight: Extraction date: Extracted by: 4520, 585, 1440 1.2g 12/21/24 10:25:54 4531 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA081488MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date : 12/21/24 10:500 Cl 0/93 Cl 0/93 Cl 0/93 Cl 0/93 Cl 0/93 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C) 09:46:04 DA-020,Fisher Scientific Isotemp Heat Block (55*C) 09:46:04 DA-020,Fisher Scientific Isotemp Heat Block (55*C) DA-021 Analyzed Date : 12/24/24 10:47:04 Cl 0/93							Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA081518MYC Instrument Used : N/A Batch Date : 12/21/24 13:37:54							
Dilution : 10 Reagent : 1115 Consumables : Pipette : N/A Analyzed by: 4520, 4571, 58		.37; 120524 Weight: 1.2g	.R12; 051624. Extraction da 12/21/24 10	ate:	Extracte 4531	d by:	Mycotoxins tesl accordance wit	n F.S. Rule 6		etals	-Quadrupo		ectrometry PAS	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA081489TYM Instrument Used : Incubator (25*C) DA- 328 [calibrated with DA-382] Analyzed Date : 12/24/24 10:47:53 Dilution : 10 Reagent : 111524.115; 111524.137; 110724.R13 Consumables : N/A										Result ND ND ND ND ND	ND PASS 0.2 ND PASS 0.2 ND PASS 0.2			
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								h:DA081 ed:DA-ICF :12/24/24	PMS-005 4 10:28:55	9g 12/21/24 P.T.40.082.FL	14:38:50	.2/21/24 1		

Reagent : 122024.R10; 112624.R32; 121624.R16; 122024.R09; 121624.R14; 121624.R15; 120324.07 Consumables : 179436; 040724CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24



. Cresco Live Sgr 1g - Rntz x Jlsy (I) Rntz x Jlsy (I) Matrix : Derivative Type: Live Resin



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41220014-004 Harvest/Lot ID: 3532292555573221 Batch#: 3532292555573221 Sample Size Received: 16 units Sampled : 12/20/24 Ordered : 12/20/24

Total Amount : 688 units Completed : 12/24/24 Expires: 12/24/25 Sample Method : SOP.T.20.010

		Filth/For Material	PASSED								
	nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level				
	nalyzed by: 379, 585, 1440	Weight: 1g		action da 21/24 18:		Extracted by: 1879					
Analysis Method : SOP.T.40.090 Analytical Batch : DA081526FiL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/21/24 21:48:38 Batch Date : 12/21/24 21:48:38											
Re Ce	ilution: N/A eagent: N/A onsumables: N pette: N/A	/A									
		naterial inspection is per cordance with F.S. Rule			spection utilizi	ing naked ey	e and microscope				
	(\bigcirc)	Water A	ctiv	ity		ΡΑ	SSED				

Analyte Water Activity		LOD 0.010	Units aw	Result 0.489	P/F PASS	Action Level 0.85				
Analyzed by: 4512, 585, 1440	Weight: 0.281g		traction 0 /22/24 11			tracted by: 12				
Analysis Method : SOP.T.40.019 Analytical Batch : DA081499WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 12/21/24 10:57:47 Analyzed Date : 12/24/24 09:33:50										
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/24/24

PASSED

Page 6 of 6