



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41220014-005



**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 8388783013560394

Batch#8388783013560394

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 7389696358586905

**Harvest Date:** 12/17/24

**Sample Size Received:** 16 units

**Total Amount:** 1485 units

**Retail Product Size:** 1 gram

**Retail Serving Size:** 1 gram

**Servings:** 1

**Ordered:** 12/20/24

**Sampled:** 12/20/24

**Completed:** 12/24/24

**Sampling Method:** SOP.T.20.010

Dec 24, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



MISC.

Terpenes  
**PASSED**



### Cannabinoid

**PASSED**



**Total THC**

**81.859%**

Total THC/Container : 818.590 mg



**Total CBD**

**0.297%**

Total CBD/Container : 2.970 mg



**Total Cannabinoids**

**86.140%**

Total Cannabinoids/Container : 861.400 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.806	0.061	0.297	ND	ND	2.638	ND	0.786	0.342	ND	0.210
mg/unit	818.06	0.61	2.97	ND	ND	26.38	ND	7.86	3.42	ND	2.10
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.1022g

Extraction date:  
12/23/24 12:53:47

Extracted by:  
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081536POT

Instrument Used : DA-LC-003

Analyzed Date : 12/24/24 10:56:06

Batch Date : 12/23/24 07:28:13

Dilution : 400

Reagent : 122024.R01; 112724.02; 121624.R03

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41220014-005

Harvest/Lot ID: 8388783013560394

Batch# : 8388783013560394

Sampled : 12/20/24

Ordered : 12/20/24

Sample Size Received : 16 units

Total Amount : 1485 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.00	4.700		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	18.57	1.857		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	15.02	1.502		ALPHA-CEDRENE	0.005	ND	ND	
BETA-PINENE	0.007	3.34	0.334		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.30	0.330		ALPHA-PHELLANDRENE	0.007	ND	ND	
CAMPHENE	0.007	1.14	0.114		CIS-NEROLIDOL	0.003	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.06	0.106		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOOL	0.007	0.84	0.084		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINOLENE	0.007	0.80	0.080		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.63	0.063		3605, 4451, 585, 1440	0.2053g	12/23/24 09:22:29	3605	
OCIMENE	0.007	0.55	0.055		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
GUAIOL	0.007	0.52	0.052		Analytical Batch :	DA001510TER			
ALPHA-TERPINEOL	0.007	0.44	0.044		Instrument Used :	DA-GCMS-008			
ALPHA-TERPINENE	0.007	0.41	0.041		Analyzed Date :	12/24/24 10:56:08			
3-CARENE	0.007	0.38	0.038		Dilution :	10			
BORNEOL	0.013	ND	ND		Reagent :	032524.13			
CAMPHOR	0.007	ND	ND		Consumables :	947.109; 240321-634-A; 280670723; CE0123			
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette :	DA-065			
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			4.700						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41220014-005

Harvest/Lot ID: 8388783013560394

Batch# : 8388783013560394

Sampled : 12/20/24

Ordered : 12/20/24

Sample Size Received : 16 units

Total Amount : 1485 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2551g	12/22/24 10:34:51	4640,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081516PES					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/24/24 10:36:26					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 122024.R05; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	4640, 450, 585, 1440	0.2551g	12/22/24 10:34:51	4640,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081517VOL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/24/24 10:34:31					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 122024.R05; 081023.01; 111824.R23; 111824.R24					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41220014-005

Harvest/Lot ID: 8388783013560394

Batch# : 8388783013560394

Sampled : 12/20/24

Ordered : 12/20/24

Sample Size Received : 16 units

Total Amount : 1485 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0234g

Extraction date:  
12/23/24 13:45:07

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA081529SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 12/23/24 16:42:40

Batch Date : 12/22/24 11:40:16

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com


Sample : DA41220014-005  
Harvest/Lot ID: 8388783013560394

Batch# : 8388783013560394 Sample Size Received : 16 units  
Sampled : 12/20/24 Total Amount : 1485 units  
Ordered : 12/20/24 Completed : 12/24/24 Expires: 12/24/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000					
Analyzed by: 4520, 585, 1440	Weight: 1.13g	Extraction date: 12/21/24 10:25:54		Extracted by: 4531						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA081488MIC				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021				Batch Date : 12/21/24 09:46:04						
Analyzed Date : 12/24/24 10:47:05										
Dilution : 10										
Reagent : 111524.115; 111524.137; 120524.R12; 051624.08										
Consumables : 7578001081										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02					
Analyzed by: 3379, 585, 1440	Weight: 0.2551g	Extraction date: 12/22/24 10:34:51		Extracted by: 4640,3379						
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)										
Analytical Batch : DA081518MYC										
Instrument Used : N/A						Batch Date : 12/21/24 13:37:54				
Analyzed Date : 12/24/24 10:30:09										
Dilution : 250										
Reagent : 122024.R05; 081023.01										
Consumables : 240321-634-A; 040724CH01; 326250IW										
Pipette : N/A										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1					
ARSENIC	0.02	ppm	ND	PASS	0.2					
CADMIUM	0.02	ppm	ND	PASS	0.2					
MERCURY	0.02	ppm	ND	PASS	0.2					
LEAD	0.02	ppm	ND	PASS	0.5					
Analyzed by: 4056, 1022, 585, 1440	Weight: 0.2062g	Extraction date: 12/21/24 14:42:53		Extracted by: 4056						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA081490HEA										
Instrument Used : DA-ICPMS-005						Batch Date : 12/21/24 10:18:20				
Analyzed Date : 12/24/24 10:28:57										
Dilution : 50										
Reagent : 122024.R10; 112624.R32; 121624.R16; 122024.R09; 121624.R14; 121624.R15; 120324.07										
Consumables : 179436; 040724CH01; 210508058										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Spr Sr Diesel (S)  
Spr Sr Diesel (S)  
Matrix : Derivative  
Type: Vape



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41220014-005

Harvest/Lot ID: 8388783013560394

Batch# : 8388783013560394

Sampled : 12/20/24

Ordered : 12/20/24

Sample Size Received : 16 units

Total Amount : 1485 units

Completed : 12/24/24 Expires: 12/24/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/21/24 18:46:31	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA081526FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 12/22/24 21:48:37

Batch Date : 12/21/24 18:42:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.482	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2014g	Extraction date: 12/22/24 11:42:30	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA081499WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 12/24/24 09:33:34

Batch Date : 12/21/24 10:57:47

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/24/24