



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41226015-003



Jan 02, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**85.121%**

Total THC/Container : 851.210 mg



**Total CBD**  
**0.078%**

Total CBD/Container : 0.780 mg



**Total Cannabinoids**  
**97.330%**

Total Cannabinoids/Container : 973.300 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.727	96.231	ND	0.089	ND	ND	0.283	ND	ND	ND	ND
mg/unit	7.27	962.31	ND	0.89	ND	ND	2.83	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3605, 1665, 585, 1440

Weight:  
0.1092g

Extraction date:  
12/27/24 12:22:16

Extracted by:  
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081635POT

Instrument Used : DA-LC-003

Analyzed Date : 12/30/24 09:26:29

Batch Date : 12/27/24 09:07:38

Dilution : 400

Reagent : 120624.R01; 071624.04; 121624.R03

Consumables : 947.110; 04312111; LCJ0311R; 040724CH01; 1009468980; 1009389944; 280670723

Pipette : DA-065; DA-066; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation # JLA-  
Testing 97164

Signature  
12/30/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Crushed Diamonds 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41226015-003  
Harvest/Lot ID: 8138538862275854

Batch# : 8138538862275854 Sample Size Received : 16 units  
Sampled : 12/26/24 Total Amount : 402 units  
Ordered : 12/26/24 Completed : 12/30/24 Expires: 01/02/26  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.20	0.520		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.42	0.242		ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.04	0.104		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.68	0.068		ALPHA-TERPINEOL	0.007	ND	ND	
LIMONENE	0.007	0.35	0.035		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.31	0.031		BETA-PINENE	0.007	ND	ND	
FARNESENE	0.007	0.24	0.024		CIS-NEROLIDOL	0.003	ND	ND	
TRANS-NEROLIDOL	0.005	0.16	0.016		GAMMA-TERPINENE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	ND	ND		4451, 3605, 585, 1440	0.2295g	12/27/24 12:21:36	4451	
CAMPHENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHOR	0.007	ND	ND		Analytical Batch : DA001644TER				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
CEDROL	0.007	ND	ND		Analyzed Date : 12/30/24 09:32:34				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
FENCHONE	0.007	ND	ND		Reagent : 032524.18				
FENCHYL ALCOHOL	0.007	ND	ND		Consumables : 947.110; 2240626; 280670723				
GERANIOL	0.007	ND	ND		Pipette : DA-065				
GERANYL ACETATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	ND	ND						
ALPHA-CEDRENE	0.005	ND	ND						
Total (%)			0.520						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/30/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Crushed Diamonds 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41226015-003

Harvest/Lot ID: 8138538862275854

Batch# : 8138538862275854

Sampled : 12/26/24

Ordered : 12/26/24

Sample Size Received : 16 units

Total Amount : 402 units

Completed : 12/30/24 Expires: 01/02/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.2705g Extraction date: 12/27/24 13:05:13 Extracted by: 3621,450 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA081649PES Instrument Used : DA-LCMS-005 (PES) Batch Date : 12/27/24 10:35:15 Analysis Date :12/30/24 10:03:14 Dilution : 250 Reagent : 122424.R43; 122424.R03; 122024.R05; 122424.R46; 102124.R08; 122424.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						
					Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/30/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Crushed Diamonds 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41226015-003

Harvest/Lot ID: 8138538862275854

Batch# : 8138538862275854

Sampled : 12/26/24

Ordered : 12/26/24

Sample Size Received : 16 units

Total Amount : 402 units

Completed : 12/30/24 Expires: 01/02/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0299g

Extraction date:  
12/30/24 12:36:00

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA081659SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 12/30/24 14:38:56

Batch Date : 12/27/24 15:24:14

Dilution : 1  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
12/30/24

Revision: #1

This revision supersedes any and all previous versions of this document.



# Certificate of Analysis

**PASSED**




Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA41226015-003  
 Harvest/Lot ID: 8138538862275854

 Batch# : 8138538862275854 Sample Size Received : 16 units  
 Sampled : 12/26/24 Total Amount : 402 units  
 Ordered : 12/26/24 Completed : 12/30/24 Expires: 01/02/26  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>						
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>	<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	<b>Analyzed by:</b> 3621, 585, 1440	<b>Weight:</b> 0.2705g	<b>Extraction date:</b> 12/27/24 13:05:13	<b>Extracted by:</b> 3621,450		
<b>Analyzed by:</b> 4044, 4520, 585, 1440						<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
<b>Weight:</b> 0.925g						<b>Analytical Batch :</b> DA081650MYC					
<b>Extraction date:</b> 12/27/24 10:32:40						<b>Instrument Used :</b> N/A					
<b>Extracted by:</b> 4520						<b>Analyzed Date :</b> 12/30/24 09:25:14					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						<b>Dilution :</b> 250					
<b>Analytical Batch :</b> DA081624MIC											
<b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						<b>Reagent :</b> 122424.R43; 122424.R03; 122024.R05; 122424.R46; 102124.R08; 122424.R01; 081023.01					
<b>Batch Date :</b> 12/27/24 07:58:30											
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						<b>Consumables :</b> 221021DD					
<b>Analyzed Date :</b> 12/30/24 09:22:18											
<b>Dilution :</b> 10						<b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Reagent :</b> 111524.93; 111524.124; 120524.R12; 072424.14											
<b>Consumables :</b> 7578001080						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<b>Pipette :</b> N/A											
<b>Analyzed by:</b> 4044, 1879, 4777, 585, 1440											
<b>Weight:</b> 0.925g											
<b>Extraction date:</b> 12/27/24 10:32:40						<b>Heavy Metals</b>					
<b>Extracted by:</b> 4520											
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						<b>PASSED</b>					
<b>Analytical Batch :</b> DA081625TYM											
<b>Instrument Used :</b> Incubator (25°C) DA- 328 [calibrated with DA-382]						<b>Total Contaminant Load Metals</b>					
<b>Batch Date :</b> 12/27/24 08:01:56											
<b>Analyzed Date :</b> 12/30/24 09:25:58						<b>LOD</b>					
<b>Dilution :</b> 10											
<b>Reagent :</b> 111524.93; 111524.124; 110724.R13						<b>Units</b>					
<b>Consumables :</b> N/A											
<b>Pipette :</b> N/A						<b>Result</b>					
<b>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</b>											
						<b>Pass / Fail</b>					
						<b>Action Level</b>					
						<b>ASPERGILLUS TERREUS</b>					
						<b>0.08</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>1.1</b>					
						<b>0.02</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.5</b>					
						<b>0.02</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					
						<b>0.2</b>					
						<b>ppm</b>					
						<b>ND</b>					
						<b>PASS</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Revision: #1** This revision supersedes any and all previous versions of this document.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 12/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Crushed Diamonds 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41226015-003

Harvest/Lot ID: 8138538862275854

Batch# : 8138538862275854

Sampled : 12/26/24

Ordered : 12/26/24

Sample Size Received : 16 units

Total Amount : 402 units

Completed : 12/30/24 Expires: 01/02/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: 1g	Extraction date: 12/30/24 09:46:19	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA081626FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/30/24 09:48:38

Batch Date : 12/27/24 08:21:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2072g	Extraction date: 12/27/24 14:42:12	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA081655WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 12/30/24 09:24:14

Batch Date : 12/27/24 10:43:03

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/30/24

Revision: #1

This revision supersedes any and all previous versions of this document.