



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41226015-010



Dec 30, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

20.241%

Total THC/Container : 1416.870 mg



Total CBD

0.057%

Total CBD/Container : 3.990 mg



Total Cannabinoids

23.390%

Total Cannabinoids/Container : 1637.300 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.530 | 22.476 | ND | 0.066 | 0.039 | 0.070 | 0.166 | ND | ND | ND | 0.043 |
| mg/unit | 37.10 | 1573.32 | ND | 4.62 | 2.73 | 4.90 | 11.62 | ND | ND | ND | 3.01 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3605, 1665, 585, 1440

Weight:
0.1873g

Extraction date:
12/27/24 12:20:55

Extracted by:
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081634POT

Instrument Used : DA-LC-002

Analyzed Date : 12/30/24 09:28:43

Batch Date : 12/27/24 09:06:53

Dilution : 400

Reagent : 120624.R02; 071624.04; 121624.R05

Consumables : 947.110; 04312111; LCJ0311R; 040724CH01; 1009468980; 1009389944; 280670723

Pipette : DA-065; DA-066; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41226015-010
Harvest/Lot ID: 8454650098538079

Batch# : 8454650098538079 Sample Size Received : 7 units
Sampled : 12/26/24 Total Amount : 1500 units
Ordered : 12/26/24 Completed : 12/30/24 Expires: 12/30/25
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|--------------------------------|------------|
| TOTAL TERPENES | 0.007 | 97.02 | 1.386 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 20.93 | 0.299 | | VALENCENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 19.04 | 0.272 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| LINALOOL | 0.007 | 11.97 | 0.171 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 8.40 | 0.120 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 7.35 | 0.105 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| ALPHA-BISABOOL | 0.007 | 7.21 | 0.103 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 5.04 | 0.072 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 4.55 | 0.065 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| TRANS-NEROLIDOL | 0.005 | 4.06 | 0.058 | | 4451, 3605, 585, 1440 | 1.0147g | 12/27/24 12:18:31 | 4451 | |
| BETA-PINENE | 0.007 | 3.85 | 0.055 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-PINENE | 0.007 | 2.94 | 0.042 | | Analytical Batch : DA081643TER | | | | |
| OCIMENE | 0.007 | 1.68 | 0.024 | | Instrument Used : DA-GCMS-008 | | | Batch Date : 12/27/24 10:15:30 | |
| 3-CARENE | 0.007 | ND | ND | | Analyzed Date : 12/30/24 09:33:38 | | | | |
| BORNEOL | 0.013 | ND | ND | | Dilution : 10 | | | | |
| CAMPHENE | 0.007 | ND | ND | | Reagent : N/A | | | | |
| CAMPHOR | 0.007 | ND | ND | | Consumables : 947.110; 2240626; 280670723 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| CEDROL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.386 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41226015-010

Harvest/Lot ID: 8454650098538079

Batch# : 8454650098538079

Sampled : 12/26/24

Ordered : 12/26/24

Sample Size Received : 7 units

Total Amount : 1500 units

Completed : 12/30/24 Expires: 12/30/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | 0.162 | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | 0.162 | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | Weight: 1.0503g | Extraction date: 12/27/24 12:51:24 | Extracted by: 3621,450,585 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA081646PES | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | | Batch Date : 12/27/24 10:29:22 | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 12/30/24 10:24:30 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 122424.R42; 122424.R03; 122024.R05; 122424.R45; 102124.R08; 122424.R01; 081023.01 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 221021DD | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | Weight: 1.0503g | Extraction date: 12/27/24 12:51:24 | Extracted by: 3621,450,585 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : DA081648VOL | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 12/27/24 10:31:32 | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analysis Date : 12/30/24 10:22:27 | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Reagent : 122024.R05; 081023.01; 122324.R09; 122324.R10 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 221021DD; 2240626; 040724CH01; 17473601 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA41226015-010
Harvest/Lot ID: 8454650098538079

Batch# : 8454650098538079 Sample Size Received : 7 units
Sampled : 12/26/24 Total Amount : 1500 units
Ordered : 12/26/24 Completed : 12/30/24 Expires: 12/30/25
Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | | | |
|--|-------------------|---------------------------------------|-----------------------|-------------|--------------|--------|--|
|  | Microbial | | | | | PASSED | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 410 | PASS | 100000 | | |
| Analyzed by: 4044, 4520, 3390, 585, 1440 | Weight: 0.959g | Extraction date: 12/27/24 10:32:40 | Extracted by: 4520 | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA081624MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 12/30/24 12:44:06 | | | | | | | |
| Dilution : 10 Reagent : 111524.93; 111524.124; 120524.R12; 072424.14 Consumables : 7578001080 Pipette : N/A | | | | | | | |
| Analyzed by: 4044, 1879, 4777, 585, 1440 | Weight: 0.959g | Extraction date: 12/27/24 10:32:40 | Extracted by: 4520 | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA081625TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 12/30/24 09:26:02 | | | | | | | |
| Dilution : 10 Reagent : 111524.93; 111524.124; 110724.R13 Consumables : N/A Pipette : N/A | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | |

| | | | | | | | |
|--|--------------------|---------------------------------------|-------------------------------|-------------|--------------|--------|--|
|  | Mycotoxins | | | | | PASSED | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 | | |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 | | |
| Analyzed by: 3621, 585, 1440 | Weight: 1.0503g | Extraction date: 12/27/24 12:51:24 | Extracted by: 3621,450,585 | | | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA081647MYC Instrument Used : N/A Analyzed Date : 12/30/24 09:33:11 | | | | | | | |
| Dilution : 250 Reagent : 122424.R42; 122424.R03; 122024.R05; 122424.R45; 102124.R08; 122424.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |

| | | | | | | | |
|--|--------------------|---------------------------------------|-----------------------|-------------|--------------|--------|--|
|  | Heavy Metals | | | | | PASSED | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 | | |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | |
| Analyzed by: 4056, 585, 1440 | Weight: 0.2784g | Extraction date: 12/27/24 11:43:19 | Extracted by: 4056 | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA081640HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 12/30/24 09:43:03 | | | | | | | |
| Dilution : 50 Reagent : 122024.R10; 122324.R08; 122024.R09; 122324.R06; 122324.R07; 120324.07; 122324.R22; 112624.R32 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Blue Pave (I)
Blue Pave (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41226015-010
Harvest/Lot ID: 8454650098538079

Batch# : 8454650098538079 Sample Size Received : 7 units
Sampled : 12/26/24 Total Amount : 1500 units
Ordered : 12/26/24 Completed : 12/30/24 Expires: 12/30/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---|---------------|---------------------------------------|--------|----------------------|--------------|---|-------------------|---------------------------------------|--------|-----------------------|--------------|
| Filtration and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 14.65 | PASS | 15 |
| Analyzed by: 585, 1440 | Weight: 1g | Extraction date: 12/30/24 09:46:20 | | Extracted by: 585 | | Analyzed by: 4512, 585, 1440 | Weight: 0.507g | Extraction date: 12/27/24 14:06:09 | | Extracted by: 4512 | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA081626FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 12/30/24 09:48:43 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA081652MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:39:39 Moisture Analyzer Analyzed Date : 12/30/24 09:27:31 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|-------------------|---------------------------------------|--------|-----------------------|--------------|
| Water Activity | 0.010 | aw | 0.518 | PASS | 0.65 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.695g | Extraction date: 12/27/24 14:18:10 | | Extracted by: 4512 | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA081653WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 12/30/24 09:28:21 | | | | | |
| Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/30/24