




# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50104011-001



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 8234751849592411  
**Batch#:** 8234751849592411  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 8252446833810600  
**Harvest Date:** 11/25/24  
**Sample Size Received:** 6 units  
**Total Amount:** 1393 units  
**Retail Product Size:** 14 gram  
**Retail Serving Size:** 14 gram  
**Servings:** 1  
**Ordered:** 01/03/25  
**Sampled:** 01/04/25  
**Completed:** 01/13/25  
**Sampling Method:** SOP.T.20.010

Jan 13, 2025 | Sunnyside  
 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**23.536%**

Total THC/Container : 3295.040 mg



**Total CBD**  
**0.063%**

Total CBD/Container : 8.820 mg



**Total Cannabinoids**  
**27.371%**

Total Cannabinoids/Container : 3831.940 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.209	24.319	ND	0.072	0.050	0.094	0.481	0.047	ND	ND	0.099
mg/unit	309.26	3404.66	ND	10.08	7.00	13.16	67.34	6.58	ND	ND	13.86
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%			%	%	%	%	%	%	%	%	%

Analyzed by:  
585, 3605, 1665

Weight:  
0.2023g

Extraction date:  
01/10/25 12:25:44

Extracted by:  
3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA082023POT  
 Instrument Used : DA-LC-001  
 Analyzed Date : 01/13/25 08:16:09

Batch Date : 01/10/25 07:45:53

Dilution : 400  
 Reagent : 121724.01; 010725.R04; 121624.R03  
 Consumables : 947.110; 04312111; 040724CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 01/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50104011-001  
Harvest/Lot ID: 8234751849592411

Batch# : 8234751849592411 Sample Size Received : 6 units  
Sampled : 01/04/25 Total Amount : 1393 units  
Ordered : 01/04/25 Completed : 01/13/25 Expires: 01/13/26  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	91.28	0.652	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	24.78	0.177	ALPHA-PINENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	20.30	0.145	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	9.10	0.065	ALPHA-TERPINOLENE	0.007	ND	ND
LIMONENE	0.007	8.12	0.058	BETA-PINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	6.86	0.049	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	6.44	0.046	GAMMA-TERPINENE	0.007	ND	ND
FARNESENE	0.007	6.30	0.045	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-TERPINEOL	0.007	5.18	0.037				
FENCHYL ALCOHOL	0.007	4.20	0.030	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
3-CARENE	0.007	ND	ND	585, 4451, 3605	1.09g	01/10/25 10:59:31	4451
BORNEOL	0.013	ND	ND	Analysis Batch : DA002047TER			
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-009			Batch Date : 01/10/25 09:51:08
CAMPHOR	0.007	ND	ND	Analyzed Date : 01/13/25 10:42:09			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 032524.10			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309			
FENCHONE	0.007	ND	ND	Pipette : DA-065			
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-CEDRENE	0.005	ND	ND				
<b>Total (%)</b>			<b>0.652</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50104011-001  
Harvest/Lot ID: 8234751849592411

Batch# : 8234751849592411 Sample Size Received : 6 units  
Sampled : 01/04/25 Total Amount : 1393 units  
Ordered : 01/04/25 Completed : 01/13/25 Expires: 01/13/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.372	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.372	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 585, 3621	<b>Weight:</b> 1.0256g	<b>Extraction date:</b> 01/10/25 11:39:27	<b>Extracted by:</b> 450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA082053PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-004 (PES)				<b>Batch Date :</b> 01/10/25 10:06:40	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 01/13/25 08:22:02					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 585, 450, 4640	<b>Weight:</b> 1.0256g	<b>Extraction date:</b> 01/10/25 11:39:27	<b>Extracted by:</b> 450,3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA082055VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001				<b>Batch Date :</b> 01/10/25 10:07:53	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 01/13/25 08:11:41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 010925.R05; 081023.01; 010725.R16; 010825.R35					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 221021DD; 2240626; 040724CH01; 17473601					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50104011-001  
Harvest/Lot ID: 8234751849592411  
Batch# : 8234751849592411 Sample Size Received : 6 units  
Sampled : 01/04/25 Total Amount : 1393 units  
Ordered : 01/04/25 Completed : 01/13/25 Expires: 01/13/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	92000	PASS	100000
<b>Analyzed by:</b> 1440, 3390, 4520, 585 <b>Weight:</b> 0.853g <b>Extraction date:</b> 01/04/25 13:34:34 <b>Extracted by:</b> 4044,4777 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA081847MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems <b>Batch Date :</b> 01/04/25 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (55°C) 12:24:37 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Analyzed Date :</b> 01/07/25 10:24:20 <b>Dilution :</b> 10 <b>Reagent :</b> 111524.78; 111524.82; 121824.R48; 072424.14 <b>Consumables :</b> 7578003012 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 585, 3621 <b>Weight:</b> 1.0256g <b>Extraction date:</b> 01/10/25 11:39:27 <b>Extracted by:</b> 450,3621 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA082054MYC <b>Instrument Used :</b> N/A <b>Batch Date :</b> 01/10/25 10:07:51 <b>Analyzed Date :</b> 01/13/25 08:17:50 <b>Dilution :</b> 250 <b>Reagent :</b> 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01 <b>Consumables :</b> 221021DD <b>Pipette :</b> DA-093; DA-094; DA-219					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1440, 3390, 4777, 3379, 585 <b>Weight:</b> 0.853g <b>Extraction date:</b> 01/04/25 13:34:34 <b>Extracted by:</b> 4044,4777 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA081848TYM <b>Instrument Used :</b> Incubator (25°C) DA- 328 [calibrated with <b>Batch Date :</b> 01/04/25 12:28:30 DA-382] <b>Analyzed Date :</b> 01/07/25 10:31:05 <b>Dilution :</b> 10 <b>Reagent :</b> 111524.78; 111524.82; 110724.R13 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 585, 4056, 1022 <b>Weight:</b> 0.2647g <b>Extraction date:</b> 01/10/25 11:01:43 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA082031HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 01/10/25 09:04:14 <b>Analyzed Date :</b> 01/13/25 08:13:23 <b>Dilution :</b> 50 <b>Reagent :</b> 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 <b>Consumables :</b> 040724CH01; J609879-0193; 179436 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/13/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50104011-001  
Harvest/Lot ID: 8234751849592411  
Batch#: 8234751849592411 Sample Size Received : 6 units  
Sampled : 01/04/25 Total Amount : 1393 units  
Ordered : 01/04/25 Completed : 01/13/25 Expires: 01/13/26  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1440, 1879, 585 Weight: 1g Extraction date: 01/04/25 20:05:33 Extracted by: 1879

Analysis Method : SOP.T.40.090  
Analytical Batch : DA081815FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 01/03/25 13:28:26  
Analyzed Date : 01/05/25 15:54:39

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.560	PASS	0.65

Analyzed by: 1440, 4512, 3379, 585 Weight: 0.636g Extraction date: 01/05/25 12:57:17 Extracted by: 4512

Analysis Method : SOP.T.40.019  
Analytical Batch : DA081852WAT  
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 01/04/25 12:58:47  
Analyzed Date : 01/06/25 13:34:40

Dilution : N/A  
Reagent : 101724.36  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.81	PASS	15

Analyzed by: 1440, 4512, 3379, 585 Weight: 0.502g Extraction date: 01/05/25 11:51:53 Extracted by: 4512

Analysis Method : SOP.T.40.021  
Analytical Batch : DA081838MOI  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer, DA-385 10:07:46 Batch Date : 01/04/25

Moisture Analyzer  
Analyzed Date : 01/06/25 13:06:03

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

