



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50108015-006


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 9508784684778752

**Batch#:** 9508784684778752

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 1290319985486890

**Harvest Date:** 01/02/25

**Sample Size Received:** 16 units

**Total Amount:** 1350 units

**Retail Product Size:** 1 gram

**Retail Serving Size:** 1 gram

**Servings:** 1

**Ordered:** 01/08/25

**Sampled:** 01/08/25

**Completed:** 01/11/25

**Sampling Method:** SOP.T.20.010

Jan 11, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**PASSED**

### MISC.


**Cannabinoid**
**PASSED**

**Total THC**  
**73.633%**

Total THC/Container : 736.330 mg


**Total CBD**  
**0.171%**

Total CBD/Container : 1.710 mg


**Total Cannabinoids**  
**86.487%**

Total Cannabinoids/Container : 864.870 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.547	81.056	ND	0.196	0.053	0.275	2.153	ND	ND	0.068	0.139
mg/unit	25.47	810.56	ND	1.96	0.53	2.75	21.53	ND	ND	0.68	1.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 3605, 585, 1440

 Weight:  
 0.1039g

 Extraction date:  
 01/09/25 12:18:12

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081992POT

Instrument Used : DA-LC-003

Analyzed Date : 01/10/25 10:10:19

Batch Date : 01/09/25 09:36:36

Dilution : 400

Reagent : 010325.R02; 121724.01; 121624.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-077; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 01/11/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50108015-006  
Harvest/Lot ID: 9508784684778752

Batch# : 9508784684778752 Sample Size Received : 16 units  
Sampled : 01/08/25 Total Amount : 1350 units  
Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	80.63	8.063		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	24.36	2.436		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	15.80	1.580		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	10.82	1.082		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	10.74	1.074		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	7.40	0.740		ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.007	2.51	0.251		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	1.76	0.176		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.56	0.156		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.005	1.50	0.150		4451, 585, 1440	0.2027g	01/09/25 12:49:12	4451	
ALPHA-TERPINEOL	0.007	1.43	0.143		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	1.29	0.129		Analytical Batch : DA082002TER				
ALPHA-PINENE	0.007	0.83	0.083		Instrument Used : DA-GCMS-009				
CARYOPHYLLENE OXIDE	0.007	0.39	0.039		Analyzed Date : 01/10/25 10:10:26				Batch Date : 01/09/25 09:58:31
CAMPENE	0.007	0.24	0.024		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 032524.10				
BORNEOL	0.013	ND	ND		Consumables : 947.110; 04402004; 2240626; 280670723				
CAMPOR	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			8.063						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/11/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50108015-006

Harvest/Lot ID: 9508784684778752

Batch# : 9508784684778752

Sampled : 01/08/25

Ordered : 01/08/25

Sample Size Received : 16 units

Total Amount : 1350 units

Completed : 01/11/25 Expires: 01/11/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 585, 1440 Weight: 0.2564g Extraction date: 01/09/25 12:59:37 Extracted by: 3621,450					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082001PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 01/09/25 09:58:03					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/10/25 11:41:28					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 010825.R33; 010825.R29; 010825.R01; 010225.R45; 102124.R08; 010825.R02; 081023.01					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 3379, 585, 1440 Weight: 0.2564g Extraction date: 01/09/25 12:59:37 Extracted by: 3621,450					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082006VOL Instrument Used : DA-GCMS-010 Batch Date : 01/09/25 09:59:49					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/10/25 11:27:11					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Reagent : 010825.R01; 081023.01; 010725.R16; 010825.R35					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 2240626; 040724CH01; 17473601					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/11/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50108015-006

Harvest/Lot ID: 9508784684778752

Batch# : 9508784684778752

Sampled : 01/08/25

Ordered : 01/08/25

Sample Size Received : 16 units

Total Amount : 1350 units

Completed : 01/11/25 Expires: 01/11/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 3379, 585, 1440

Weight:  
0.0227g

Extraction date:  
01/10/25 12:54:41

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA082021SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 01/10/25 14:37:45

Batch Date : 01/09/25 17:11:12

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/11/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED




Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50108015-006  
Harvest/Lot ID: 9508784684778752

Batch# : 9508784684778752 Sample Size Received : 16 units  
Sampled : 01/08/25 Total Amount : 1350 units  
Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.98g	Extraction date: 01/09/25 10:56:14	Extracted by: 4520,4044				
Analytical Batch : DA081978MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021	Batch Date : 01/09/25 08:20:34						
Analysis Date : 01/10/25 11:27:20							
Dilution : 10							
Reagent : 111524.104; 111524.107; 121824.R48; 072424.14							
Consumables : 7577004077							
Pipette : N/A							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.98g	Extraction date: 01/09/25 10:56:14	Extracted by: 4520,4044				
Analytical Batch : DA081979TYM							
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 01/09/25 08:21:37						
Analysis Date : 01/11/25 17:43:23							
Dilution : 10							
Reagent : 111524.104; 111524.107; 110724.R13							
Consumables : N/A							
Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
	<b>Mycotoxins</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02		
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02		
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02		
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02		
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02		
Analysis by: 3621, 585, 1440	Weight: 0.2564g	Extraction date: 01/09/25 12:59:37	Extracted by: 3621,450				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analytical Batch : DA082005MYC							
Instrument Used : N/A	Batch Date : 01/09/25 09:59:47						
Analysis Date : 01/10/25 11:26:05							
Dilution : 250							
Reagent : 010825.R33; 010825.R29; 010825.R01; 010225.R45; 102124.R08; 010825.R02; 081023.01							
Consumables : 221021DD							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
	<b>Heavy Metals</b>	<b>PASSED</b>					
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1		
ARSENIC	0.02	ppm	ND	PASS	0.2		
CADMIUM	0.02	ppm	ND	PASS	0.2		
MERCURY	0.02	ppm	ND	PASS	0.2		
LEAD	0.02	ppm	ND	PASS	0.5		
Analysis by: 1022, 4056, 3379, 585, 1440	Weight: 0.239g	Extraction date: 01/09/25 11:11:00	Extracted by: 4056				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA081988HEA							
Instrument Used : DA-ICPMS-004	Batch Date : 01/09/25 09:31:14						
Analysis Date : 01/10/25 11:11:37							
Dilution : 50							
Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42							
Consumables : 040724CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/11/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Live Budder 1g - Rntz x Jlsy (I)  
Rntz x Jlsy (I)  
Matrix : Derivative  
Type: Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50108015-006

Harvest/Lot ID: 9508784684778752

Batch# : 9508784684778752

Sampled : 01/08/25

Ordered : 01/08/25

Sample Size Received : 16 units

Total Amount : 1350 units

Completed : 01/11/25 Expires: 01/11/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/09/25 10:51:00	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082016FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/09/25 14:18:11

Batch Date : 01/09/25 10:46:05

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.400	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.5232g	Extraction date: 01/09/25 15:37:46	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082019WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 01/10/25 11:16:41

Batch Date : 01/09/25 10:49:49

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/11/25