

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE DA50108015-0

Laboratory Sample ID: DA50108015-008

Certificate of Analysis

Kaycha Labs

Supply Pre-Roll 1g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix: Flower Classification: High THC Type: Preroll



MISC.

Production Method: Other - Not Listed Harvest/Lot ID: 5049965357224139 Batch#: 5049965357224139 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 1580827361169323 Harvest Date: 01/06/25 Sample Size Received: 26 units Total Amount: 2000 units Retail Product Size: 1 gram Servings: 1 Ordered: 01/08/25 Sampled: 01/08/25 Completed: 01/11/25 Sampling Method: SOP.T.20.010 PASSED

Pages 1 of 5



SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Jan 11, 2025 | Sunnyside

R 0	E	Hg	Ċ,	Ş		Ä			\bigcirc		Ô
Pesticio PASS		avy Metals PASSED	Microbials PASSED	Mycotoxin PASSED	9	esiduals Solvents T TESTED	Filth PASSED		Activity SSED	Moisture PASSED	Terpenes PASSED
Ä	Cannal	binoid									PASSE
E	3 26	I THC 5.947 THC/Container :				CBD 081% BD/Container		E	331	Cannabinoid 886%	0
		Ш									
%	D9-ТНС 0.601	THCA 30.042	CBD ND		8-тнс).044	св д 0.121	CBGA 0.932	CBN ND	THCV ND	CBDV ND	свс 0.053
⁷⁰ mg/unit	6.01	300.42	ND).44	1.21	9.32	ND	ND	ND	0.53
LOD	0.001	0.001	0.001	0.001 0	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	6	%	%	%	%	%	%
nalyzed by: 135, 585, 1440	I		Weight: 0.2028g]		ion date: 25 11:55:28				Extracted by: 3335	
nalytical Batch strument Used	: SOP.T.40.031, S : DA081996POT : DA-LC-002 01/10/25 10:10:52					I	Batch Date : 01/09/25	09:41:33			
ilution : 400 eagent : 12202 onsumables : 9	24.R01; 121724.01	L; 010725.R05 1; 040724CH01; 000	0355309								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/11/25



..... Supply Pre-Roll 1g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Preroll



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50108015-008 Harvest/Lot ID: 5049965357224139 Batch#: 5049965357224139 Sample Size Received: 26 units Sampled : 01/08/25 Ordered : 01/08/25

Total Amount : 2000 units Completed : 01/11/25 Expires: 01/11/26 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		OD %)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	16.56	1.656			VALENCENE	Ċ	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	5.09	0.509			ALPHA-CEDRENE	C	0.005	ND	ND	
ETA-MYRCENE	0.007	4.41	0.441			ALPHA-PHELLANDRENE	C	0.007	ND	ND	
MONENE	0.007	2.18	0.218			ALPHA-TERPINENE	C	0.007	ND	ND	
PHA-HUMULENE	0.007	1.56	0.156			ALPHA-TERPINOLENE	C	0.007	ND	ND	
NALOOL	0.007	0.64	0.064			CIS-NEROLIDOL	C	0.003	ND	ND	
ETA-PINENE	0.007	0.63	0.063			GAMMA-TERPINENE	C	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.49	0.049		1	TRANS-NEROLIDOL	C	0.005	ND	ND	
PHA-TERPINEOL	0.007	0.49	0.049			Analyzed by:	Weight:		Extraction da	ite:	Extracted by:
LPHA-BISABOLOL	0.007	0.42	0.042			4451, 585, 1440	1.1066g		01/09/25 12:		4451
LPHA-PINENE	0.007	0.37	0.037			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
ARNESENE	0.001	0.28	0.028			Analytical Batch : DA082003TER Instrument Used : DA-GCMS-004					ate: 01/09/25 09:59:11
CARENE	0.007	ND	ND			Analyzed Date : 01/10/25 10:11:05				Batch D	ate: 01/09/25 09:59:11
DRNEOL	0.013	ND	ND			Dilution : 10					
AMPHENE	0.007	ND	ND			Reagent : 032524.10					
MPHOR	0.007	ND	ND			Consumables : 947.110; 04312111; 224	0626; 280670723				
RYOPHYLLENE OXIDE	0.007	ND	ND			Pipette : DA-065					
DROL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	Chromatography Mas	is Spectro	metry. For all F	lower samp	les, the Total Terpenes % is dry-weight corrected.
	0.007	ND	ND								
JCALYPTOL	0.007										
	0.007	ND	ND								
ENCHONE			ND ND								
ENCHONE	0.007	ND									
ENCHONE ERANIOL ERANYL ACETATE	0.007	ND ND	ND								
ENCHONE ERANIOL ERANYL ACETATE JAIOL	0.007 0.007 0.007	ND ND ND	ND ND								
INCHONE ERANIOL ERANYL ACETATE JAIOL EXAHYDROTHYMOL	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND								
ENCHONE ERANIOL ERANYL ACETATE JAIOL EXANYDROTHYMOL OBORNEOL	0.007 0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND								
NCHONE RANIOL JAIOL JAIOL ZXAHYDROTHYMOL OBORNEOL OPULEGOL	0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND	ND ND ND ND								
ERCHONE ERANJOL ERANYL ACETATE JAJOL EXAHYDROTHYMOL OBORNEOL OPULEGOL EROL	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND	ND ND ND ND ND								
INCHONE ERANIOLACETATE JAIOL EXAHYDROTHYMOL BORONEOL OPULEGOL EROL LIMENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND	ND ND ND ND ND ND								
ENCHONE ERRANUL ERRANUL ACETATE SUAIOL HEXAHYDROTHYMOL SOBORHOL SOPULEGOL JEROL JCIMENE ULEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND								
UUCALYPTOL EVECHONE EERANVOL SERANVIL ACETATE JUJAOL HEXAHYDROTHYMOL SOBORNEOL SOPULEGOL LECONE JULEGONE JABINENE HYDRATE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/11/25



..... Supply Pre-Roll 1g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Preroll



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50108015-008 Harvest/Lot ID: 5049965357224139

Sampled : 01/08/25 Ordered : 01/08/25

Batch#: 5049965357224139 Sample Size Received: 26 units Total Amount : 2000 units Completed : 01/11/25 Expires: 01/11/26 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	The second secon	5	PASS	< 0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
AMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
FENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
DSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM			0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.010				
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	< 0.050	PARATHION-METHYL *	0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	nom	0.5	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight		traction dat		Extracted	
METHOATE	0.010	ppm	0.1	PASS	ND	3621, 3379, 585, 1440 0.9944		/09/25 12:26		3621.450	
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville),					
OFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			,		<i></i>
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082007PES					
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batcl	h Date :01/09/	25 10:01:08	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/10/25 11:22:57					
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 010825.R33; 010825.R29; 010825.R0	1.010225.0/	15-102124 5	0.8-010825 0	12-081023.01	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD	1, 010223.84	J, 102124.P	00, 010023.Kl	2, 001023.01	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	g Liquid Chror	natography T	riple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		raction date		Extracted	l by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 3379, 585, 1440 0.9944g		09/25 12:26:		3621,450	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville),	, SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA082009VOL Instrument Used : DA-GCMS-001		Ratch Date	e:01/09/25 10	02.15	
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/10/25 11:17:55		Datch Date	e.01/09/23 10	.02.13	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 010825.R01; 081023.01; 010725.R16;	010825.R35				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 2240626; 040724CH					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
		ppm	0.25	PASS	ND			tography Trij			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/11/25



..... Supply Pre-Roll 1g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Preroll



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50108015-008 Harvest/Lot ID: 5049965357224139 Batch#: 5049965357224139 Sample Size Received: 26 units

Sampled : 01/08/25 Ordered : 01/08/25

Total Amount : 2000 units Completed : 01/11/25 Expires: 01/11/26 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Microl	bial			PAS	SED	ڳ	Мусс	otoxins				PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	5 TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	5 NIGER			Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLU	5 FUMIGATUS			Not Present	PASS		OCHRATOX	NA		0.00	ppm	ND	PASS	0.02
ASPERGILLU	5 FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracted	d by:
TOTAL YEAS	AND MOLD	10.0	00 CFU/g	530	PASS	100000	3621, 3379, 5	85, 1440	0.9944g	01/09/25	12:26:42		3621,450)
Analyzed by: 1044, 4520, 58	5, 1440	Weight: 0.961g	Extraction da 01/09/25 10:		Extracted 4520,404		SOP.T.30.102	od : SOP.T.30.10 .FL (Davie), SOP.	T.40.102.FL (Da		40.101.FL	. (Gainesvi	lle),	
nalytical Batc	d : SOP.T.40.056 h : DA081978MIC d : PathogenDx S				atch Date :	01/00/25	Instrument Us	ch:DA082008M sed:N/A e:01/10/2511:2		В	atch Date	:01/09/25	5 10:02:1	4
DA-020,Fisher Scientific Isote Analyzed Date Dilution : 10	ycler DA-010,Fish Scientific Isotemp mp Heat Block (5 : 01/10/25 11:27: 24.104; 111524.	p Heat Block 5*C) DA-021 :20	(95*C) DA-049	9,Fisher			081023.01 Consumables Pipette : DA-0	0825.R33; 01082 : 221021DD 093; DA-094; DA-	219					
Consumables : Pipette : N/A		107, 121024	H.N40, U72424.	14				sting utilizing Liquio th F.S. Rule 64ER20		with Triple	-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 1044, 4777, 58	5, 1440	Weight: 0.961g	Extraction da 01/09/25 10:		Extracted 4520,404		Hg	Heav	y Meta	ls			PAS	SED
Analytical Batc	d:SOP.T.40.208 h:DA081979TY№	1					, Metal			LOD	Units	Result	Pass /	Action
nstrument Use DA-3821	d : Incubator (25	*C) DA- 328	[calibrated wit	:h Batch Dat	te:01/09/2	5 08:21:3	7				•		Fail	Level
	01/11/25 17:43:	:24					TOTAL CON	TAMINANT LOA	D METALS	0.08	ppm	ND	PASS	1.1
vilution : 10							ARSENIC			0.02	ppm	<0.100		0.2
	24.104; 111524.	107; 110724	I.R13				CADMIUM			0.02	ppm	ND	PASS	0.2
consumables :	N/A						MERCURY			0.02	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	nold testing is perfo F.S. Rule 64ER20-3		9 MPN and traditi	onal culture base	d techniques	s in	Analyzed by: 1022, 4056, 3	379, 585, 1440	Weight: 0.2611g		oction dat 9/25 10:3		Extrac 4056	ted by:
							Analytical Bat Instrument Us	od:SOP.T.30.08 ch:DA081987H sed:DA-ICPMS-0 e:01/10/2511:1	EA 04		:h Date : (1/09/25 0	9:30:18	
							Dilution : 50 Reagent : 122 120324.07; 0		4.R32; 010625.F		25.R37; 0	10625.R0	7; 01062	5.R06;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/11/25



Supply Pre-Roll 1g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Preroll



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

Material

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50108015-008 Harvest/Lot ID: 5049965357224139 Batch#: 5049965357224139 Sample Size Received: 26 units Total Amount : 2000 units

Sampled : 01/08/25 Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26

Sample Method : SOP.T.20.010 PASSED (__

Moisture

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 10:47:40

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

Page 5 of 5

Result

9.88

PASSED

Action Level

15

Extracted by:

Batch Date : 01/09/25

4512

P/F

PASS

Analyte Filth and Foreign Ma	terial	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD	Units %	Resul 9.8
Analyzed by: 1879, 585, 1440	Weight: 1g	Extr	action da	te:	Ex	tracted by:	Analyzed by: 4512, 585, 1440	Weight: 0.501g	E	traction d	late:
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : Filth/ Analyzed Date : 01/09/2 Dilution : N/A Reagent : N/A	2016FIL Foreign Mater	rial Micro	oscope	Batch	Date : 01/0	9/25 10:46:05	Analysis Method : SOP.T Analytical Batch : DA082 Instrument Used : DA-00 Analyzer,DA-263 Moistu Moisture Analyzer Analyzed Date : 01/10/2!	:017MOI 13 Moisture / re Analyser,			
Consumables : N/A Pipette : N/A Filth and foreign material technologies in accordance				spection utiliz	ing naked ey	ye and microscope	Dilution : N/A Reagent : 092520.50; 02 Consumables : N/A Pipette : DA-066	20124.02			
	ater A				ΡΑ	SSED	Moisture Content analysis u	ıtilizing loss-o	n-drying	technology	in accorda

Analyte Water Activity		LOD 0.010	Units aw	Result 0.411	P/F PASS	Action Level 0.65		
Analyzed by: 4512, 585, 1440	Weight: 0.813g		traction c /09/25 15		Extracted by: 4512			
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA2 Analyzed Date : 01/10/	32018WAT 57 Rotronic Hy	groPaln	n	Batch Da	te : 01/09/2	25 10:47:58		
Dilution: N/A Reagent: 101724.36 Consumables: PS-14 Pipette: N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/11/25