



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50108015-011



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 6113422014859807  
**Batch#:** 6113422014859807  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 5802423576206032  
**Harvest Date:** 11/25/24  
**Sample Size Received:** 31 units  
**Total Amount:** 440 units  
**Retail Product Size:** 0.5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Ordered:** 01/08/25  
**Sampled:** 01/08/25  
**Completed:** 01/11/25  
**Sampling Method:** SOP.T.20.010

Jan 11, 2025 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US



**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.

**PASSED**



### Cannabinoid



**Total THC**  
**77.802%**

Total THC/Container : 389.010 mg



**Total CBD**  
**0.121%**

Total CBD/Container : 0.605 mg



**Total Cannabinoids**  
**84.033%**

Total Cannabinoids/Container : 420.165 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	77.681	0.138	0.121	ND	ND	4.988	0.024	0.142	0.331	ND	0.608
mg/unit	388.41	0.69	0.61	ND	ND	24.94	0.12	0.71	1.66	ND	3.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 3605, 585, 1440

Weight:  
0.1079g

Extraction date:  
01/09/25 12:31:01

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA081993POT  
Instrument Used : DA-LC-007  
Analyzed Date : 01/10/25 10:11:57

Batch Date : 01/09/25 09:37:32

Dilution : 400  
Reagent : 121624.R07; 121724.01; 121624.R04  
Consumables : 947.110; 04312111; 040724CH01; 0000355309  
Pipette : DA-077; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/11/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50108015-011  
Harvest/Lot ID: 6113422014859807

Batch# : 6113422014859807 Sample Size Received : 31 units  
Sampled : 01/08/25 Total Amount : 440 units  
Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	24.81	4.961	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	8.39	1.677	VALENCENE	0.007	ND	ND
LINALOOL	0.007	4.22	0.844	ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	2.70	0.539	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	2.56	0.512	ALPHA-TERPINENE	0.007	ND	ND
LIMONENE	0.007	2.15	0.429	ALPHA-TERPINOLENE	0.007	ND	ND
TRANS-NEROLIDOL	0.005	1.18	0.236	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-TERPINEOL	0.007	0.95	0.190	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	0.85	0.170				
BETA-MYRCENE	0.007	0.57	0.113	Analysis by:	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	0.38	0.076	4451, 585, 1440	0.2g	01/09/25 12:49:12	4451
BORNEOL	0.013	0.26	0.052	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL		
OCIMENE	0.007	0.23	0.046	Analytical Batch :	DA082002TER		
BETA-PINENE	0.007	0.14	0.028	Instrument Used :	DA-GCMS-009		
CARYOPHYLLENE OXIDE	0.007	0.13	0.025	Analyzed Date :	01/10/25 10:12:05		
FENCHONE	0.007	0.12	0.024	Dilution :	10		
3-CARENE	0.007	ND	ND	Reagent :	032524.10		
CAMPHENE	0.007	ND	ND	Consumables :	947.110; 04402004; 2240626; 280670723		
CAMPHOR	0.007	ND	ND	Pipette :	DA-065		
CEDROL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>4.961</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/11/25



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA50108015-011  
Harvest/Lot ID: 6113422014859807

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch# : 6113422014859807 Sample Size Received : 31 units  
Sampled : 01/08/25 Total Amount : 440 units  
Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 3379, 585, 1440	<b>Weight:</b> 0.2497g	<b>Extraction date:</b> 01/09/25 12:59:37	<b>Extracted by:</b> 3621,450		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA082001PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-004 (PES)				<b>Batch Date :</b> 01/09/25 09:58:03	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 01/10/25 11:41:42					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 010825.R33; 010825.R29; 010825.R01; 010225.R45; 102124.R08; 010825.R02; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 3379, 585, 1440	<b>Weight:</b> 0.2497g	<b>Extraction date:</b> 01/09/25 12:59:37	<b>Extracted by:</b> 3621,450		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA082006VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-010				<b>Batch Date :</b> 01/09/25 09:59:49	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 01/10/25 11:27:13					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 010825.R01; 081023.01; 010725.R16; 010825.R35					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 221021DD; 2240626; 040724CH01; 17473601					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/11/25



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

**Sample : DA50108015-011**
**Harvest/Lot ID: 6113422014859807**
**Batch# : 6113422014859807**
**Sampled : 01/08/25**
**Ordered : 01/08/25**
**Sample Size Received : 31 units**
**Total Amount : 440 units**
**Completed : 01/11/25 Expires: 01/11/26**
**Sample Method : SOP.T.20.010**

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: <b>850, 3379, 585, 1440</b>	Weight: 0.0215g	Extraction date: 01/10/25 14:31:18	Extracted by: 850
---	--------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA082022SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 01/10/25 15:41:20

Batch Date : 01/09/25 17:17:53

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 430274; 319008  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50108015-011  
 Harvest/Lot ID: 6113422014859807

 Batch# : 6113422014859807 Sample Size Received : 31 units  
 Sampled : 01/08/25 Total Amount : 440 units  
 Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4520, 585, 1440    Weight: 0.941g    Extraction date: 01/09/25 10:56:15    Extracted by: 4520,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA081978MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 01/10/25 11:27:23 Dilution : 10 Reagent : 111524.104; 111524.107; 121824.R48; 072424.14 Consumables : 7577004077 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440    Weight: 0.2497g    Extraction date: 01/09/25 12:59:37    Extracted by: 3621,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA082005MYC Instrument Used : N/A    Batch Date : 01/09/25 09:59:47 Analyzed Date : 01/10/25 11:26:07 Dilution : 250 Reagent : 010825.R33; 010825.R29; 010825.R01; 010225.R45; 102124.R08; 010825.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4044, 4777, 585, 1440    Weight: 0.941g    Extraction date: 01/09/25 10:56:15    Extracted by: 4520,4044 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA081979TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]    Batch Date : 01/09/25 08:21:37 Analyzed Date : 01/11/25 17:43:26 Dilution : 10 Reagent : 111524.104; 111524.107; 110724.R13 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 3379, 585, 1440    Weight: 0.2936g    Extraction date: 01/09/25 11:16:49    Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA081988HEA Instrument Used : DA-ICPMS-004    Batch Date : 01/09/25 09:31:14 Analyzed Date : 01/10/25 11:11:39 Dilution : 50 Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 01/11/25



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50108015-011  
Harvest/Lot ID: 6113422014859807  
Batch# : 6113422014859807 Sample Size Received : 31 units  
Sampled : 01/08/25 Total Amount : 440 units  
Ordered : 01/08/25 Completed : 01/11/25 Expires: 01/11/26  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/09/25 10:51:01	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA082016FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 01/09/25 10:46:05  
Analyzed Date : 01/09/25 14:18:02

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.444	PASS	0.85

Analyzed by: 4512, 585, 3379, 1440	Weight: 0.2284g	Extraction date: 01/09/25 15:37:47	Extracted by: 4512
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA082019WAT  
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 01/09/25 10:49:49  
Analyzed Date : 01/10/25 15:28:49

Dilution : N/A  
Reagent : 101724.36  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

