



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50109014-004



Jan 13, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

21.533%

Total THC/Container : 3014.620 mg



Total CBD

0.057%

Total CBD/Container : 7.980 mg



Total Cannabinoids

25.473%

Total Cannabinoids/Container : 3566.220 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.516	23.965	ND	0.066	0.036	0.101	0.743	ND	ND	ND	0.046
mg/unit	72.24	3355.10	ND	9.24	5.04	14.14	104.02	ND	ND	ND	6.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3605, 1665, 585, 1440

Weight:
0.1974g

Extraction date:
01/10/25 12:29:08

Extracted by:
3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082040POT

Instrument Used : DA-LC-002

Analyzed Date : 01/13/25 09:54:41

Batch Date : 01/10/25 09:40:00

Dilution : 400

Reagent : 121724.01; 010325.R01; 121624.R05

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50109014-004
Harvest/Lot ID: 5226098146682946

Batch# : 5226098146682946 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 921 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/13/26
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	181.72	1.298		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	57.68	0.412		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	55.30	0.395		ALPHA-PINENE	0.007	ND	ND	
LIMONENE	0.007	25.20	0.180		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	18.06	0.129		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	6.30	0.045		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	5.60	0.040		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	4.76	0.034		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	4.62	0.033		Analized by:	Weight:	Extraction date:		Extracted by:
ALPHA-BISABOLOL	0.007	4.20	0.030		4451, 3605, 585, 1440	1.0904g	01/10/25 10:59:31		4451
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Analytical Batch : DA002047TER				
CAMPHENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 01/10/25 09:51:08	
CAMPHOR	0.007	ND	ND		Analyzed Date : 01/13/25 09:54:45				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 032524.10				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
FARNESENE	0.007	ND	ND		Pipette : DA-065				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.298						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50109014-004

Harvest/Lot ID: 5226098146682946

Batch# : 5226098146682946

Sampled : 01/09/25

Ordered : 01/09/25

Sample Size Received : 5 units

Total Amount : 921 units

Completed : 01/13/25 Expires: 01/13/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.055	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.055	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.0729g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082053PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 01/10/25 10:06:40					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/13/25 08:25:27					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 1440 Weight: 1.0729g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082055VOL Instrument Used : DA-GCMS-001 Batch Date : 01/10/25 10:07:53					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/13/25 08:11:49					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 010925.R05; 081023.01; 010725.R16; 010825.R35					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 2240626; 040724CH01; 17473601					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com


Sample : DA50109014-004
Harvest/Lot ID: 5226098146682946

Batch# : 5226098146682946 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 921 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/13/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	240	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.043g	Extraction date: 01/10/25 09:56:19	Extracted by: 4044,4520		
Analytical Batch : DA082025MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021	Batch Date : 01/10/25 08:08:03				
Analysis Date : 01/13/25 09:02:00					
Dilution : 10					
Reagent : 111524.106; 111524.107; 121824.R48; 062624.17					
Consumables : 7578003017					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.043g	Extraction date: 01/10/25 09:56:19	Extracted by: 4044,4520		
Analytical Batch : DA082026TYM					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]	Batch Date : 01/10/25 08:09:03				
Analysis Date : 01/13/25 09:02:56					
Dilution : 10					
Reagent : 111524.106; 111524.107; 110724.R13					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analysis by: 3621, 585, 1440	Weight: 1.0729g	Extraction date: 01/10/25 11:39:28	Extracted by: 450,3621		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA082054MYC					
Instrument Used : N/A					
Batch Date : 01/10/25 10:07:51					
Analysis Date : 01/13/25 08:18:01					
Dilution : 250					
Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01					
Consumables : 221021DD					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analysis by: 4056, 1022, 585, 1440	Weight: 0.2518g	Extraction date: 01/10/25 09:42:44	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA082031HEA					
Instrument Used : DA-ICPMS-004					
Batch Date : 01/10/25 09:04:14					
Analysis Date : 01/13/25 08:13:31					
Dilution : 50					
Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42					
Consumables : 040724CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Rollins x Sgr Ddy (S)
Rollins x Sgr Ddy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-004
Harvest/Lot ID: 5226098146682946

Batch# : 5226098146682946 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 921 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/13/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.60	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/11/25 17:58:15			Extracted by: 1879	Analyzed by: 4512, 3379, 585, 1440	Weight: 0.5g	Extraction date: 01/10/25 14:57:34			Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA082119FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/11/25 18:13:51						Analysis Method : SOP.T.40.021 Analytical Batch : DA082037MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:36:44 Moisture Analyzer Analyzed Date : 01/10/25 19:28:54					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Batch Date : 01/11/25 17:56:27 Batch Date : 01/10/25 09:36:44 Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64FR20-39											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.501	PASS	0.65
Analyzed by: 4512, 3379, 585, 1440	Weight: 0.719g	Extraction date: 01/10/25 11:41:21		Extracted by: 4512	
Analysis Method : SOP.T.40.019 Analytical Batch : DA082038WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 01/10/25 19:22:23					
			Batch Date : 01/10/25 09:37:05		
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25