

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50109014-005

SUPPLY

Kaycha Labs

Supply Shake 7g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix: Flower Classification: High THC



PASSED

Type: Flower-Cured Production Method: Cured Harvest/Lot ID: 0159380224867684 Batch#: 0159380224867684 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 6040867773665851 Harvest Date: 01/06/25 Sample Size Received: 5 units Total Amount: 935 units Retail Product Size: 7 gram Servings: 1 Ordered: 01/09/25 Sampled: 01/09/25 Completed: 01/13/25 Sampling Method: SOP.T.20.010


Pages 1 of 5



Certificate of Analysis

Jan 13, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/13/25



Supply Shake 7g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50109014-005 Harvest/Lot ID: 0159380224867684 Batch# : 0159380224867684 Sample Size Received : 5 units

Sampled : 01/09/25 Ordered : 01/09/25

Sample Size Received : 5 units Total Amount : 935 units Completed : 01/13/25 Expires: 01/13/26 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	75.95	1.085		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	25.90	0.370		ALPHA-PHELLANDRENE	0.007	ND	ND	
ETA-MYRCENE	0.007	21.63	0.309		ALPHA-PINENE	0.007	ND	ND	
IMONENE	0.007	10.01	0.143		ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	8.05	0.115		ALPHA-TERPINOLENE	0.007	ND	ND	
INALOOL	0.007	2.45	0.035		CIS-NEROLIDOL	0.003	ND	ND	
ETA-PINENE	0.007	2.38	0.034		GAMMA-TERPINENE	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	1.89	0.027		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-TERPINEOL	0.007	1.89	0.027		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LPHA-BISABOLOL	0.007	1.75	0.025		4451, 3605, 585, 1440	1.1983g		25 10:59:32	
-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOF	.T.40.061A.FL			
ORNEOL	0.013	ND	ND		Analytical Batch : DA082047TER Instrument Used : DA-GCMS-009				te:01/10/25 09:51:08
AMPHENE	0.007	ND	ND		Analyzed Date : 01/13/25 09:54:52			Batch Dat	te: 01/10/20 09:01:08
AMPHOR	0.007	ND	ND		Dilution : 10				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : 032524.10				
EDROL	0.007	ND	ND		Consumables : 947.110; 04312111; 2240	626; 0000355309			
UCALYPTOL	0.007	ND	ND		Pipette : DA-065				
ARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Ch	iromatography Mass Spectr	ometry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
ABINENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
ALENCENE	0.007	ND	ND						

Total (%)

1.085

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/13/25



..... Supply Shake 7g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50109014-005 Harvest/Lot ID: 0159380224867684

Sampled : 01/09/25 Ordered : 01/09/25

Batch#: 0159380224867684 Sample Size Received: 5 units Total Amount : 935 units Completed : 01/13/25 Expires: 01/13/26 Sample Method : SOP.T.20.010

Page 3 of 5

ष्ट्
0

Pesticides

100	Unito	Action	Bacc/Eail	Recult	De ettette	1.0.0	Hard Are	8 - 41 - vi	D/E-11	Deser
		Level			Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
	P.P.				OXAMYL	0.010	ppm	0.5	PASS	ND
					PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
					PHOSMET	0.010	ppm	0.1	PASS	ND
	T. P.							3	PASS	ND
										ND
	1. I.									ND
0.010	ppm									ND
0.010	ppm				PYRIDABEN					ND
0.010	ppm				SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
0.010	ppm				SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1		ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
0.010	ppm	0.1	PASS	ND						ND
0.010	ppm	0.5	PASS	ND						ND
0.010	ppm	0.1	PASS	ND						
0.010	ppm	1	PASS	ND						ND
0.010	ppm	1	PASS	< 0.050	PARATHION-METHYL *	0.010	ppm		PASS	ND
0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	maa	0.5	PASS	ND
0.010	ppm	0.1	PASS	ND				0.5	PASS	ND
0.010	ppm	0.1	PASS	ND				0.0		
0.010	ppm	0.1	PASS	ND						by:
0.010	ppm	0.1	PASS	ND				SOP T 40 101)
0.010	ppm	0.1	PASS	ND		501.1.50.10	2.1 L (Davie),	501.1.40.101	.i L (Gainesville	/,
0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082053PES					
0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date:01/10/2	25 10:06:40	
0.010	ppm	0.1	PASS	ND	Analyzed Date :01/13/25 08:25:32					
0.010	ppm	0.1	PASS	ND	Dilution : 250					
0.010	ppm	0.1	PASS	ND		; 010225.R4	5; 102124.R0	8; 010825.R0	2;081023.01	
		0.1	PASS	ND						
		0.1	PASS	ND		Liquid Chron	natography Tri	nle-Ouadrupol	e Mass Spectron	netry in
		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Eiguiù Cillui	nacography III	piciQuadrupol	e mass spectrur	neu y III
		0.1	PASS	ND		Ext	raction date:		Extracted	bv:
		0.4	PASS	ND	450, 4640, 585, 1440 1.0173g			8	450,3621	
		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),	SOP.T.30.15	A.FL (Davie)	, SOP.T.40.15	1.FL	
		0.2	PASS	ND	Analytical Batch : DA082055VOL					
		0.1	PASS	ND	Instrument Used :DA-GCMS-001		Batch Date	:01/10/25 10:	07:53	
		0.1	PASS	ND		1, 1/4/360	T			
0.010					Pipette : DA-080: DA-146: DA-218					
	0.010 0.010	LOD Units LOD Units Outo ppm	Level 0.010 ppm 5 0.010 ppm 0.2 0.010 ppm 0.1 0.010 ppm 0.1	Level PASS 0.010 ppm 0.2 PASS 0.010 ppm 0.2 PASS 0.010 ppm 0.1 PASS 0.010 ppm 0.2 PASS 0.010 ppm 0.2 PASS 0.010 ppm 0.1 PASS 0	Level ASS <0.050	Level PASS <0.050 OXAMYL 0.010 ppm 5 PASS ND PACLOBUTRAZOL 0.010 ppm 0.1 PASS ND PACLOBUTRAZOL 0.010 ppm 0.1 PASS ND PHCROMYL BUTOXIDE 0.010 ppm 0.2 PASS ND PRALLETHRIN 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 PASS ND THBUCONAZOLE 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 PASS ND THIALCOPRID 0.010 ppm 0.1 PASS ND CHICONAZOLE 0.010 ppm 0.1 PASS ND CHICONAZOLE <td>Level Level Colling <thcoling< th=""> <thcoling< th=""> <thcoling<< td=""><td>Level Level Control Control Control Control 0.010 ppm 5 PASS <0.050</td> OXAMYL 0.010 ppm 0.010 ppm 0.1 PASS ND PACOBUTRAZOL 0.010 ppm 0.010 ppm 0.1 PASS ND PACOBUTRAZOL 0.010 ppm 0.010 ppm 0.2 PASS ND PALCENTRAZOL 0.010 ppm 0.010 ppm 0.1 PASS ND PRADICONTRAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPCONUR 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTERAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTERAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 <</thcoling<<></thcoling<></thcoling<></td> <td>Level Construct Construct Construct Construct Construct Construct 0.010 ppm 0.2 PASS < <0.050</td> OXAMYL 0.010 ppm 0.5 0.010 ppm 0.1 PASS ND PHOSMET 0.010 ppm 0.1 0.010 ppm 0.2 PASS ND PHOSMET 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROMESIFEN 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND SPIROXAMINE 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm 0.1 0.010 ppm 0.1 PASS ND THIACLOPRID 0.010 ppm <td< td=""><td>Level North Control Description Level North Control Description 0.010 ppm 0.2 PASS NO PASC 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PACLOBUTRAZOL 0.010 ppm 0.1 PASS 0.010 ppm 0.2 PASS ND PHOSMET 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPROVAMINE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THEUCONTROBIN</td></td<>	Level Level Colling Colling <thcoling< th=""> <thcoling< th=""> <thcoling<< td=""><td>Level Level Control Control Control Control 0.010 ppm 5 PASS <0.050</td> OXAMYL 0.010 ppm 0.010 ppm 0.1 PASS ND PACOBUTRAZOL 0.010 ppm 0.010 ppm 0.1 PASS ND PACOBUTRAZOL 0.010 ppm 0.010 ppm 0.2 PASS ND PALCENTRAZOL 0.010 ppm 0.010 ppm 0.1 PASS ND PRADICONTRAZOLE 0.010 ppm 0.010 ppm 0.1 PASS ND PROPCONUR 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTERAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND SPIROTERAMAT 0.010 ppm 0.010 ppm 0.1 PASS ND TEBUCONAZOLE 0.010 ppm 0.010 ppm 0.1 <</thcoling<<></thcoling<></thcoling<>	Level Level Control Control Control Control 0.010 ppm 5 PASS <0.050	Level Construct Construct Construct Construct Construct Construct 0.010 ppm 0.2 PASS < <0.050	Level North Control Description Level North Control Description 0.010 ppm 0.2 PASS NO PASC 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PACLOBUTRAZOL 0.010 ppm 0.1 PASS 0.010 ppm 0.2 PASS ND PHOSMET 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPICONAZOLE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND PROPOXUR 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND SPROVAMINE 0.010 ppm 0.1 PASS 0.010 ppm 0.1 PASS ND THEUCONTROBIN

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/13/25

PASSED

PASSED



Supply Shake 7g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50109014-005 Harvest/Lot ID: 0159380224867684

Sampled : 01/09/25 Ordered : 01/09/25

Batch#: 0159380224867684 Sample Size Received: 5 units Total Amount : 935 units Completed : 01/13/25 Expires: 01/13/26 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ5	Microl	bial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN	52		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Association of the second		141-1-1-1-1-	Protect and a state				
TOTAL YEAS	T AND MOLD	10.0	00 CFU/g	30	PASS	100000	Analyzed by: 3621, 585, 144	0	Weight: 1.0173g	Extraction dat 01/10/25 11:3			xtracted 1 50,3621	by:
Analyzed by: 4531, 4520, 58	5, 1440	Weight: 1.04g	Extraction d 01/10/25 09		Extracted 4044,452				.30.101.FL (Gaiı , SOP.T.40.102.	nesville), SOP.T.4 FL (Davie)	40.101.FL	. (Gainesvi	lle),	
Analytical Bate	d: SOP.T.40.0560 h: DA082025MIC ed: PathogenDx S				Batch Date :	01/10/25	Analytical Bate Instrument Use Analyzed Date	ed:N/A		В	atch Date	:01/10/25	5 10:07:5	1
Scientific Isote Analyzed Date Dilution : 10	Scientific Isotemp mp Heat Block (5: : 01/13/25 09:02: 524.106; 111524.: 7578003017	5*C) DA-021 00					081023.01 Consumables : Pipette : DA-09	221021D 3; DA-094	D 4; DA-219 9 Liquid Chromato	0925.R05; 0102 graphy with Triple				
Analyzed by: 4531, 1879, 47	77, 585, 1440	Weigh 1.04g		on date: 5 09:56:19	Extracte 4044,45		Hg	Hea	avy Me	etals		l	PAS	SED
Analytical Batc	d : SOP.T.40.208 h : DA082026TYM ed : Incubator (25)	1			te : 01/10/2	5 08:09:03	Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 01/13/25 09:02:	57					TOTAL CONT	AMINAN	T LOAD METAI	.s 0.08	ppm	ND	PASS	1.1
Dilution : 10							ARSENIC			0.02	ppm	<0.100		0.2
	24.106; 111524.3	107; 110724	I.R13				CADMIUM			0.02	ppm	ND	PASS	0.2
Consumables :							MERCURY			0.02	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-3		g MPN and tradi	tional culture base	d techniques	in	Analyzed by: Weight: Extraction date: Extracte 4056, 1022, 585, 1440 0.249g 01/10/25 09:43:20 4056				ed by:			
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA082 ed:DA-ICF	PMS-004		h Date : 0	1/10/25 0	9:04:14	
							Dilution : 50	124 P10- 1	112624 832. 01	0625.R05: 0102	25 B37· 0	10625 00	7. 01062	E DOG

122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; Reagent 120324.07: 010825.R42 Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/13/25



. Supply Shake 7g - Rollins x Sgr Ddy (S) Rollins x Sgr Ddy (S) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50109014-005 Harvest/Lot ID: 0159380224867684

Sampled : 01/09/25 Ordered : 01/09/25

Batch#: 0159380224867684 Sample Size Received: 5 units Total Amount : 935 units Completed : 01/13/25 Expires: 01/13/26 Sample Method : SOP.T.20.010

Filt
Ma







PASSED

Page 5 of 5

PASSED

Batch Date : 01/10/25

Action Level

Analyte Filth and Foreign Mater	ial	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOD 1.00	Units %	Result 13.43	P/F PASS	Action Le 15
Analyzed by: 1879, 585, 1440	Weight: 1g		raction date 11/25 17:58		Ext 187	racted by: 79	Analyzed by: 4512, 3379, 585, 1440	Weight: 0.501g	Extractio 01/10/25	n date: 14:57:34		Extracted by: 4512
Analysis Method : SOP.T.40 Analytical Batch : DA08211 Instrument Used : Filth/For Analyzed Date : 01/11/25 1 Dilution : N/A Reagent : N/A	.9FIL eign Materi	al Micro	oscope	Batch D	ate:01/11	/25 17:56:27	Analysis Method : SOP.T.40.021 Analytical Batch : DA082037MO Instrument Used : DA-003 Moist Analyzer,DA-263 Moisture Analy Moisture Analyzer Analyzed Date : 01/10/25 19:28	il :ure Analyzei yser,DA-264				n Date : 01/10/2 5:44
Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 020124.0 Consumables : N/A	2				
Filth and foreign material insp technologies in accordance wi				ection utilizir	ng naked eye	e and microscope	Pipette : DA-066					
() Wat	ter A	ctiv	vity		PAS	SSED	Moisture Content analysis utilizing h	oss-on-drying	technology in	accordance	with F.S. R	ule 64ER20-39.

Analyte Water Activity	LOD 0.010	Units aw	Result 0.518	P/F PASS	Action Level 0.65
Analyzed by: 4512, 3379, 585, 1440	Weight: 0.711g	Extraction 01/10/25			Extracted by: 4512
Analysis Method : SOP.T.40.01 Analytical Batch : DA082038W Instrument Used : DA257 Rotr Analyzed Date : 01/10/25 19:2	AT onic HygroPalm	١	Batch Dat	e:01/10/	/25 09:37:05
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/13/25