



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50109014-006



Production Method: Cured
Harvest/Lot ID: 9300354655524706
Batch#: 9300354655524706
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 7057633380392033
Harvest Date: 01/09/25
Sample Size Received: 5 units
Total Amount: 296 units
Retail Product Size: 7 gram
Servings: 1
Ordered: 01/09/25
Sampled: 01/09/25
Completed: 01/13/25
Revision Date: 01/24/25
Sampling Method: SOP.T.20.010

Jan 24, 2025 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED


Pages 1 of 5

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtth PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes PASSED
---	---	---	---	---	--	---	---	---

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 3605, 1665, 585, 1440 Weight: 0.2076g Extraction date: 01/10/25 12:29:08 Extracted by: 3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA082040POT
 Instrument Used : DA-LC-002 Batch Date : 01/10/25 09:40:00
 Analyzed Date : 01/13/25 09:54:55

Dilution : 400
 Reagent : 121724.01; 010325.R01; 121624.R05
 Consumables : 947.110; 04312111; 040724CH01; 0000355309
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 01/13/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-006
Harvest/Lot ID: 930035465524706

Batch# : 930035465524706 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 296 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	154.98 2.214		ALPHA-BISABOLOL	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	48.09 0.687		ALPHA-CEDRENE	0.005	ND ND	
LIMONENE	0.007	31.78 0.454		ALPHA-PHELLANDRENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	20.86 0.298		ALPHA-TERPINENE	0.007	ND ND	
ALPHA-PINENE	0.007	10.92 0.156		ALPHA-TERPINOLENE	0.007	ND ND	
LINALOOL	0.007	9.59 0.137		CIS-NEROLIDOL	0.003	ND ND	
BETA-PINENE	0.007	9.52 0.136		GAMMA-TERPINENE	0.007	ND ND	
FARNESENE	0.007	8.61 0.123		TRANS-NEROLIDOL	0.005	ND ND	
FENCHYL ALCOHOL	0.007	6.93 0.099					
ALPHA-TERPINEOL	0.007	5.81 0.083		Analysis by:	Weight:	Extraction date:	Extracted by:
BETA-MYRCENE	0.007	2.87 0.041		4451, 3605, 585, 1440	1.152g	01/10/25 10:59:32	4451
3-CARENE	0.007	ND ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	ND ND		Analytical Batch : DA002047TER			
CAMPHENE	0.007	ND ND		Instrument Used : DA-GCMS-009			Batch Date : 01/10/25 09:51:08
CAMPHOR	0.007	ND ND		Analyzed Date : 01/13/25 09:54:59			
CARYOPHYLLENE OXIDE	0.007	ND ND		Dilution : 10			
CEDROL	0.007	ND ND		Reagent : 032524.10			
EUCALYPTOL	0.007	ND ND		Consumables : 947.110; 04312111; 2240626; 0000355309			
FENCHONE	0.007	ND ND		Pipette : DA-065			
GERANIOL	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
VALENCENE	0.007	ND ND					
Total (%)		2.214					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/13/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-006
Harvest/Lot ID: 930035465524706

Batch# : 930035465524706 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 296 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.0038g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082053PES Instrument Used : DA-LCMS-004 (PES) Batch Date : 01/10/25 10:06:40 Analyzed Date : 01/13/25 08:25:36 Dilution : 250 Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 1440 Weight: 1.0038g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA082055VOL Instrument Used : DA-GCMS-001 Batch Date : 01/10/25 10:07:53 Analyzed Date : 01/13/25 08:11:50 Dilution : 250 Reagent : 010925.R05; 081023.01; 010725.R16; 010825.R35 Consumables : 221021DD; 2240626; 040724CH01; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
01/13/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-006
Harvest/Lot ID: 930035465524706
Batch# : 930035465524706 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 296 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	20	PASS	100000
Analyzed by: 4531, 4520, 585, 1440 Weight: 0.928g Extraction date: 01/10/25 09:56:19 Extracted by: 4044,4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082025MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 01/13/25 09:02:01 Dilution : 10 Reagent : 111524.106; 111524.107; 121824.R48; 062624.17 Consumables : 7578003017 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 1.0038g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082054MYC Instrument Used : N/A Batch Date : 01/10/25 10:07:51 Analyzed Date : 01/13/25 08:18:02 Dilution : 250 Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2603g Extraction date: 01/10/25 09:44:17 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082031HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/10/25 09:04:14 Analyzed Date : 01/13/25 08:13:32 Dilution : 50 Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
Hg					
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2603g Extraction date: 01/10/25 09:44:17 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082031HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/10/25 09:04:14 Analyzed Date : 01/13/25 08:13:32 Dilution : 50 Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
01/13/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-006
Harvest/Lot ID: 9300354655524706
Batch# : 9300354655524706 Sample Size Received : 5 units
Sampled : 01/09/25 Total Amount : 296 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.2	PASS	15
Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 01/11/25 17:58:15 Batch Date: 01/11/25 17:56:27 Analysis Method: SOP.T.40.090 Analytical Batch: DA082119FIL Instrument Used: Filth/Foreign Material Microscope Analyzed Date: 01/11/25 18:13:50 Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A						Analyzed by: 4512, 3379, 585, 1440 Weight: 0.506g Extraction date: 01/10/25 14:57:34 Batch Date: 01/10/25 09:36:44 Analysis Method: SOP.T.40.021 Analytical Batch: DA082037MOI Instrument Used: DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 09:36:44 Moisture Analyzer Analyzed Date: 01/10/25 19:28:55 Dilution: N/A Reagent: 092520.50; 020124.02 Consumables: N/A Pipette: DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.467	PASS	0.65
Analyzed by: 4512, 3379, 585, 1440 Weight: 0.747g Extraction date: 01/10/25 11:41:21 Batch Date: 01/10/25 09:37:05 Analysis Method: SOP.T.40.019 Analytical Batch: DA082038WAT Instrument Used: DA257 Rotronic HygroPalm Analyzed Date: 01/10/25 19:22:24 Dilution: N/A Reagent: 101724.36 Consumables: PS-14 Pipette: N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25