



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50109014-007



Jan 14, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US



Production Method: Cured
Harvest/Lot ID: 4825172402299167
Batch#: 4825172402299167
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 1886426203437486
Harvest Date: 01/07/25
Sample Size Received: 18 units
Total Amount: 4653 units
Retail Product Size: 3.5 gram
Servings: 1
Ordered: 01/09/25
Sampled: 01/09/25
Completed: 01/14/25
Sampling Method: SOP.T.20.010

PASSED


Pages 1 of 5

SAFETY RESULTS

 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes PASSED
------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 3605, 1665, 585, 3335, 1440 Weight: 0.196g Extraction date: 01/10/25 12:29:08 Extracted by: 3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA082040POT
Instrument Used : DA-LC-002 Batch Date : 01/10/25 09:40:00
Analyzed Date : 01/14/25 11:42:58

Dilution : 400
Reagent : 121724.01; 010325.R01; 121624.R05
Consumables : 947.110; 04312111; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/14/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-007
Harvest/Lot ID: 4825172402299167

Batch# : 4825172402299167 Sample Size Received : 18 units
Sampled : 01/09/25 Total Amount : 4653 units
Ordered : 01/09/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	69.58	1.988	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	16.28	0.465	VALENCENE	0.007	ND	ND
LINALOOL	0.007	12.01	0.343	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	10.64	0.304	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	9.80	0.280	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-TERPINEOL	0.007	3.47	0.099	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	3.40	0.097	CIS-NEROLIDOL	0.003	ND	ND
FENCHYL ALCOHOL	0.007	3.05	0.087	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	3.01	0.086	Analyzed by: 4451, 3605, 585, 1440 Weight: 1.0862g Extraction date: 01/10/25 10:59:32 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA002047TER Instrument Used : DA-GCMS-009 Analyzed Date : 01/13/25 09:58:41 Batch Date : 01/10/25 09:51:08 Dilution : 10 Reagent : 032524.10 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
TRANS-NEROLIDOL	0.005	2.31	0.066				
ALPHA-BISABOLOL	0.007	2.03	0.058				
ALPHA-PINENE	0.007	1.89	0.054				
OCIMENE	0.007	1.72	0.049				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			1.988				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/14/25



Certificate of Analysis

PASSED

Sunnyside

Sample : DA50109014-007
Harvest/Lot ID: 4825172402299167

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 4825172402299167 Sample Size Received : 18 units
Sampled : 01/09/25 Total Amount : 4653 units
Ordered : 01/09/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.008g	Extraction date: 01/10/25 11:39:28	Extracted by: 450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082053PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)				Batch Date : 01/10/25 10:06:40	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/13/25 08:25:41					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 1440	Weight: 1.008g	Extraction date: 01/10/25 11:39:28	Extracted by: 450,3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082055VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 01/10/25 10:07:53	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 01/13/25 08:11:51					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 010925.R05; 081023.01; 010725.R16; 010825.R35					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 2240626; 040724CH01; 17473601					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
01/14/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50109014-007
 Harvest/Lot ID: 4825172402299167
 Batch#: 4825172402299167 Sample Size Received : 18 units
 Sampled : 01/09/25 Total Amount : 4653 units
 Ordered : 01/09/25 Completed : 01/14/25 Expires: 01/14/26
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	680	PASS	100000
Analyzed by: 4520, 585, 1440 Weight: 0.934g Extraction date: 01/10/25 09:53:47 Extracted by: 4044,4520					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082027MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 01/13/25 09:55:28 Batch Date : 01/10/25 08:16:24					
Dilution : 10 Reagent : 111524.106; 111524.107; 121824.R48; 062624.17 Consumables : 7578003017 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 1.008g Extraction date: 01/10/25 11:39:28 Extracted by: 450,3621					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA082054MYC Instrument Used : N/A Batch Date : 01/10/25 10:07:51 Analyzed Date : 01/13/25 08:18:03					
Dilution : 250 Reagent : 010825.R33; 010825.R29; 010925.R05; 010225.R45; 102124.R08; 010825.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.08	ppm	<0.400	PASS	1.1
CADMIUM	0.02	ppm	<0.100	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	0.105	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2242g Extraction date: 01/10/25 09:52:36 Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082031HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/10/25 09:04:14 Analyzed Date : 01/13/25 08:13:33					
Dilution : 50 Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	<0.400	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	0.105	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.08	ppm	<0.400	PASS	1.1
CADMIUM	0.02	ppm	<0.100	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	0.105	PASS	0.5
Analyzed by: 4056, 1022, 585, 1440 Weight: 0.2242g Extraction date: 01/10/25 09:52:36 Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082031HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/10/25 09:04:14 Analyzed Date : 01/13/25 08:13:33					
Dilution : 50 Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-007
Harvest/Lot ID: 4825172402299167

Batch# : 4825172402299167 Sample Size Received : 18 units
Sampled : 01/09/25 Total Amount : 4653 units
Ordered : 01/09/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440 Weight: 1g Extraction date: 01/13/25 22:58:50 Extracted by: 1879,585
Analysis Method : SOP.T.40.090
Analytical Batch : DA082119FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 01/11/25 17:56:27
Analyzed Date : 01/11/25 18:13:49

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.464	PASS	0.65

Analyzed by: 4512, 3379, 585, 1440 Weight: 0.759g Extraction date: 01/10/25 11:41:21 Extracted by: 4512
Analysis Method : SOP.T.40.019
Analytical Batch : DA082038WAT
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 01/10/25 09:37:05
Analyzed Date : 01/10/25 19:22:25

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.23	PASS	15

Analyzed by: 4512, 3379, 585, 1440 Weight: 0.501g Extraction date: 01/10/25 14:57:34 Extracted by: 4512
Analysis Method : SOP.T.40.021
Analytical Batch : DA082037MOI
Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:36:44 Batch Date : 01/10/25
Moisture Analyzer
Analyzed Date : 01/10/25 19:28:56
Dilution : N/A
Reagent : 092520.50; 020124.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

