



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50109014-009



Jan 13, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
PASSED

MISC.


Cannabinoid
PASSED


Total THC

81.239%

Total THC/Container : 812.390 mg



Total CBD

0.255%

Total CBD/Container : 2.550 mg



Total Cannabinoids

85.438%

Total Cannabinoids/Container : 854.380 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.202	0.043	0.226	0.034	ND	2.604	ND	0.747	0.352	ND	0.230
mg/unit	812.02	0.43	2.26	0.34	ND	26.04	ND	7.47	3.52	ND	2.30
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3605, 1665, 585, 1440

 Weight:
 0.1131g

 Extraction date:
 01/10/25 12:34:20

 Extracted by:
 3335,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082042POT

Instrument Used : DA-LC-003

Analyzed Date : 01/13/25 10:00:13

Batch Date : 01/10/25 09:43:23

Dilution : 400

Reagent : 122024.R02; 121724.01; 121624.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Durban Poison (S)
Durban Poison (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50109014-009

Harvest/Lot ID: 5802966773519150

Batch# : 5802966773519150

Sampled : 01/09/25

Ordered : 01/09/25

Sample Size Received : 16 units

Total Amount : 280 units

Completed : 01/13/25 Expires: 01/13/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	43.19	4.319		ISOPULEGOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	11.77	1.177		NEROL	0.007	ND	ND	
BETA-MYRCENE	0.007	7.68	0.768		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	4.80	0.480		SABINENE HYDRATE	0.007	ND	ND	
OCIMENE	0.007	4.57	0.457		VALENENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.70	0.270		ALPHA-CEDRENE	0.005	ND	ND	
BETA-PINENE	0.007	2.47	0.247		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-PHELLANDRENE	0.007	1.44	0.144		TRANS-NEROLIDOL	0.005	ND	ND	
3-CARENE	0.007	1.12	0.112		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINENE	0.007	0.87	0.087		4451, 3605, 585, 1440	0.2264g	01/10/25 11:31:07	4451	
GAMMA-TERPINENE	0.007	0.66	0.066		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	0.63	0.063		Analytical Batch : DA002048TER				
BETA-CARYOPHYLLENE	0.007	0.52	0.052		Instrument Used : DA-GCMS-004				
CAMPHENE	0.007	0.50	0.050		Analyzed Date : 01/13/25 10:46:06				Batch Date : 01/10/25 09:53:14
LINALOOL	0.007	0.50	0.050		Dilution : 10				
FENCHYL ALCOHOL	0.007	0.46	0.046		Reagent : 032524.10				
FARNESENE	0.001	0.45	0.045		Consumables : 947.110; 04402004; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	0.43	0.043		Pipette : DA-065				
ALPHA-TERPINEOL	0.007	0.38	0.038		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-HUMULENE	0.007	0.37	0.037						
EUCALYPTOL	0.007	0.34	0.034						
GUAIOL	0.007	0.33	0.033						
SABINENE	0.007	0.20	0.020						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
Total (%)			4.319						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Durban Poison (S)
Durban Poison (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-009

Harvest/Lot ID: 5802966773519150

Batch# : 5802966773519150

Sampled : 01/09/25

Ordered : 01/09/25

Sample Size Received : 16 units

Total Amount : 280 units

Completed : 01/13/25 Expires: 01/13/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2248g	Extraction date: 01/10/25 12:20:32	Extracted by: 450,4640,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA082052PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/10/25 10:06:21		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 01/13/25 09:32:51					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 010925.R05; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 2240626; 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2248g	Extraction date: 01/10/25 12:20:32	Extracted by: 450,4640,3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA082057VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 01/10/25 10:10:39		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 01/13/25 09:26:42					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 010925.R05; 081023.01; 010725.R16; 010825.R35					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 2240626; 040724CH01; 221021DD; 17473601					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Durban Poison (S)
Durban Poison (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50109014-009

Harvest/Lot ID: 5802966773519150

Batch# : 5802966773519150

Sampled : 01/09/25

Ordered : 01/09/25

Sample Size Received : 16 units

Total Amount : 280 units

Completed : 01/13/25 Expires: 01/13/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0268g

Extraction date:
01/13/25 10:40:36

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082066SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 01/13/25 11:40:17

Batch Date : 01/10/25 15:14:34

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Durban Poison (S)
Durban Poison (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50109014-009
Harvest/Lot ID: 5802966773519150

Batch# : 5802966773519150 Sample Size Received : 16 units
Sampled : 01/09/25 Total Amount : 280 units
Ordered : 01/09/25 Completed : 01/13/25 Expires: 01/13/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2				0.00	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1				0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A				0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1				0.00	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2				0.00	ppm	ND	PASS	0.02						
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10.00	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 1440		Weight: 0.2248g	Extraction date: 01/10/25 12:20:32		Extracted by: 450,4640,3621									
Analyzed by: 4520, 585, 1440		Weight: 0.8821g		Extraction date: 01/10/25 09:53:47		Extracted by: 4044,4520		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							Analytical Batch : DA082056MYC														
Analytical Batch : DA082027MIC							Instrument Used : N/A														
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021							Batch Date : 01/13/25 09:47:01		Batch Date : 01/10/25 10:09:28												
Analyzed Date : 01/13/25 09:55:30																					
Dilution : 10							Dilution : 250														
Reagent : 111524.106; 111524.107; 121824.R48; 062624.17							Reagent : 010925.R05; 081023.01														
Consumables : 7578003017							Consumables : 2240626; 040724CH01; 221021DD														
Pipette : N/A							Pipette : N/A														
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																					
<div><div>Hg</div></div>							Heavy Metals								PASSED						
Metal		LOD	Units	Result	Pass / Fail	Action Level	Metal		LOD	Units	Result	Pass / Fail	Action Level								
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1	TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1								
ARSENIC		0.02	ppm	ND	PASS	0.2	ARSENIC		0.02	ppm	ND	PASS	0.2								
CADMIUM		0.02	ppm	ND	PASS	0.2	CADMIUM		0.02	ppm	ND	PASS	0.2								
MERCURY		0.02	ppm	ND	PASS	0.2	MERCURY		0.02	ppm	ND	PASS	0.2								
LEAD		0.02	ppm	ND	PASS	0.5	LEAD		0.02	ppm	ND	PASS	0.5								
Analyzed by: 4056, 1022, 585, 1440		Weight: 0.269g		Extraction date: 01/10/25 11:05:03		Extracted by: 4056		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL													
Analytical Batch : DA082032HEA							Batch Date : 01/10/25 09:05:41														
Instrument Used : DA-ICPMS-004							Analyzed Date : 01/13/25 09:24:34														
Dilution : 50							Dilution : 50														
Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42							Reagent : 122024.R10; 112624.R32; 010625.R05; 010225.R37; 010625.R07; 010625.R06; 120324.07; 010825.R42														
Consumables : 040724CH01; J609879-0193; 179436							Consumables : 040724CH01; J609879-0193; 179436														
Pipette : DA-061; DA-191; DA-216							Pipette : DA-061; DA-191; DA-216														
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Syringe 1g - Durban Poison (S)
Durban Poison (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50109014-009

Harvest/Lot ID: 5802966773519150

Batch# : 5802966773519150

Sampled : 01/09/25

Ordered : 01/09/25

Sample Size Received : 16 units

Total Amount : 280 units

Completed : 01/13/25 Expires: 01/13/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/11/25 17:58:16	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082119FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 01/11/25 17:56:27

Analyzed Date : 01/11/25 18:10:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.482	PASS	0.85

Analyzed by: 4512, 3379, 585, 1440	Weight: 0.1686g	Extraction date: 01/10/25 14:15:49	Extracted by: 4512
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082039WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 01/10/25 09:38:43

Analyzed Date : 01/13/25 10:00:16

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/13/25