



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



SEL,Fresh,Sih,,,0.3g
Super Lemon Haze
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50110014-003



Jan 14, 2025 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

86.380%

Total THC/Container : 259.140 mg



Total CBD

0.106%

Total CBD/Container : 0.318 mg



Total Cannabinoids

90.433%

Total Cannabinoids/Container : 271.299 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.171	0.239	0.106	ND	ND	2.140	0.032	0.366	0.458	ND	0.921
mg/unit	258.51	0.72	0.32	ND	ND	6.42	0.10	1.10	1.37	ND	2.76
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analized by:
3335, 3605, 3379, 585, 1440

Weight:
0.1023g

Extraction date:
01/13/25 11:52:24

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082126POT

Instrument Used : DA-LC-003

Analyzed Date : 01/14/25 09:29:22

Batch Date : 01/13/25 07:14:41

Dilution : 400

Reagent : 011325.R06; 121724.01; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Fresh,Sih,,,0.3g

Super Lemon Haze

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: ashish.Thadhani@curaleaf.com

Sample : DA50110014-003
Harvest/Lot ID: 8113629126272789

Batch# : TVF1227202406 Sample Size Received : 50 units
Sampled : 01/10/25 Total Amount : 1000 units
Ordered : 01/10/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	14.78	4.928		OCIMENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.00	1.667		PULEGONE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	2.65	0.883		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.28	0.426		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.01	0.335		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-HUMULENE	0.007	1.00	0.334		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	0.94	0.312		CIS-NEROLIDOL	0.003	ND	ND	
3-CARENE	0.007	0.38	0.127		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.28	0.092		Analyzed by: 3605, 4451, 3379, 585, 1440 Weight: 0.2145g Extraction date: 01/11/25 13:13:19 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA082109TER Instrument Used : DA-GCMS-004 Analyzed Date : 01/14/25 09:29:46 Batch Date : 01/11/25 11:54:32 Dilution : 10 Reagent : 032524.10 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LIMONENE	0.007	0.26	0.085						
LINALOOL	0.007	0.25	0.083						
FENCHYL ALCOHOL	0.007	0.23	0.075						
VALENCENE	0.007	0.21	0.069						
CARYOPHYLLENE OXIDE	0.007	0.17	0.055						
GERANIOL	0.007	0.15	0.051						
ALPHA-TERPINEOL	0.007	0.14	0.047						
NEROL	0.007	0.14	0.046						
CAMPHENE	0.007	0.11	0.038						
CAMPHOR	0.007	0.11	0.038						
HEXAHYDROTHYMOL	0.007	0.11	0.037						
ISOBORNEOL	0.007	0.11	0.035						
ALPHA-TERPINENE	0.007	0.11	0.035						
GAMMA-TERPINENE	0.007	0.10	0.033						
GUAIOL	0.007	0.08	0.025						
BORNEOL	0.013	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)				4.928					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Fresh,Slh,,,0.3g

Super Lemon Haze

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: ashish.Thadhani@curaleaf.com

Sample : DA50110014-003
Harvest/Lot ID: 8113629126272789

Batch# : TVF1227202406 Sample Size Received : 50 units
Sampled : 01/10/25 Total Amount : 1000 units
Ordered : 01/10/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 0.255g Extraction date: 01/11/25 14:51:15 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA082082PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 01/11/25 09:25:03 Analyzed Date : 01/14/25 09:10:24 Dilution : 250 Reagent : 010925.R05; 081023.01 Consumables : 2240626; 040724CH01; 221021DD Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 3379, 585, 1440 Weight: 0.255g Extraction date: 01/11/25 14:51:15 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA082084VOL Instrument Used : DA-GCMS-001 Batch Date : 01/11/25 09:28:52 Analyzed Date : 01/13/25 11:16:54 Dilution : 250 Reagent : 010925.R05; 081023.01; 010725.R16; 010825.R35 Consumables : 2240626; 040724CH01; 221021DD; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Fresh,Sih,,,0.3g

Super Lemon Haze

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: ashish.Thadhani@curaleaf.com

Sample : DA50110014-003

Harvest/Lot ID: 8113629126272789

Batch# : TVF1227202406

Sampled : 01/10/25

Ordered : 01/10/25

Sample Size Received : 50 units

Total Amount : 1000 units

Completed : 01/14/25 Expires: 01/14/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 585, 1440

Weight:
0.0218g

Extraction date:
01/13/25 13:40:33

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082115SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 01/13/25 14:57:40

Batch Date : 01/11/25 13:22:46

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Fresh,Slh,,,0.3g

Super Lemon Haze

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: ashish.Thadhani@curaleaf.com

Sample : DA50110014-003
Harvest/Lot ID: 8113629126272789

Batch# : TVF1227202406 Sample Size Received : 50 units
Sampled : 01/10/25 Total Amount : 1000 units
Ordered : 01/10/25 Completed : 01/14/25 Expires: 01/14/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.00	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.00	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS																	
TOTAL YEAST AND MOLD						10.00	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 1440						Weight: 0.255g	Extraction date: 01/11/25 14:51:15		Extracted by: 4640,3379						
Analyzed by: 3390, 4520, 585, 1440						Weight: 1.0281g	Extraction date: 01/11/25 10:23:55		Extracted by: 4520		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											Analytical Batch : DA082083MYC															
Analytical Batch : DA082071MIC											Instrument Used : N/A						Batch Date : 01/11/25 09:27:38									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						Batch Date : 01/11/25 08:24:46					Analyzed Date : 01/14/25 09:05:55															
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021											Dilution : 250															
Analized Date : 01/14/25 10:34:25											Reagent : 010925.R05; 081023.01															
											Consumables : 2240626; 040724CH01; 221021DD															
											Pipette : N/A															
Dilution : 10											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Reagent : 111524.105; 111524.106; 121824.R48; 062624.17											Hg						Heavy Metals					PASSED				
Consumables : 7578003020																										
Pipette : N/A																										
Analyzed by: 4777, 4571, 585, 1440						Weight: 1.0281g	Extraction date: 01/11/25 10:23:55		Extracted by: 4520		Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											TOTAL CONTAMINANT LOAD METALS						0.08	ppm	ND	PASS	1.1					
Analytical Batch : DA082072TYM											ARSENIC						0.02	ppm	ND	PASS	0.2					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 01/11/25 08:25:37					CADMIUM						0.02	ppm	ND	PASS	0.2					
Analized Date : 01/14/25 09:29:43											MERCURY						0.02	ppm	ND	PASS	0.2					
											LEAD						0.02	ppm	ND	PASS	0.5					
Dilution : 10											Analyzed by: 1022, 585, 1440						Weight: 0.2047g	Extraction date: 01/12/25 12:11:53		Extracted by: 1879,4571,4056,1022						
Reagent : 111524.105; 111524.106; 110724.R13											Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL															
Consumables : N/A											Analytical Batch : DA082086HEA															
Pipette : N/A											Instrument Used : DA-ICPMS-004						Batch Date : 01/11/25 09:40:14									
											Analyzed Date : 01/14/25 09:44:39															
Dilution : 50											Dilution : 50															
Reagent : 122024.R10; 112624.R32; 010625.R05; 011025.R13; 010625.R07; 010825.R42; 120324.07; 010625.R06											Reagent : 122024.R10; 112624.R32; 010625.R05; 011025.R13; 010625.R07; 010825.R42; 120324.07; 010625.R06															
Consumables : 040724CH01; J609879-0193; 179436											Consumables : 040724CH01; J609879-0193; 179436															
Pipette : DA-061; DA-191; DA-216											Pipette : DA-061; DA-191; DA-216															
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/14/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
SEL,Fresh,Slh,,,0.3g
Super Lemon Haze
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: ashish.Thadhani@curaleaf.com

Sample : DA50110014-003

Harvest/Lot ID: 8113629126272789

Batch# : TVF1227202406

Sampled : 01/10/25

Ordered : 01/10/25

Sample Size Received : 50 units

Total Amount : 1000 units

Completed : 01/14/25 Expires: 01/14/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/11/25 17:59:18	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082119FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/11/25 18:10:08

Batch Date : 01/11/25 17:56:27

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.392	PASS	0.85

Analyzed by: 4512, 3379, 585, 1440	Weight: 0.3174g	Extraction date: 01/12/25 10:08:16	Extracted by: 4512
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082094WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 01/13/25 11:27:52

Batch Date : 01/11/25 11:02:21

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/14/25