

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

#### **Kaycha Labs**

Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix: Derivative Classification: High THC



Grp Ape (I) **国紀代王** Matrix: Derivative Classification: High THC Type: Extract for Inhalation **Production Method:** Other - Not Listed

#### **Certificate of Analysis** Harvest/Lot ID: 5769007184578151 Batch#: 5769007184578151 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Laboratory Sample ID: DA50114005-011 Seed to Sale#: 7164778175658866 Harvest Date: 01/02/25 Sample Size Received: 31 units Total Amount: 613 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram Servings: 1 Ordered: 01/13/25 Sampled: 01/14/25 Completed: 01/16/25 Sampling Method: SOP.T.20.010 Jan 16, 2025 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Ο Hg 0 Filth Terpenes Pesticides Heavy Metals Microbials **Mycotoxins** Residuals Water Activity Moisture **NOT TESTED** PASSED PASSED PASSED PASSED PASSED Solvents PASSED PASSED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 82.891% 0.256% 87.209% Total Cannabinoids/Container : 436.045 Total THC/Container : 414.455 mg Total CBD/Container : 1.280 mg mg THCA CBD CBDA D8-THC CBG CBGA CBN тнсу CBDV CBC D9-THC 82.891 0.001 0.752 0.252 0.005 ND 2.697 ND 0.386 0.226 ND % 414.46 0.01 1.26 0.03 ND 13.49 ND 3.76 1.93 ND 1.13 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3605, 585, 3335, 1440 Extraction date: 01/14/25 13:34:43 Extracted by: 3335,3605 Weight: 0.1022q Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA082152POT Instrument Used : DA-LC-007 Batch Date : 01/14/25 11:07:59 Analyzed Date : 01/16/25 09:18:30 Dilution: 400 Reagent: 011325.R08; 121724.01; 011325.R09

Consumables : 947.110; 04312111; 040724CH01; 0000355309 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/16/25



Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50114005-011 Harvest/Lot ID: 5769007184578151 Batch#: 5769007184578151 Sample Size Received: 31 units Sampled : 01/14/25 Ordered : 01/14/25

Total Amount : 613 units Completed : 01/16/25 Expires: 01/16/26 Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
	0.007	22.63	4.525		PULEGONE	0.007	ND	ND		
ETA-MYRCENE	0.007	6.55	1.310		SABINENE	0.007	ND	ND		
LPHA-PINENE	0.007	3.18	0.636		SABINENE HYDRATE	0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	2.33	0.465		ALPHA-BISABOLOL	0.007	ND	ND		
ETA-PINENE	0.007	1.65	0.330		ALPHA-PHELLANDRENE	0.007	ND	ND		
MONENE	0.007	1.55	0.310		ALPHA-TERPINENE	0.007	ND	ND		
NALOOL	0.007	1.16	0.231		CIS-NEROLIDOL	0.003	ND	ND		
ALENCENE	0.007	1.13	0.226		GAMMA-TERPINENE	0.007	ND	ND		
	0.007		0.118		Analyzed by:	Weight:	Extrac	tion date:		Extracted by:
	0.007	0.57	0.114		4451, 3379, 585, 1440	0.2052g	01/14)	/25 13:05:18		4451
	0.001		0.112		Analysis Method : SOP.T.30.061A.FL, SOP.	Γ.40.061A.FL				
RANS-NEROLIDOL	0.005	0.44	0.087		Analytical Batch : DA082171TER Instrument Used : DA-GCMS-004			Ratch Da	te:01/14/25 11:36:57	
ARYOPHYLLENE OXIDE	0.007	0.31	0.062		Analyzed Date : 01/16/25 09:53:08			batch ba	ce. 01/14/25 11:50:57	
	0.007		0.060		Dilution : 10					
ENCHYL ALCOHOL	0.007	0.29	0.057		Reagent : 032524.10					
LPHA-TERPINEOL	0.007	0.28	0.056		Consumables : 947.110; 04312111; 22406 Pipette : DA-065	26; 0000355309				
ERANYL ACETATE	0.007	0.27	0.053							
EROL	0.007	0.25	0.049		Terpenoid testing is performed utilizing Gas Chr	omatograpny Mass Spectro	ometry. For all	Flower sample	es, the Total Terpenes % is dry-v	veignt corrected.
EXAHYDROTHYMOL	0.007	0.20	0.040							
OBORNEOL	0.007	0.20	0.040							
LPHA-CEDRENE	0.005	0.19	0.037							
UAIOL	0.007	0.18	0.035							
LPHA-TERPINOLENE	0.007	0.17	0.033							
AMPHENE	0.007	0.16	0.032							
UCALYPTOL	0.007	0.16	0.032							
-CARENE	0.007	ND	ND							
ORNEOL	0.013	ND	ND							
AMPHOR	0.007	ND	ND							
EDROL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/16/25



Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50114005-011 Harvest/Lot ID: 5769007184578151

Sampled : 01/14/25 Ordered : 01/14/25

Batch#: 5769007184578151 Sample Size Received: 31 units Total Amount : 613 units Completed : 01/16/25 Expires: 01/16/26 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
SIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	тніаметнохам		0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND					0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCN	1B) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	maa	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND		eight:		on date:		Extracted b	
DIMETHOATE	0.010	ppm	0.1	PASS	ND				16:42:48		450.3621	Jy:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (G				SOP.T.40.101		).
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						,,
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082159PES						
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES	5)		Batch I	Date:01/14/2	25 11:14:15	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/15/25 10:52:29						
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 010925.R05; 081023.01						
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01: 221021	סס					
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A						
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perform	med utilizing Ligu	id Chrom	atography Trip	ole-Quadrupol	e Mass Spectron	netry in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						,
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		action date:		Extracted	l by:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	4640, 450, 585, 1440	0.2967g		4/25 16:42:48		450,3621	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (G	Gainesville), SOP	T.30.15	1A.FL (Davie),	SOP.T.40.15	1.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA082162VOL			Datab Data	01/14/25 11	16.40	
IETALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :01/15/25 10:44:25			Batch Date :	01/14/25 11:	10:40	
1ETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
1ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 010925.R05: 081023.01: 0	10725.R16: 010	325.R35				
VEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021						
TEVINPHOS												
AYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/16/25

## PASSED

PASSED



Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50114005-011 Harvest/Lot ID: 5769007184578151 Batch#: 5769007184578151 Sample Size Received: 31 units Sampled : 01/14/25 Ordered : 01/14/25

Total Amount : 613 units Completed : 01/16/25 Expires: 01/16/26 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 3379, 585, 1440	<b>Weight:</b> 0.0245g	Extraction 01/15/25 1			Extracted by: 850
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA082177SOL nstrument Used : DA-GCMS-003 nalyzed Date : 01/15/25 13:34:15			Batch Date : 01/14/25 1	4:47:29	

Reagent : 041224.39 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/16/25



Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50114005-011 Harvest/Lot ID: 5769007184578151 Batch#: 5769007184578151 Sample Size Received : 31 units

Sampled: 01/14/25 T Ordered: 01/14/25 C

Sample Size Received : 31 units Total Amount : 613 units Completed : 01/16/25 Expires: 01/16/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ċţ.	Microb	ial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU				Not Present	PASS	Level	AFLATOXIN	2		0.00	maa	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN	-		0.00	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXII			0.00	mag	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS									
	T AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: Weight:   0 3621, 585, 1440 0.2967g			Extraction dat 01/14/25 16:4		Extracted by: 450,3621		
Analyzed by: 4520, 3379, 58	5, 1440		xtraction d 1/14/25 12		Extracte 4520	d by:	SOP.T.30.102.	L (Davie),	SOP.T.40.102	nesville), SOP.T. .FL (Davie)	40.101.FL	. (Gainesvi	ille),	
Analytical Bate	od : SOP.T.40.056C :h : DA082155MIC ed : PathogenDx Sc				atch Date :		Analytical Bate Instrument Use Analyzed Date	d:N/A		В	atch Date	:01/14/25	5 11:16:0	9
DA-020,Fisher Scientific Isote	ycler DA-013,Fishe Scientific Isotemp mp Heat Block (55 : 01/15/25 11:48:0	Heat Block (95 *C) DA-021			1:11:48		Dilution : 250 Reagent : 0109 Consumables : Pipette : N/A			)				
	524.83; 123124.26 7577003036; 757		062624.17	,			Mycotoxins test accordance wit	ng utilizing F.S. Rule 6	Liquid Chromato 4ER20-39.	ography with Triple	-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 3390, 4520, 33	379, 585, 1440	Weight: 0.8g	<b>Extraction date:</b> Extracted by: 01/14/25 12:04:36 4520				Hg	Неа	avy M	etals			PAS	SED
Analytical Bato	od : SOP.T.40.208 ( :h : DA082157TYM				0.5 /5 / /0		Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-3821	ed : Incubator (25*)	C) DA- 328 [ca	librated wi	th Batch Date	e:01/14/2	5 11:12:59	TOTAL CONT	AMINANT	LOAD META	LS 0.08	ppm	ND	PASS	1.1
	: 01/16/25 16:06:1	4					ARSENIC			0.02	ppm	ND	PASS	0.2
Dilution : 10	, 10, 10 10.00.1						CADMIUM			0.02	ppm	ND	PASS	0.2
	524.83; 123124.26	: 110724.R13					MERCURY			0.02	ppm	ND	PASS	0.2
Consumables :		,,					LEAD			0.02	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in						in	Analyzed by: 1022, 585, 144	D	Weight: 0.2399g	Extraction dat 01/14/25 14:5			<b>tracted b</b> 022,4056	y:
accordance with	I F.S. Rule 64ER20-39						Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA0823 d:DA-ICP	146HEA MS-004		h Date : (	1/14/25 1	0:33:54	
							Dilution: 50		10004 000 01			11225 04		

Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/16/25



Page 6 of 6

..... Supply Disposable Vape 500mg - Grp Ape (I) Grp Ape (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50114005-011 Harvest/Lot ID: 5769007184578151 Batch#: 5769007184578151 Sample Size Received: 31 units Sampled : 01/14/25 Ordered : 01/14/25

Total Amount : 613 units Completed : 01/16/25 Expires: 01/16/26 Sample Method : SOP.T.20.010

	Filth/For Material	PASSED					
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	
Analyzed by: 1879, 585, 1440	Weight: 1g		raction da		Extracted by: 1879		
	I : Filth/Foreign Mater 01/15/25 19:24:09 /A			Jucino		5/25 18:59:01	
	naterial inspection is per cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope	
$\bigcirc$	Water A				PA	SSED	
Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.500	P/F PASS	Action Level	

Analyzed by: 4571, 585, 1440	Weight: 0.2846g	Extraction date: 01/14/25 17:05:00	Extracted by: 4571
Analysis Method : SOP.T Analytical Batch : DA08 Instrument Used : DA-0. Analyzed Date : 01/15/2	2173WAT 28 Rotronic Hyg	ropalm Batch Da	te:01/14/25 11:38:57
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			
Manager A shirib i is a sufference of	d	University of the second secon	denses with E.C. Dude CAEDOO OO

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

01/16/25