



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50114014-009



Jan 17, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**27.223%**

Total THC/Container : 272.230 mg



**Total CBD**  
**0.081%**

Total CBD/Container : 0.810 mg



**Total Cannabinoids**  
**32.269%**

Total Cannabinoids/Container : 322.690 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.611	30.345	ND	0.093	0.086	0.151	0.918	ND	ND	ND	0.065
mg/unit	6.11	303.45	ND	0.93	0.86	1.51	9.18	ND	ND	ND	0.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 3379, 585, 1440

Weight:  
0.2033g

Extraction date:  
01/15/25 11:58:52

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082216POT

Instrument Used : DA-LC-002

Analyzed Date : 01/16/25 11:29:22

Batch Date : 01/15/25 10:18:24

Dilution : 400

Reagent : 011325.R05; 121724.01; 011325.R04

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/17/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50114014-009  
Harvest/Lot ID: 7874356249612710

Batch# : 7874356249612710 Sample Size Received : 26 units  
Sampled : 01/14/25 Total Amount : 2000 units  
Ordered : 01/14/25 Completed : 01/17/25 Expires: 01/17/26  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.40	1.140		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	3.78	0.378		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	1.51	0.151		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.20	0.120		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.95	0.095		ALPHA-TERPINOLENE	0.007	ND	ND	
OCIMENE	0.007	0.90	0.090		BETA-CARYOPHYLLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.85	0.085		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	0.85	0.085		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.58	0.058		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.47	0.047		4451, 3379, 585, 1440	1.0766g	01/15/25 11:33:00	4451	
TRANS-NEROLIDOL	0.005	0.31	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA082186TER				
BORNEOL	0.013	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 01/15/25 09:00:30	
CAMPHENE	0.007	ND	ND		Analyzed Date : 01/16/25 11:29:25				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Reagent : N/A				
CEDROL	0.007	ND	ND		Consumables : N/A				
EUCALYPTOL	0.007	ND	ND		Pipette : N/A				
FARNESENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			1.140						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED


Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50114014-009  
Harvest/Lot ID: 7874356249612710

Batch# : 7874356249612710 Sample Size Received : 26 units  
Sampled : 01/14/25 Total Amount : 2000 units  
Ordered : 01/14/25 Completed : 01/17/25 Expires: 01/17/26  
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED


Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440 Weight: 1.0805g Extraction date: 01/15/25 11:59:11 Extracted by: 450,3621,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082210PES Instrument Used : DA-LCMS-004 (PES) Analyzed Date : 01/16/25 10:09:08 Dilution : 250 Reagent : 011425.R14; 011525.R40; 011525.R25; 011425.R13; 102124.R08; 011525.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.0805g Extraction date: 01/15/25 11:59:11 Extracted by: 450,3621,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA082212VOL Instrument Used : DA-GCMS-010 Analyzed Date : 01/16/25 10:05:54 Dilution : 250 Reagent : 011525.R25; 081023.01; 010725.R16; 010825.R35 Consumables : 221021DD; 040724.CH01; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
01/17/25



Supply Pre-Roll 1g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Preroll






# PASSED

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
**Telephone:** (772) 631-0257  
**Email:** [Julio.Chavez@crescolabs.com](mailto:Julio.Chavez@crescolabs.com)

Sample : DA50114014-009  
Harvest/Lot ID: 7874356249612710  
Batch# : 7874356249612710      Sample Size Received : 26 units  
Sampled : 01/14/25      Total Amount : 2000 units  
Ordered : 01/14/25      Completed : 01/17/25 Expires: 01/17/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>30</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA082184MIC</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021</td></tr><tr><td colspan="6">Batch Date : 01/15/25 10:43:57</td></tr><tr><td colspan="6">Analyzed Date : 01/16/25 11:12:49</td></tr><tr><td colspan="6">Dilution : 10</td></tr><tr><td colspan="6">Reagent : 123124.24; 123124.27; 121824.R48; 062624.17</td></tr><tr><td colspan="6">Consumables : 7577004071</td></tr><tr><td colspan="6">Pipette : N/A</td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	30	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA082184MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Batch Date : 01/15/25 10:43:57						Analyzed Date : 01/16/25 11:12:49						Dilution : 10						Reagent : 123124.24; 123124.27; 121824.R48; 062624.17						Consumables : 7577004071						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																													
TOTAL YEAST AND MOLD	10.00	CFU/g	30	PASS	100000																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																	
Analytical Batch : DA082184MIC																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 7720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021																																																																																																																	
Batch Date : 01/15/25 10:43:57																																																																																																																	
Analyzed Date : 01/16/25 11:12:49																																																																																																																	
Dilution : 10																																																																																																																	
Reagent : 123124.24; 123124.27; 121824.R48; 062624.17																																																																																																																	
Consumables : 7577004071																																																																																																																	
Pipette : N/A																																																																																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																	
	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td></tr><tr><td colspan="6">Analytical Batch : DA082211MYC</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Batch Date : 01/15/25 10:09:47</td></tr><tr><td colspan="6">Analyzed Date : 01/16/25 10:06:38</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 011425.R14; 011525.R40; 011525.R25; 011425.R13; 102124.R08; 011525.R01; 081023.01</td></tr><tr><td colspan="6">Consumables : 221021DD</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA082211MYC						Instrument Used : N/A						Batch Date : 01/15/25 10:09:47						Analyzed Date : 01/16/25 10:06:38						Dilution : 250						Reagent : 011425.R14; 011525.R40; 011525.R25; 011425.R13; 102124.R08; 011525.R01; 081023.01						Consumables : 221021DD						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																												
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																																												
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																																												
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																																												
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																																												
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																																												
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																	
Analytical Batch : DA082211MYC																																																																																																																	
Instrument Used : N/A																																																																																																																	
Batch Date : 01/15/25 10:09:47																																																																																																																	
Analyzed Date : 01/16/25 10:06:38																																																																																																																	
Dilution : 250																																																																																																																	
Reagent : 011425.R14; 011525.R40; 011525.R25; 011425.R13; 102124.R08; 011525.R01; 081023.01																																																																																																																	
Consumables : 221021DD																																																																																																																	
Pipette : DA-093; DA-094; DA-219																																																																																																																	
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																	
	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																															
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>&lt;0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA082201HEA</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Batch Date : 01/15/25 09:47:56</td></tr><tr><td colspan="6">Analyzed Date : 01/16/25 09:47:16</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42</td></tr><tr><td colspan="6">Consumables : 040724CH01; J609879-0193; 179436</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.100	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA082201HEA						Instrument Used : DA-ICPMS-004						Batch Date : 01/15/25 09:47:56						Analyzed Date : 01/16/25 09:47:16						Dilution : 50						Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																												
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																												
ARSENIC	0.02	ppm	<0.100	PASS	0.2																																																																																																												
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																												
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																												
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																												
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																	
Analytical Batch : DA082201HEA																																																																																																																	
Instrument Used : DA-ICPMS-004																																																																																																																	
Batch Date : 01/15/25 09:47:56																																																																																																																	
Analyzed Date : 01/16/25 09:47:16																																																																																																																	
Dilution : 50																																																																																																																	
Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42																																																																																																																	
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																	
Pipette : DA-061; DA-191; DA-216																																																																																																																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Red Pop (I)  
Red Pop (I)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50114014-009  
Harvest/Lot ID: 7874356249612710

Batch# : 7874356249612710 Sample Size Received : 26 units  
Sampled : 01/14/25 Total Amount : 2000 units  
Ordered : 01/14/25 Completed : 01/17/25 Expires: 01/17/26  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.4	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/15/25 19:12:22	Extracted by: 1879			Analyzed by: 4512, 3379, 585, 1440	Weight: 0.501g	Extraction date: 01/15/25 14:04:52	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA082222FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/15/25 19:24:25						Analysis Method : SOP.T.40.021 Analytical Batch : DA082190MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:21:26 Moisture Analyzer Analyzed Date : 01/15/25 14:32:01					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.468	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.761g	Extraction date: 01/15/25 14:37:53	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA082191WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 01/16/25 09:46:03					
Batch Date : 01/15/25 09:22:06					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/17/25