



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50115008-004



Production Method: Cured
Harvest/Lot ID: 0492663494940635
Batch#: 0492663494940635
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 4562285417784709
Harvest Date: 01/09/25
Sample Size Received: 26 units
Total Amount: 1703 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 01/15/25
Sampled: 01/15/25
Completed: 01/19/25
Sampling Method: SOP.T.20.010

Jan 19, 2025 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED


Pages 1 of 5

SAFETY RESULTS

| | | | | | | | | |
|---|---|---|---|---|--|---|---|---|
|  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents NOT TESTED |  Filtration PASSED |  Water Activity PASSED |  Moisture PASSED |  Terpenes PASSED |
|---|---|---|---|---|--|---|---|---|

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 3335, 3605, 1665, 585, 1440 Weight: 0.2164g Extraction date: 01/16/25 15:25:13 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA082243POT
 Instrument Used : DA-LC-001
 Analyzed Date : 01/19/25 11:01:02 Batch Date : 01/16/25 09:51:26

Dilution : 400
 Reagent : 011325.R07; 121724.01; 011325.R02
 Consumables : 947.110; 04312111; 040724CH01; 0000355309
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director
 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164


 Signature
 01/19/25



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

FloraCal Whole Flower Pre-Roll 1g - Prple Chrro 13 (S)
 Prple Chrro 13 (S)
 Matrix : Flower
 Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50115008-004
 Harvest/Lot ID : 0492663494940635

Batch# : 0492663494940635 Sample Size Received : 26 units
 Sampled : 01/15/25 Total Amount : 1703 units
 Ordered : 01/15/25 Completed : 01/19/25 Expires: 01/19/26
 Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes | | | | PASSED | | | |
|---------------------|---------|-----------|--------------|--|---------|-------------------|--------------------------------|
| Terpenes | LOD (%) | mg/unit % | Result (%) | Terpenes | LOD (%) | mg/unit % | Result (%) |
| TOTAL TERPENES | 0.007 | 9.71 | 0.971 | VALENCENE | 0.007 | ND | ND |
| BETA-CARYOPHYLLENE | 0.007 | 1.96 | 0.196 | ALPHA-CEDRENE | 0.005 | ND | ND |
| LIMONENE | 0.007 | 1.80 | 0.180 | ALPHA-PHELLANDRENE | 0.007 | ND | ND |
| LINALOOL | 0.007 | 1.16 | 0.116 | ALPHA-TERPINENE | 0.007 | ND | ND |
| ALPHA-BISABOLOL | 0.007 | 1.12 | 0.112 | ALPHA-TERPINOLENE | 0.007 | ND | ND |
| ALPHA-PINENE | 0.007 | 0.93 | 0.093 | CIS-NEROLIDOL | 0.003 | ND | ND |
| BETA-PINENE | 0.007 | 0.70 | 0.070 | GAMMA-TERPINENE | 0.007 | ND | ND |
| ALPHA-HUMULENE | 0.007 | 0.69 | 0.069 | TRANS-NEROLIDOL | 0.005 | ND | ND |
| BETA-MYRCENE | 0.007 | 0.58 | 0.058 | | | | |
| ALPHA-TERPINEOL | 0.007 | 0.40 | 0.040 | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | Weight: | Extraction date: | Extracted by: |
| FENCHYL ALCOHOL | 0.007 | 0.37 | 0.037 | 4451, 585, 1440 | 1.015g | 01/16/25 12:55:47 | 4451 |
| 3-CARENE | 0.007 | ND | ND | Analysis Batch : DA002258TER | | | |
| BORNEOL | 0.013 | ND | ND | Instrument Used : DA-GCMS-009 | | | Batch Date : 01/16/25 10:35:22 |
| CAMPHENE | 0.007 | ND | ND | Analyzed Date : 01/17/25 10:10:51 | | | |
| CAMPHOR | 0.007 | ND | ND | Dilution : 10 | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | Reagent : 032524.10 | | | |
| CEDROL | 0.007 | ND | ND | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | |
| EUCALYPTOL | 0.007 | ND | ND | Pipette : DA-065 | | | |
| FARNESENE | 0.007 | ND | ND | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | |
| FENCHONE | 0.007 | ND | ND | | | | |
| GERANIOL | 0.007 | ND | ND | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | |
| GUAIOL | 0.007 | ND | ND | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | |
| NEROL | 0.007 | ND | ND | | | | |
| OCIMENE | 0.007 | ND | ND | | | | |
| PULEGONE | 0.007 | ND | ND | | | | |
| SABINENE | 0.007 | ND | ND | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | |
| Total (%) | | | 0.971 | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 01/19/25



Certificate of Analysis

PASSED

Sunnyside

Sample : DA50115008-004
Harvest/Lot ID : 0492663494940635

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 0492663494940635 Sample Size Received : 26 units
Sampled : 01/15/25 Total Amount : 1703 units
Ordered : 01/15/25 Completed : 01/19/25 Expires: 01/19/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | 0.088 | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | 0.088 | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 585, 1440 Weight: 1.0115g Extraction date: 01/16/25 12:48:31 Extracted by: 450,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082245PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 01/16/25 10:11:22 Analyzed Date : 01/17/25 10:50:27 Dilution : 250 Reagent : 011525.R25; 081023.01 Consumables : 040724CH01; 6698360-03 Pipette : N/A | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 Weight: 1.0115g Extraction date: 01/16/25 12:48:31 Extracted by: 450,585 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA082247VOL Instrument Used : DA-GCMS-011 Batch Date : 01/16/25 10:14:43 Analyzed Date : 01/17/25 10:48:07 Dilution : 250 Reagent : 011525.R25; 081023.01; 010725.R16; 010825.R35 Consumables : 040724CH01; 6698360-03; 17473601 Pipette : DA-080; DA-146; DA-218 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/19/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50115008-004
Harvest/Lot ID: 0492663494940635

Batch# : 0492663494940635 Sample Size Received : 26 units
Sampled : 01/15/25 Total Amount : 1703 units
Ordered : 01/15/25 Completed : 01/19/25 Expires: 01/19/26
Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|-------------|-------------|--------------|
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | 22000 | PASS | 100000 |
| Analyzed by: 4531, 3390, 585, 4520, 1440 Weight: 0.993g Extraction date: 01/16/25 09:36:53 Extracted by: 4520,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082225MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 01/18/25 13:16:08 Dilution : 10 Reagent : 111524.102; 123124.24; 121824.R48; 062624.17 Consumables : 7578003015 Pipette : N/A | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.00 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.00 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.00 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3621, 585, 1440 Weight: 1.0115g Extraction date: 01/16/25 12:48:31 Extracted by: 450,585 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082246MYC Instrument Used : N/A Batch Date : 01/16/25 10:14:22 Analyzed Date : 01/17/25 10:04:45 Dilution : 250 Reagent : 011525.R25; 081023.01 Consumables : 040724CH01; 6698360-03 Pipette : N/A | | | | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 Weight: 0.2371g Extraction date: 01/16/25 10:12:28 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082232HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/16/25 09:30:22 Analyzed Date : 01/17/25 11:06:11 Dilution : 50 Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 | | | | | |

| | | |
|---|---------------------|---------------|
|  | Heavy Metals | PASSED |
|---|---------------------|---------------|

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|--|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 Weight: 0.2371g Extraction date: 01/16/25 10:12:28 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082232HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/16/25 09:30:22 Analyzed Date : 01/17/25 11:06:11 Dilution : 50 Reagent : 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 | | | | | |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/19/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50115008-004
Harvest/Lot ID: 0492663494940635
Batch# : 0492663494940635 Sample Size Received : 26 units
Sampled : 01/15/25 Total Amount : 1703 units
Ordered : 01/15/25 Completed : 01/19/25 Expires: 01/19/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|------------|------------------------------------|--------------------|--------------------------------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 01/16/25 14:07:40 | Extracted by: 3379 | | |
| Analysis Method : SOP.T.40.090 | | Analytical Batch : DA082283FIL | | Batch Date : 01/16/25 13:50:03 | |
| Instrument Used : Filth/Foreign Material Microscope | | Analyzed Date : 01/16/25 14:15:14 | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|----------------|------------------------------------|--------------------|--------------------------------|--------------|
| Water Activity | 0.010 | aw | 0.505 | PASS | 0.65 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.873g | Extraction date: 01/16/25 17:40:34 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.019 | | Analytical Batch : DA082257WAT | | Batch Date : 01/16/25 10:34:29 | |
| Instrument Used : DA257 Rotronic HygroPalm | | Analyzed Date : 01/17/25 10:03:43 | | | |
| Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|----------------|------------------------------------|--------------------|-----------------------|--------------|
| Moisture Content | 1.0 | % | 13.2 | PASS | 15 |
| Analyzed by: 4512, 585, 1440 | Weight: 0.502g | Extraction date: 01/16/25 17:02:30 | Extracted by: 4512 | | |
| Analysis Method : SOP.T.40.021 | | Analytical Batch : DA082256MOI | | Batch Date : 01/16/25 | |
| Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 | | Moisture Analyzer, DA-385 10:31:38 | | | |
| Moisture Analyzer Analyzed Date : 01/17/25 09:58:18 | | | | | |
| Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

