

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50116017-012



Jan 20, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Good News Me Time Cartridge 1g

Me Time

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 9321165380967882

Batch#: 9321165380967882

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9171262653909362

Harvest Date: 01/07/25

Sample Size Received: 16 units Total Amount: 730 units Retail Product Size: 1 gram

Servings: 1

Ordered: 01/16/25 Sampled: 01/16/25

Completed: 01/20/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Sunnyside

Residuals Solvents PASSED



PASSED

Batch Date: 01/17/25 10:06:43



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC

85.293% Total THC/Container: 852.930 mg



Total CBD 0.204%

Total CBD/Container: 2.040 mg



Total Cannabinoids

Total Cannabinoids/Container: 898.970



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082330POT Instrument Used : DA-LC-003 Analyzed Date: 01/20/25 10:45:48

Reagent: 121624.R08; 121724.01; 011325.R09

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-077: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Good News Me Time Cartridge 1g

Me Time Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50116017-012 Harvest/Lot ID: 9321165380967882

Sampled: 01/16/25 Ordered: 01/16/25

Batch#: 9321165380967882 Sample Size Received: 16 units Total Amount: 730 units

Completed: 01/20/25 **Expires:** 01/20/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

PULEGONE SABINENE SABINENE HYI VALENCENE	(% 0.0					
SABINENE HYD		U/ N	D	ND		
	0.0	07 N	D	ND		
VALENCENE	DRATE 0.0	07 N	D	ND		
	0.0	07 N	D	ND		
ALPHA-PHELL	ANDRENE 0.0	07 N	D	ND		
CIS-NEROLIDO	DL 0.0	03 N	D	ND		
GAMMA-TERPI	INENE 0.0	07 N	D	ND		
TRANS-NEROL	LIDOL 0.0	05 N	D	ND		
Analyzed by:	Weight:		Extract	ion date:	Extracte	d by:
4451, 3605, 585,				5 12:24:4		
Analysis Method	: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
Analytical Batch						
	d: DA-GCMS-004 01/20/25 10:45:50			Batch Da	te: 01/17/25 10:21:02	
Dilution: 10						
Reagent: 03252	24.10					
	947.110; 04312111; 2240626; 0000355309					
Pipette : DA-065						
Terpenoid testing	is performed utilizing Gas Chromatography Mass S	pectromet	ry. For all F	lower sampl	es, the Total Terpenes % is dry-weight corr	:ected.

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 1g

Me Time

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50116017-012 Harvest/Lot ID: 9321165380967882

Pass/Fail Result

Sampled: 01/16/25 Ordered: 01/16/25

Batch#: 9321165380967882 Sample Size Received: 16 units Total Amount: 730 units Completed: 01/20/25 Expires: 01/20/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PAS	SS	Е	
-----	----	---	--

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	maa	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	1.1.	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET						
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	1.1.	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010				
CARBARYL		ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN		ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE		ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS		ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE		ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	1.1.	0.5	PASS	ND
DIAZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS		ppm	0.1	PASS	ND					0.5		
DIMETHOATE		ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2843q		ion date: 5 11:57:56		Extracted 450.585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102			2 11:27:26		430,385	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082318PES		-				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch	Date: 01/17/	25 09:39:01	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/19/25 17:44						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent: 011625.R07; 081023.						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 040724CH01; 22	21021DD					
FLONICAMID		ppm	0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents is p accordance with F.S. Rule 64ER20		luid Chron	natography Ti	ipie-Quadrupo	ie mass Spectroi	metry in
HEXYTHIAZOX		ppm	0.1	PASS	ND	Analyzed by:	Weight:	Fvt	raction date		Extracte	d hv:
IMAZALIL		ppm	0.1	PASS	ND	450, 4640, 585, 1440	0.2843q		17/25 11:57:		450,585	y.
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method: SOP.T.30.151						
KRESOXIM-METHYL		ppm	0.1	PASS	ND	Analytical Batch : DA082320VO	L					
MALATHION		ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-00:			Batch D	ate:01/17/25	09:41:29	
METALAXYL		ppm	0.1	PASS	ND	Analyzed Date : 01/19/25 17:43:	:30					
METHIOCARB		ppm	0.1	PASS	ND	Dilution: 250	01. 010725 016 01	0025 025				
METHOMYL		ppm	0.1	PASS	ND	Reagent: 011625.R07; 081023. Consumables: 040724CH01; 22						
MEVINPHOS		ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-23						
MYCLOBUTANIL		ppm	0.1	PASS	ND	Testing for agricultural agents is p		s Chromat	tography Trin	le-Quadrupole	Mass Spectrome	etry in
NALED		ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20		5 0 01110	cograpily IIIp	ic quadrupoic	ass spectrome	,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 1g

Me Time

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50116017-012 Harvest/Lot ID: 9321165380967882

Batch#: 9321165380967882 Sample Size Received: 16 units Sampled: 01/16/25

Total Amount: 730 units Ordered: 01/16/25

Completed: 01/20/25 Expires: 01/20/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight:	Extraction date: 01/20/25 10:34:37	,		ctracted by:	

850, 585, 1440 0.0267g 01/20/25 10:34:37 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA082345SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** 01/20/25 12:53:19

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 01/17/25 11:56:10

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino Lab Director



Kaycha Labs

Good News Me Time Cartridge 1g

Type: Extract for Inhalation

Me Time

Matrix: Derivative



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50116017-012 Harvest/Lot ID: 9321165380967882

Sampled: 01/16/25 Ordered: 01/16/25

Batch#: 9321165380967882 Sample Size Received: 16 units Total Amount: 730 units Completed: 01/20/25 Expires: 01/20/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 01/17/25 09:41:05



Microbial

PASSED



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level	I
ASPERGILLUS TERREUS			Not Present	PASS		L
ASPERGILLUS NIGER			Not Present	PASS		ŀ
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		L
SALMONELLA SPECIFIC GENE			Not Present	PASS		ŀ
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	3

Analyzed by: 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.892g 01/17/25 10:38:46

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082295MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: 01/17/25 08:27:40

Thermocycler DA-171,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 01/19/25 17:40:47

Dilution: 10

Reagent: 123124.20; 123124.30; 121824.R48; 062624.17

Consumables: 7578003011

Pipette: N/A

0 ¥ 0
~~
~ ~
~ ~
2
~ 4 ~
-

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440	Weight: 0.2843g	Extraction dat			xtracted	by:

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA082319MYC Instrument Used : N/A

Analyzed Date : 01/19/25 17:44:52

Dilution: 250

Reagent: 011625.R07; 081023.01 Consumables: 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 4520, 4777, 585, 1440	Weight: 0.892g	Extraction date: 01/17/25 10:38:4	Extracted by: 4044,4531
Analysis Method: SOP.T.40.20 Analytical Batch: DA082296T Instrument Used: Incubator (2 DA-382] Analyzed Date: 01/19/25 17:4	/M 25*C) DA- 328	3 [calibrated with	Batch Date : 01/17/25 08:28:5
Dilution: 10 Reagent: 123124.20; 123124 Consumables: N/A Pipette: N/A	.30; 110724.F	R13	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	

Analyzed by: Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.2409g 01/17/25 12:35:22

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA082335HEA

Instrument Used: DA-ICPMS-004 Batch Date : $01/17/25 \ 10:11:20$ Analyzed Date: 01/19/25 17:23:14

Dilution: 50

Reagent: 122024.R10; 112624.R32; 011325.R47; 011025.R13; 011325.R49; 011325.R48; 120324.07; 010825.R42

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Me Time Cartridge 1g

Me Time

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50116017-012 Harvest/Lot ID: 9321165380967882

Sampled: 01/16/25

Ordered: 01/16/25

Batch#: 9321165380967882 Sample Size Received: 16 units Total Amount: 730 units Completed: 01/20/25 Expires: 01/20/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 01/17/25 10:09:30 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA082327FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 01/17/25 10:03:50 Analyzed Date: 01/19/25 17:03:01

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.463	PASS	0.85
Analyzed by: 4512, 585, 1440	Weight: 0.6046g	Extraction d 01/17/25 13			Ex t	tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch : DA082326WAT Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 01/17/25 09:54:19 **Analyzed Date:** 01/19/25 11:24:13

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director

Signature 01/20/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors