

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE

11_017

Laboratory Sample ID: DA50117011-017

Certificate of Analysis

Kaycha Labs

..... Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix: Derivative



Classification: High THC Type: Distillate Production Method: Other - Not Listed Harvest/Lot ID: 2757829491746984 Batch#: 2757829491746984 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 3058494321261281 Harvest Date: 01/14/25 Sample Size Received: 31 units

Total Amount: 675 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

> Servings: 1 Ordered: 01/17/25 Sampled: 01/17/25

Completed: 01/22/25

Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Jan 22, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.
R 0	Ę	Hg	Ċ.	ç	ş	Ä			\bigcirc		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes PASSED
Ä	Cannal	oinoid								I	PASSEI
	38	I THC B.089 THC/Container			3 0.	I CBD 203% CBD/Container	_		<u>)</u> 92	al Cannabinoids 2.733% Cannabinoids/Cont)
%	^{D9-THC} 88.062	THCA 0.031	свр 0.174	CBDA 0.034	D8-ТНС ND	св д 2.982	CBGA ND	CBN 0.849	тнсv 0.405	CBDV ND	свс 0.196
70 mg/unit	440.31	0.16	0.87	0.17	ND	14.91	ND	4.25	2.03	ND	0.98
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 605, 3379, 585	5, 1440			Weight: 0.1187g		xtraction date: 1/21/25 12:10:10				xtracted by: 335,3605	
nalytical Batch	d:SOP.T.40.031, S h:DA082404POT d:DA-LC-003 :01/22/25 09:38:00						Batch Date : 01/21/25	07:57:20			
Reagent : 0113 Consumables : 9	25.R06; 121724.16 947.110; 0431211: 9; DA-108; DA-078	L; 040724CH01; 000	00355309								
Analyzed Date : Dilution : 400 Reagent : 0113 Consumables : 9 Pipette : DA-07	: 01/22/25 09:38:00 25.R06; 121724.16 947.110; 0431211 9; DA-108; DA-078	5; 011325.R03 1; 040724CH01; 000	00355309	with LW detection in a	cordance with E.C.						

Sunnyside*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/22/25



..... Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50117011-017 Harvest/Lot ID: 2757829491746984 Sampled : 01/17/25

Ordered : 01/17/25

Batch#: 2757829491746984 Sample Size Received: 31 units Total Amount : 675 units Completed : 01/22/25 Expires: 01/22/26 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/uni	t %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	20.01	4.002			SABINENE HYDRATE	0.007	ND	ND	
ETA-MYRCENE	0.007	6.29	1.257			ALPHA-CEDRENE	0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	4.24	0.848			ALPHA-HUMULENE	0.007	ND	ND	
MONENE	0.007	2.60	0.520			ALPHA-PHELLANDRENE	0.007	ND	ND	
PHA-PINENE	0.007	1.58	0.316			ALPHA-TERPINENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.32	0.263			CIS-NEROLIDOL	0.003	ND	ND	
ETA-PINENE	0.007	1.11	0.221			GAMMA-TERPINENE	0.007	ND	ND	
NALOOL	0.007	0.97	0.193			TRANS-NEROLIDOL	0.005	ND	ND	
ALENCENE	0.007	0.89	0.178			Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LPHA-TERPINEOL	0.007	0.39	0.078		1	4451, 3379, 585, 1440	0.2159g		/25 13:24:01	
ENCHYL ALCOHOL	0.007	0.36	0.071			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.	061A.FL			
ARYOPHYLLENE OXIDE	0.007	0.16	0.031		Ì	Analytical Batch : DA082372TER Instrument Used : DA-GCMS-009				te:01/18/25 14:22:14
PHA-TERPINOLENE	0.007	0.13	0.026			Analyzed Date : 01/22/25 09:38:01			Batch Dat	te:U1/18/25 14:22:14
CARENE	0.007	ND	ND			Dilution : 10				
ORNEOL	0.013	ND	ND			Reagent : 032524.14				
AMPHENE	0.007	ND	ND			Consumables : 947.110; 04312111; 2240626; 0	0000355309			
AMPHOR	0.007	ND	ND			Pipette : DA-065				
EDROL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromati	ography Mass Spectro	metry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
JCALYPTOL	0.007	ND	ND							
RNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/22/25



..... Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50117011-017 Harvest/Lot ID: 2757829491746984

Sampled : 01/17/25 Ordered : 01/17/25

Batch#: 2757829491746984 Sample Size Received: 31 units Total Amount : 675 units Completed : 01/22/25 Expires: 01/22/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	1.1.	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (DCNR) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	FCND/	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	1.1.	1 0.1	PASS	ND ND	CAPTAN *		0.070		0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND						PASS	ND
CLOFENTEZINE	0.010 0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1		
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	T. F.	0.1	PASS	ND
DAMINOZIDE DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted b	oy:
ETHOPROPHOS	0.010		0.1	PASS	ND	3621, 585, 1440	0.2595g		14:09:07		4640,3621	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.F	L, SOP.T.40.10	2.FL				
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA082366PES Instrument Used : DA-LCMS-003 ((DEC)		Patek	Date :01/18/	25 12:20:16	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :01/22/25 09:24:4			Datch	Date :01/10/	25 15.50.10	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250	-					
FENDYROXIMATE	0.010		0.1	PASS	ND	Reagent : 011625.R07; 081023.0	1					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 2240626; 040724	CH01; 2210210	DD				
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		Liquid Chron	natography Ti	riple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND		Neight:	Extractio	n data.		Extracted b	
IMAZALIL	0.010		0.1	PASS	ND).2595a	01/19/25			4640.3621	y:
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A			11100107		1010,0021	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch : DA082367VOL						
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch D	ate:01/18/25	13:33:36	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :01/21/25 10:28:3	1					
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250	1 010725 016	010005 005				
METHOMYL	0.010		0.1	PASS	ND	Reagent : 011625.R07; 081023.0 Consumables : 2240626; 040724						
MEVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218		, 1141300.	-			
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per		Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	etry in
NALED	0.010		0.25	PASS	ND	accordance with F.S. Rule 64ER20-3			. J P J. 11 P			,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/22/25

PASSED

PASSED



Page 4 of 6

Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50117011-017 Harvest/Lot ID: 2757829491746984 Batch#: 2757829491746984 Sample Size Received: 31 units Sampled : 01/17/25 Ordered : 01/17/25

Total Amount : 675 units Completed : 01/22/25 Expires: 01/22/26 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
EPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.0264g	Extraction date: 01/21/25 13:14:44		E x 85	tracted by:			
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA082370SOL nstrument Used : DA-GCMS-003 nalyzed Date : 01/21/25 14:34:58	1 : DA082370SOL d : DA-GCMS-003 Batch Date : 01/18/25 14:09:54							

Reagent : 030420.09 Consumables : 429651: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/22/25

PASSED

PASSED



Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50117011-017 Harvest/Lot ID: 2757829491746984 Batch#: 2757829491746984 Sample Size Received: 31 units

Sampled : 01/17/25 Ordered : 01/17/25

Total Amount : 675 units Completed : 01/22/25 Expires: 01/22/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microbia	I			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREIIS			Not Present	PASS	Level	AFLATOXIN	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.00	ppm	ND	PASS	0.02
ASPERGILLUS	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	e:	F	xtracted k	w:
TOTAL YEAS	AND MOLD	10.00	CFU/g	<10	PASS	100000		0	0.2595g	01/19/25 14:0			640,3621	<i>.</i> ,,,
nalyzed by: 520, 585, 144	Weight: 0 0.938a		tion date: /25 10:44:4		Extracted by 4520.4777	y:	Analysis Metho			P.T.40.102.FL				
nalysis Metho	d:SOP.T.40.056C, SOF h:DA082350MIC				4320,4777		Analytical Bate Instrument Us Analyzed Date	ed:N/A		Batcl	Date :03	L/18/25 13	3:35:21	
Dilution : 10	: 01/22/25 10:30:53 24.22; 123124.28; 121 N/A	824.R48;	080724.10				accordance wit	n F.S. Rule 6		etals	Quan uho		PAS	
Analyzed by: 1520, 585, 144	Weight: 0 0.938g		tion date: /25 10:44:4		Extracted b 4520,4777	y:	Metal			LOD	Units	Result	Pass /	Action
analysis Metho	d: SOP.T.40.209.FL						_						Fail	Level
nalytical Batc	h:DA082351TYM							AMINANT	LOAD META		ppm	ND	PASS	1.1
n strument Use DA-3821	d : Incubator (25*C) DA	4- 328 [ca	librated wit	h Batch Dat	te:01/18/2	5 07:30:1	ARSENIC			0.02	ppm	ND	PASS	0.2
	: 01/21/25 16:41:27						CADMIUM			0.02	ppm ppm	ND ND	PASS PASS	0.2 0.2
vilution : 10										0.02	ppm	ND	PASS	0.2
leagent : 1231 Consumables :	24.22; 123124.28; 110 N/A	724.R13					Analyzed by: 1022, 585, 144	0	Weight: 0.2146a	Extraction dat 01/21/25 10:3	e:	E	xtracted k 022,4056	y:
	nold testing is performed F.S. Rule 64ER20-39.	utilizing MI	PN and traditi	onal culture base	d techniques	in	Analysis Metho Analytical Bato Instrument Us	od : SOP.T. h : DA082 ed : DA-ICF	30.082.FL, SO 394HEA PMS-005	P.T.40.082.FL		1/19/25 0		
							Analyzed Date Dilution : 50 Reagent : 122 120324.07; 01 Consumables :)24.R10; 1 0825.R42	12624.R32; 03	11325.R47; 0110 0193; 179436	25.R13; 0	11325.R4	9; 01132	5.R48;

Pipette : DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/22/25



..... Supply Vape Cartridge 500mg - Grn Crck (S) Grn Crck (S) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50117011-017 Harvest/Lot ID: 2757829491746984 Batch#: 2757829491746984 Sample Size Received: 31 units Sampled : 01/17/25 Ordered : 01/17/25

Total Amount : 675 units Completed : 01/22/25 Expires: 01/22/26 Sample Method : SOP.T.20.010

		Filth/Fo Materia		n		PASSED				
	nalyte ilth and Forei	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level			
	nalyzed by: 35, 1440	Weight: 1g		ion date: 25 09:59:5	6	Ext 585	racted by:			
Aı In	nalytical Batch strument Used	: SOP.T.40.090 : DA082434FIL : Filth/Foreign Mat 01/21/25 10:03:32	erial Micro	scope	Batch I	Date : 01/22	1/25 09:52:33			
R	ilution : N/A eagent : N/A									

s:N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	OD Units Result				P/F Action Lev 5 PASS 0.85				
Analyzed by: 4512, 585, 1440	Weight: 0.3794g		raction 18/25 1		31		tracted by:			
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA2 Analyzed Date : 01/21/	82365WAT 57 Rotronic Hygr	oPalm		в	atch Dat	:e:01/18/2	25 13:07:49			
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 01/22/25

PASSED

Page 6 of 6