

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50121017-004

Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I) Matrix: Derivative

Classification: High THC

Type: Distillate Production Method: Other - Not Listed

Harvest/Lot ID: 8322276578211518 Batch#: 8322276578211518

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3056409672682739

Harvest Date: 01/13/25

Sample Size Received: 16 units Total Amount: 980 units Retail Product Size: 1 gram

> Servings: 1 Ordered: 01/21/25

Sampled: 01/21/25

Completed: 01/24/25 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 01/22/25 09:27:10



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **PASSED**

PASSED



Cannabinoid

Jan 24, 2025 | Sunnyside

Total THC

82.881% Total THC/Container: 828.810 mg




Total CBD $\mathbf{0.181}\%$

Total CBD/Container: 1.810 mg



Total Cannabinoids

Total Cannabinoids/Container: 871.880



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082453POT Instrument Used : DA-LC-003 Analyzed Date: 01/23/25 09:08:32

Reagent: 011325.R06; 010825.48; 011325.R03

Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I)

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50121017-004 Harvest/Lot ID: 8322276578211518

Sampled: 01/21/25 Ordered: 01/21/25

Batch#: 8322276578211518 Sample Size Received: 16 units Total Amount : 980 units

Completed: 01/24/25 **Expires:** 01/24/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | t % | Result (%) | Т | erpenes | | LOD (%) | mg/unit | % | Result (%) |
|--------------------|------------|---------|-------|------------|-----|--|-------------------|-------------|----------------|-------------|---|
| TOTAL TERPENES | 0.007 | 48.34 | 4.834 | | 15 | OPULEGOL | | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 16.86 | 1.686 | | N | EROL | | 0.007 | ND | ND | |
| LPHA-PINENE | 0.007 | 8.32 | 0.832 | | 0 | CIMENE | | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 5.08 | 0.508 | | P | ULEGONE | | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 4.05 | 0.405 | | S | ABINENE HYDRATE | | 0.007 | ND | ND | |
| IMONENE | 0.007 | 2.91 | 0.291 | | A | LPHA-PHELLANDRENE | | 0.007 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 1.47 | 0.147 | | C | IS-NEROLIDOL | | 0.003 | ND | ND | |
| ARNESENE | 0.001 | 1.28 | 0.128 | | G | AMMA-TERPINENE | | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 1.21 | 0.121 | | An | alyzed by: | Weight: | | Extraction d | ate: | Extracted by: |
| LINALOOL | 0.007 | 1.09 | 0.109 | | 44 | 51, 585, 1440 | 0.2175g | | 01/22/25 12 | :39:18 | 4451 |
| ALENCENE | 0.007 | 0.58 | 0.058 | | | alysis Method : SOP.T.30.061A.FL, SC | P.T.40.061A.FL | | | | |
| ARYOPHYLLENE OXIDE | 0.007 | 0.51 | 0.051 | | | alytical Batch : DA082461TER trument Used : DA-GCMS-004 | | | | Datab D | Pate: 01/22/25 10:04:45 |
| ALPHA-TERPINEOL | 0.007 | 0.50 | 0.050 | | | alyzed Date: 01/23/25 09:08:34 | | | | Dateff L | rate . 01/22/23 10.04.43 |
| ENCHYL ALCOHOL | 0.007 | 0.49 | 0.049 | | Dil | ution: 10 | | | | | |
| GERANIOL | 0.007 | 0.47 | 0.047 | | Rei | agent: 032524.14 | | | | | |
| HEXAHYDROTHYMOL | 0.007 | 0.38 | 0.038 | | | nsumables : 947.110; 04402004; 224 ette : DA-065 | 0626; 00003553 | 09 | | | |
| ALPHA-CEDRENE | 0.005 | 0.37 | 0.037 | | | | | | | | oles, the Total Terpenes % is dry-weight corrected. |
| TRANS-NEROLIDOL | 0.005 | 0.37 | 0.037 | | Ter | penola testing is performed utilizing Gas (| _nromatograpny Ma | iss spectro | metry. For all | riower samp | oles, the Total Terpenes % is dry-weight corrected. |
| AMPHENE | 0.007 | 0.36 | 0.036 | | | | | | | | |
| GUAIOL | 0.007 | 0.36 | 0.036 | | | | | | | | |
| SOBORNEOL | 0.007 | 0.36 | 0.036 | | | | | | | | |
| AMPHOR | 0.007 | 0.32 | 0.032 | | | | | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.30 | 0.030 | | | | | | | | |
| 3-CARENE | 0.007 | 0.27 | 0.027 | | | | | | | | |
| ALPHA-TERPINENE | 0.007 | 0.23 | 0.023 | | | | | | | | |
| SABINENE | 0.007 | 0.20 | 0.020 | | | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| otal (%) | | | 4.834 | | | | | | | | |

Total (%) 4.834

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I)

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50121017-004 Harvest/Lot ID: 8322276578211518

Batch#: 8322276578211518 Sample Size Received: 16 units

Sampled: 01/21/25 Ordered: 01/21/25

Total Amount : 980 units **Completed:** 01/24/25 **Expires:** 01/24/26 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|-------|-------|-----------------|-----------|--------|--|------------|-----------------|-----------------|-----------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | 1.1. | 0.1 | PASS | ND |
| TAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | | 0.1 | PASS | ND |
| TAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | | 0.010 | | 3 | PASS | ND |
| OTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PIPERONYL BUTOXIDE | | | | | |
| OTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PRALLETHRIN | 0.010 | | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | | 0.1 | PASS | ND |
| CEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | | 0.1 | PASS | ND |
| FENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | | 0.010 | | 0.1 | PASS | ND |
| OSCALID | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | | | 0.1 | PASS | ND |
| ARBARYL | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | | | | |
| ARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | | 0.1 | PASS | ND |
| HLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| OFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| DUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| AMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 | | 0.5 | PASS | ND |
| AZINON | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | | 0.5 | PASS | ND |
| CHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | 111 | | | |
| METHOATE | 0.010 | | 0.1 | PASS | ND | Analyzed by: Weight: | | traction date | | Extracted | |
| HOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | 3621, 3379, 585, 1440 0.2501g Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.Fl | | /22/25 12:39:5 | 06 | 3621,450 | |
| TOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch: DA082469PES | - | | | | |
| TOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | Batch | Date: 01/22/ | 25 10:22:37 | |
| ENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 01/23/25 15:54:39 | | | | | |
| NOXYCARB | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 012125.R02; 011525.R40; 011625.R07; 0 | 11725.R0 | 1; 102124.R0 | 8; 011525.R0 | 1; 081023.01 | |
| PRONIL | 0.010 | | 0.1 | PASS | ND | Consumables: 221021DD | | | | | |
| LONICAMID | 0.010 | | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| LUDIOXONIL | 0.010 | P. P. | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Lic accordance with F.S. Rule 64ER20-39. | juid Chron | natography Tri | ple-Quadrupol | e Mass Spectron | netry in |
| EXYTHIAZOX | 0.010 | | 0.1 | PASS | ND | | Extractio | n data. | | Extracted b | |
| MAZALIL | 0.010 | | 0.1 | PASS | ND | | | 12:39:56 | | 3621,450 | у. |
| /IDACLOPRID | 0.010 | | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151. | | 12.33.30 | | 3021,730 | |
| RESOXIM-METHYL | 0.010 | | 0.1 | PASS | ND | Analytical Batch : DA082471VOL | - | | | | |
| ALATHION | 0.010 | | 0.2 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch Da | te:01/22/25 | 10:26:05 | |
| ETALAXYL | 0.010 | | 0.1 | PASS | ND | Analyzed Date : 01/23/25 15:52:46 | | | | | |
| THIOCARB | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ETHOCARD | 0.010 | 1.1. | 0.1 | PASS | ND | Reagent: 011625.R07; 081023.01; 010725.R16; 01 | | | | | |
| EVINPHOS | 0.010 | | 0.1 | PASS | ND | Consumables: 221021DD; 040724CH01; 17473601 Pipette: DA-080; DA-146; DA-218 | | | | | |
| YCLOBUTANIL | 0.010 | | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Ga | c Chror | to aranhy T-i-I | Oundring!- | Mass Caastra | to in |
| ALED | 0.010 | | 0.25 | PASS | ND | accordance with F.S. Rule 64ER20-39. | s chroma | tograpny iripi | e-Quadrupole | wass spectrome | u y m |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I) Matrix: Derivative



Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50121017-004 Harvest/Lot ID: 8322276578211518

Batch#: 8322276578211518 Sample Size Received: 16 units

Sampled: 01/21/25 Ordered: 01/21/25

Total Amount: 980 units **Completed:** 01/24/25 **Expires:** 01/24/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

| л | | _ | п |
|---|---|----|---|
| н | Э | Е. | ш |
| - | _ | _ | _ |

| Solvents | LOD | Units | Action Level | Pass/Fail | Result | |
|--------------------------------|--------------------|------------------------------------|--------------|-----------|--------------------|--|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND | |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND | |
| ACETONE | 75.000 | ppm | 750 | PASS | ND | |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND | |
| BENZENE | 0.100 | ppm | 1 | PASS | ND | |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND | |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND | |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND | |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND | |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND | |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND | |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND | |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND | |
| METHANOL | 25.000 | ppm | 250 | PASS | ND | |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND | |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND | |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND | |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND | |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND | |
| Analyzed by: 850, 585, 1440 | Weight: 0.0217g | Extraction date: 01/23/25 11:10:52 | | | xtracted by: 50 | |

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA082493SOL Instrument Used: DA-GCMS-002

Analyzed Date: 01/23/25 13:50:08

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino Lab Director

Batch Date: 01/22/25 15:36:04



Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I) Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50121017-004 Harvest/Lot ID: 8322276578211518

Batch#: 8322276578211518 Sample Size Received: 16 units

Sampled: 01/21/25 Ordered: 01/21/25

Total Amount: 980 units Completed: 01/24/25 Expires: 01/24/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 01/22/25 10:26:03



Microbial



Mycotoxins

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------------------|----------------|-----------------|---------------------------------|--------------------|-------------------------------|-------|--------|-----------------------|-----------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | | 0.00 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA TOTAL YEAST AND MOLD | 10.00 | CFU/g | Not Present <10 | PASS PASS | 100000 | Analyzed by: 3379, 585, 1440 | Weight: 0.2501g | Extraction date 01/22/25 12:3 | | | xtracted l 621,450 | oy: |

Analyzed by: 3390, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.8549g 01/22/25 10:53:19 4777,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA082445MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95*C)
DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher Batch Date: 01/22/25

Scientific Isotemp Heat Block (55*C) DA-366

Analyzed Date: 01/23/25 10:03:49

Reagent: 111524.113; 123124.21; 121824.R48; 080724.10
Consumables: 7578003016

Pipette: N/A

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------|---------|-------------------|---------------|
| 3390, 585, 1440 | 0.8549a | 01/22/25 10:53:19 | 4777.4520 |

Analysis Method: SOP.T.40.209.FL Analytical Batch : DA082447TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 01/22/25 08:23:36

Analyzed Date: 01/24/25 16:26:01

Dilution: 10 Reagent: 111524.113; 123124.21; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Ç. | |
|----|--|
| | |

| 1 | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|---|---------------------------------|---------|-----------------|-------|--------|----------------|-----------------|
| | AFLATOXIN B2 | | 0.00 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN B1 | | 0.00 | ppm | ND | PASS | 0.02 |
| | OCHRATOXIN A | | 0.00 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN G1 | | 0.00 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN G2 | | 0.00 | ppm | ND | PASS | 0.02 |
| 0 | Analyzed by: 3379, 585, 1440 | Weight: | Extraction date | | | xtracted I | oy: |

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA082470MYC

Instrument Used : N/A **Analyzed Date :** 01/23/25 13:43:31

Dilution: 250

Reagent: 012125.R02; 011525.R40; 011625.R07; 011725.R01; 102124.R08; 011525.R01; 081023.01

Consumables: 221021DD Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| - | | | | | | | | |
|---|----------------|---------------------|----------------|-------|--------|----------------|-----------------|--|
| 5 | Metal | | LOD | Units | Result | Pass / Fail | Action Level | |
| , | TOTAL CONT | AMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | |
| | ARSENIC | | 0.02 | ppm | ND | PASS | 0.2 | |
| | CADMIUM | | 0.02 | ppm | ND | PASS | 0.2 | |
| | MERCURY | | 0.02 | ppm | ND | PASS | 0.2 | |
| | LEAD | | 0.02 | ppm | ND | PASS | 0.5 | |
| | Analyzed by: | | Extraction dat | e: | | Extracted | by: | |
| | 1022, 585, 144 | io 0.221g (| 01/22/25 11:5 | 4:58 | | 4056 | | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA082459HEA Instrument Used : DA-ICPMS-004

Batch Date: 01/22/25 10:00:42 Analyzed Date: 01/23/25 09:36:44

Dilution: 50

Reagent: 122024.R10; 112624.R32; 012125.R27; 011025.R13; 012125.R25; 012125.R26;

120324.07; 012125.R24

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Master Kush (I)

Master Kush (I) Matrix: Derivative

Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50121017-004 Harvest/Lot ID: 8322276578211518

Batch#: 8322276578211518 Sample Size Received: 16 units Sampled: 01/21/25 Ordered: 01/21/25

Total Amount: 980 units Completed: 01/24/25 Expires: 01/24/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 01/22/25 11:23:57 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA082485FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 01/22/25 11:17:22 Analyzed Date: 01/22/25 11:35:36

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte Water Activity | | LOD 0.010 a | Inits W | Result 0.436 | P/F PASS | Action Level 0.85 |
|---------------------------------|-----------------------|--------------------|----------------------|-----------------|-------------|----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.489g | | action da 2/25 14 | | Ex t | tracted by: 12 |

Analysis Method: SOP.T.40.019 Analytical Batch: DA082465WAT

Instrument Used : DA257 Rotronic HygroPalm Batch Date: 01/22/25 10:17:04

Analyzed Date: 01/23/25 09:06:36

Dilution: N/A Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

01/24/25

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha