



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50121017-005



Jan 24, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**84.119%**

Total THC/Container : 841.190 mg



Total CBD

**0.188%**

Total CBD/Container : 1.880 mg



Total Cannabinoids

**88.513%**

Total Cannabinoids/Container : 885.130 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.100	0.022	0.165	0.027	ND	2.838	ND	0.800	0.379	ND	0.182
mg/unit	841.00	0.22	1.65	0.27	ND	28.38	ND	8.00	3.79	ND	1.82
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 3605, 585, 1440

Weight:  
0.1091g

Extraction date:  
01/22/25 12:08:27

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082453POT

Instrument Used : DA-LC-003

Analyzed Date : 01/23/25 09:08:45

Batch Date : 01/22/25 09:27:10

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

  
Signature  
01/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I)

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50121017-005

Harvest/Lot ID: 8598150923470590

Batch# : 8598150923470590

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	32.79	3.279		HEXAHYDROTHYMOL	0.007	ND	ND	
LIMONENE	0.007	7.74	0.774		NEROL	0.007	ND	ND	
BETA-MYRCENE	0.007	5.65	0.565		OCIMENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.37	0.537		PULEGONE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.79	0.179		SABINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.45	0.145		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	1.35	0.135		ALPHA-CEDRENE	0.005	ND	ND	
BETA-PINENE	0.007	1.09	0.109		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	0.94	0.094		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.88	0.088		4451, 585, 1440	0.2172g	01/22/25 12:39:18	4451	
ALPHA-TERPINEOL	0.007	0.82	0.082		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.70	0.070		Analytical Batch : DA002461TER				
TRANS-NEROLIDOL	0.005	0.66	0.066		Instrument Used : DA-GCMS-004				
CARYOPHYLLENE OXIDE	0.007	0.61	0.061		Analyzed Date : 01/23/25 09:08:48				Batch Date : 01/22/25 10:04:45
FARNESENE	0.001	0.55	0.055		Dilution : 10				
FENCHONE	0.007	0.41	0.041		Reagent : 032524.14				
ISOBORNEOL	0.007	0.38	0.038		Consumables : 947.110; 04402004; 2240626; 0000355309				
GUAJOL	0.007	0.35	0.035		Pipette : DA-065				
ISOPULEGOL	0.007	0.35	0.035		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINOLENE	0.007	0.33	0.033						
VALENCENE	0.007	0.32	0.032						
CAMPENE	0.007	0.31	0.031						
GAMMA-TERPINENE	0.007	0.31	0.031						
ALPHA-TERPINENE	0.007	0.23	0.023						
ALPHA-PHELLANDRENE	0.007	0.20	0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
Total (%)			3.279						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I)

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50121017-005

Harvest/Lot ID: 8598150923470590

Batch# : 8598150923470590

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 3379, 585, 1440	Weight: 0.2515g	Extraction date: 01/22/25 12:39:56	Extracted by: 3621,450		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082469PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 01/22/25 10:22:37		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analized Date : 01/23/25 15:54:41					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 012125.R02; 011525.R40; 011625.R07; 011725.R01; 102124.R08; 011525.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2515g	Extraction date: 01/22/25 12:39:56	Extracted by: 3621,450		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082471VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 01/22/25 10:26:05		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized Date : 01/23/25 15:52:47					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 011625.R07; 081023.01; 010725.R16; 010825.R35					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I)

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50121017-005

Harvest/Lot ID: 8598150923470590

Batch# : 8598150923470590

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0224g

Extraction date:  
01/23/25 11:10:52

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA08249350L  
Instrument Used : DA-GCMS-002  
Analyzed Date : 01/23/25 13:50:12

Batch Date : 01/22/25 15:36:04

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/24/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I)

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50121017-005

Harvest/Lot ID: 8598150923470590

Batch# : 8598150923470590

Sampled : 01/21/25

Ordered : 01/21/25




Sample Size Received : 16 units

Total Amount : 980 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED			Mycotoxins					PASSED								
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte					LOD	Units	Result	Pass / Fail	Action Level							
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2					0.00	ppm	ND	PASS	0.02							
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1					0.00	ppm	ND	PASS	0.02							
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A					0.00	ppm	ND	PASS	0.02							
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1					0.00	ppm	ND	PASS	0.02							
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2					0.00	ppm	ND	PASS	0.02							
ECOLI SHIGELLA			Not Present	PASS																		
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440		Weight: 0.2515g	Extraction date: 01/22/25 12:39:56		Extracted by: 3621,450											
Analyzed by: 3390, 4520, 585, 1440		Weight: 0.8808g	Extraction date: 01/22/25 10:53:19		Extracted by: 4777,4520		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA082470MYC																
Analytical Batch : DA082445MIC						Instrument Used : N/A																
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C)						Batch Date : 01/22/25 10:26:03																
DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366						Analyzed Date : 01/23/25 13:43:32																
Analyzed Date : 01/23/25 10:03:49																						
Dilution : 10						Dilution : 250																
Reagent : 111524.113; 123124.21; 121824.R48; 080724.10						Reagent : 012125.R02; 011525.R40; 011625.R07; 011725.R01; 102124.R08; 011525.R01; 081023.01																
Consumables : 7578003016						Consumables : 221021DD																
Pipette : N/A						Pipette : DA-093; DA-094; DA-219																
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																
Analyzed by: 3390, 585, 1440						Weight: 0.8808g		Extraction date: 01/22/25 10:53:19		Extracted by: 4777,4520					Heavy Metals		PASSED					
Analysis Method : SOP.T.40.209.FL						Metal												LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DA082447TYM						TOTAL CONTAMINANT LOAD METALS												0.08	ppm	ND	PASS	1.1
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						ARSENIC												0.02	ppm	ND	PASS	0.2
Batch Date : 01/22/25 08:23:36						CADMIUM												0.02	ppm	ND	PASS	0.2
Analyzed Date : 01/24/25 16:29:24						MERCURY												0.02	ppm	ND	PASS	0.2
Dilution : 10						LEAD												0.02	ppm	ND	PASS	0.5
Reagent : 111524.113; 123124.21; 110724.R13						Analyzed by: 1022, 585, 1440												Weight: 0.2252g	Extraction date: 01/22/25 11:55:48		Extracted by: 4056	
Consumables : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																
Pipette : N/A						Analytical Batch : DA082459HEA																
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Instrument Used : DA-ICPMS-004												Batch Date : 01/22/25 10:00:42				
						Analyzed Date : 01/23/25 09:36:45																
						Dilution : 50																
						Reagent : 122024.R10; 112624.R32; 012125.R27; 011025.R13; 012125.R25; 012125.R26; 120324.07; 012125.R24																
						Consumables : 040724CH01; J609879-0193; 179436																
						Pipette : DA-061; DA-191; DA-216																
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I)

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50121017-005

Harvest/Lot ID: 8598150923470590

Batch# : 8598150923470590

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 16 units

Total Amount : 980 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/22/25 11:23:57	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082485FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/22/25 11:35:36

Batch Date : 01/22/25 11:17:22

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.515	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.499g	Extraction date: 01/22/25 14:49:16	Extracted by: 4512
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082465WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 01/23/25 09:06:36

Batch Date : 01/22/25 10:17:04

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/24/25