



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50121017-008



Jan 24, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
PASSED

MISC.


Cannabinoid
PASSED


Total THC

86.746%

Total THC/Container : 433.730 mg



Total CBD

0.187%

Total CBD/Container : 0.935 mg



Total Cannabinoids

91.275%

Total Cannabinoids/Container : 456.375 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 86.725 | 0.025 | 0.163 | 0.028 | ND | 2.918 | ND | 0.833 | 0.391 | ND | 0.192 |
| mg/unit | 433.63 | 0.13 | 0.82 | 0.14 | ND | 14.59 | ND | 4.17 | 1.96 | ND | 0.96 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.1141g

Extraction date:
01/22/25 12:08:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082453POT

Instrument Used : DA-LC-003

Analyzed Date : 01/24/25 07:44:59

Batch Date : 01/22/25 09:27:10

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Master Kush (I)
Master Kush (I)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50121017-008
Harvest/Lot ID: 5438584539499503

Batch# : 5438584539499503 Sample Size Received : 31 units
Sampled : 01/21/25 Total Amount : 676 units
Ordered : 01/21/25 Completed : 01/24/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 22.47 | 4.494 | | NEROL | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 7.87 | 1.573 | | OCIMENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 3.91 | 0.781 | | PULEGONE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 2.46 | 0.492 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 1.92 | 0.383 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 1.39 | 0.277 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 0.71 | 0.142 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| FARNESENE | 0.001 | 0.62 | 0.124 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 0.61 | 0.122 | | | | | | |
| LINALOOL | 0.007 | 0.55 | 0.110 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| VALENCENE | 0.007 | 0.29 | 0.058 | | 4451, 585, 1440 | 0.2036g | 01/22/25 12:39:19 | 4451 | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.26 | 0.052 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| FENCHYL ALCOHOL | 0.007 | 0.25 | 0.050 | | Analytical Batch : DA002461TER | | | | |
| GERANIOL | 0.007 | 0.25 | 0.050 | | Instrument Used : DA-GCMS-004 | | | | |
| ALPHA-TERPINEOL | 0.007 | 0.25 | 0.050 | | Analyzed Date : 01/24/25 08:55:51 | | | | |
| TRANS-NEROLIDOL | 0.005 | 0.21 | 0.041 | | Dilution : 10 | | | | |
| ALPHA-CEDRENE | 0.005 | 0.19 | 0.038 | | Reagent : 032524.14 | | | | |
| GUAJOL | 0.007 | 0.18 | 0.036 | | Consumables : 947.110; 04402004; 2240626; 0000355309 | | | | |
| CAMPHENE | 0.007 | 0.18 | 0.035 | | Pipette : DA-065 | | | | |
| ALPHA-TERPINOLENE | 0.007 | 0.16 | 0.031 | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| 3-CARENE | 0.007 | 0.14 | 0.028 | | | | | | |
| SABINENE | 0.007 | 0.11 | 0.021 | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 4.494 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Master Kush (I)
Master Kush (I)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50121017-008

Harvest/Lot ID: 5438584539499503

Batch# : 5438584539499503

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 31 units

Total Amount : 676 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 3379, 585, 1440 Weight: 0.2483g Extraction date: 01/22/25 12:39:56 Extracted by: 3621,450 Analysis Method :SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch :DA082469PES Instrument Used :DA-LCMS-004 (PES) Batch Date :01/22/25 10:22:37 Analyzed Date :01/23/25 15:54:47 Dilution : 250 Reagent : 012125.R02; 011525.R40; 011625.R07; 011725.R01; 102124.R08; 011525.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 Weight: 0.2483g Extraction date: 01/22/25 12:39:56 Extracted by: 3621,450 Analysis Method :SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch :DA082471VOL Instrument Used :DA-GCMS-001 Batch Date :01/22/25 10:26:05 Analyzed Date :01/23/25 15:52:49 Dilution : 250 Reagent : 011625.R07; 081023.01; 010725.R16; 010825.R35 Consumables : 221021DD; 040724.CH01; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Master Kush (I)
Master Kush (I)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50121017-008

Harvest/Lot ID: 5438584539499503

Batch# : 5438584539499503

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 31 units

Total Amount : 676 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0243g

Extraction date:
01/23/25 11:10:52

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08249350L
Instrument Used : DA-GCMS-002
Analyzed Date : 01/23/25 13:50:14

Batch Date : 01/22/25 15:36:04

Dilution : 1
Reagent : 030420.09
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Master Kush (I)
Master Kush (I)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50121017-008
Harvest/Lot ID: 5438584539499503

Batch# : 5438584539499503 Sample Size Received : 31 units
Sampled : 01/21/25 Total Amount : 676 units
Ordered : 01/21/25 Completed : 01/24/25 Expires: 01/24/26
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------|--|--|--|--|--------------------------------|------------------------------------|-------------|-------------------------|--------------|---|------------|--|--|--|--|---|------------------------------------|--------|------------------------|--------------|--------|--|--|--|--|
|  | Microbial | | | | | PASSED | | | | |  | Mycotoxins | | | | | PASSED | | | | | | | | | |
| Analyte | | | | | | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | | | | | LOD | Units | Result | Pass / Fail | Action Level | | | | | |
| ASPERGILLUS TERREUS | | | | | | | | Not Present | PASS | | AFLATOXIN B2 | | | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | |
| ASPERGILLUS NIGER | | | | | | | | Not Present | PASS | | AFLATOXIN B1 | | | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | |
| ASPERGILLUS FUMIGATUS | | | | | | | | Not Present | PASS | | OCHRATOXIN A | | | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | |
| ASPERGILLUS FLAVUS | | | | | | | | Not Present | PASS | | AFLATOXIN G1 | | | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | |
| SALMONELLA SPECIFIC GENE | | | | | | | | Not Present | PASS | | AFLATOXIN G2 | | | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | |
| ECOLI SHIGELLA | | | | | | | | Not Present | PASS | | | | | | | | | | | | | | | | | |
| TOTAL YEAST AND MOLD | | | | | | 10.00 | CFU/g | <10 | PASS | 100000 | Analyzed by: 3379, 585, 1440 | | | | | | Weight: 0.2483g | Extraction date: 01/22/25 12:39:56 | | Extracted by: 3621,450 | | | | | | |
| Analyzed by: 3390, 4520, 585, 1440 | | | | | | Weight: 1.177g | Extraction date: 01/22/25 10:53:19 | | Extracted by: 4777,4520 | | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | | Analytical Batch : DA082470MYC | | | | | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | | | | | | | Instrument Used : N/A | | | | | | Batch Date : 01/22/25 10:26:03 | | | | | | | | | |
| Analytical Batch : DA082445MIC | | | | | | | | | | | Analyzed Date : 01/23/25 13:43:33 | | | | | | | | | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366 | | | | | | Batch Date : 01/22/25 08:20:42 | | | | | Dilution : 250 | | | | | | Reagent : 011215.R02; 011525.R40; 011625.R07; 011725.R01; 102124.R08; 011525.R01; 081023.01 | | | | | | | | | |
| Analyzed Date : 01/23/25 10:03:51 | | | | | | | | | | | Consumables : 221021DD | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | | | | | |
| Dilution : 10 | | | | | | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | |
| Reagent : 111524.113; 123124.21; 121824.R48; 080724.10 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consumables : 7578003016 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3390, 585, 1440 | | | | | | Weight: 1.177g | Extraction date: 01/22/25 10:53:19 | | Extracted by: 4777,4520 | | <div><div></div><div>Hg</div></div> | | | | | | Heavy Metals | | | | | PASSED | | | | |
| Analysis Method : SOP.T.40.209.FL | | | | | | | | | | | Metal | | | | | | LOD | Units | Result | Pass / Fail | Action Level | | | | | |
| Analytical Batch : DA082447TYM | | | | | | | | | | | TOTAL CONTAMINANT LOAD METALS | | | | | | 0.08 | ppm | ND | PASS | 1.1 | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | | Batch Date : 01/22/25 08:23:36 | | | | | ARSENIC | | | | | | 0.02 | ppm | ND | PASS | 0.2 | | | | | |
| Analyzed Date : 01/24/25 16:26:02 | | | | | | | | | | | CADMIUM | | | | | | 0.02 | ppm | ND | PASS | 0.2 | | | | | |
| Dilution : 10 | | | | | | | | | | | MERCURY | | | | | | 0.02 | ppm | ND | PASS | 0.2 | | | | | |
| Reagent : 111524.113; 123124.21; 110724.R13 | | | | | | | | | | | LEAD | | | | | | 0.02 | ppm | ND | PASS | 0.5 | | | | | |
| Consumables : N/A | | | | | | | | | | | Analyzed by: 1022, 585, 1440 | | | | | | Weight: 0.2148g | Extraction date: 01/22/25 11:58:11 | | Extracted by: 4056 | | | | | | |
| Pipette : N/A | | | | | | | | | | | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | | Analytical Batch : DA082459HEA | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | Instrument Used : DA-ICPMS-004 | | | | | | Batch Date : 01/22/25 10:00:42 | | | | | | | | | |
| | | | | | | | | | | | Analyzed Date : 01/23/25 09:36:47 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Dilution : 50 | | | | | | Reagent : 122024.R10; 112624.R32; 012125.R27; 011025.R13; 012125.R25; 012125.R26; 120324.07; 012125.R24 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Consumables : 040724CH01; J609879-0193; 179436 | | | | | | | | | |
| | | | | | | | | | | | Pipette : DA-061; DA-191; DA-216 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Master Kush (I)
Master Kush (I)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50121017-008

Harvest/Lot ID: 5438584539499503

Batch# : 5438584539499503

Sampled : 01/21/25

Ordered : 01/21/25

Sample Size Received : 31 units

Total Amount : 676 units

Completed : 01/24/25 Expires: 01/24/26

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|---------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 01/22/25 11:23:57 | Extracted by: 1879 |
|---------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA082485FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/22/25 11:35:34

Batch Date : 01/22/25 11:17:22

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.426 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.6049g | Extraction date: 01/22/25 14:50:24 | Extracted by: 4512 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA082465WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 01/23/25 09:06:38

Batch Date : 01/22/25 10:17:04

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/24/25