

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50122014-009

Certificate of Analysis

Kaycha Labs

Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix: Derivative Classification: High THC



Classification: High THC Type: Wax Production Method: Other - Not Listed Harvest/Lot ID: 7494910517731298 Batch#: 7494910517731298 Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 6016569880979387 Harvest Date: 01/17/25 Sample Size Received: 16 units Total Amount: 573 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 01/22/25 Sampled: 01/22/25 Completed: 01/25/25

Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Jan 25, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	ESULTS									MISC.
R Ø	É	Нд	Ç	ç		Ä		\bigcirc		Ô
Pestici PASS		avy Metals PASSED	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents PASSED	Filth PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes PASSED
Ä	Cannal	binoid							I	PASSED
	77	I THC 7.516 THC/Container			3 0.	l CBD 110% CBD/Container		€ →38	al Cannabinoids 7.975% I Cannabinoids/Conta)
% mg/unit LOD	рэ-тнс 5.442 54.42 0.001 %	THCA 82.183 821.83 0.001 %	CBD ND ND 0.001 %	CBDA 0.126 1.26 0.001 %	D8-THC ND ND 0.001 %	свс 0.039 0.39 0.001 %	CBGA 0.128 1.28 0.001 %	CBN THCV ND ND ND ND 0.001 0.002 % %	своу ND ND L 0.001 %	свс 0.057 0.57 0.001 %
Analyzed by: 3335, 3605, 585	5, 4044			Weight: 0.1g		Extraction date: 01/23/25 14:24:12			Extracted by: 3335	
Analytical Batch Instrument Used	d: SOP.T.40.031, S DOR 2528POT d: DA-LC-003 01/24/25 09:59:0						Batch Date : 01/23/25	10:57:10		
Consumables : 9	25.R06; 010825.4 947.110; 0431211 9; DA-108; DA-078	1; 040724CH01; 000	0355309							
Full Spectrum can	nnabinoid analysis uti	ilizing High Performance	Liquid Chromatography	with UV detection in a	ccordance with F.S.	Rule 64ER20-39.				

Sunnyside*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/25/25



Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Derivative Type: Wax



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50122014-009 Harvest/Lot ID: 7494910517731298 Sampled : 01/22/25 Ordered : 01/22/25

Batch#: 7494910517731298 Sample Size Received: 16 units Total Amount : 573 units Completed : 01/25/25 Expires: 01/25/26 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	35.40	3.540		VALENCENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	17.20	1.720		ALPHA-CEDRENE		0.005	ND	ND	
ALPHA-HUMULENE	0.007	5.52	0.552		ALPHA-PHELLANDRENE		0.007	ND	ND	
IMONENE	0.007	4.47	0.447		ALPHA-PINENE		0.007	ND	ND	
INALOOL	0.007	3.61	0.361		ALPHA-TERPINENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.77	0.177		ALPHA-TERPINOLENE		0.007	ND	ND	
ETA-MYRCENE	0.007	1.21	0.121		CIS-NEROLIDOL		0.003	ND	ND	
ENCHYL ALCOHOL	0.007	0.76	0.076		GAMMA-TERPINENE		0.007	ND	ND	
RANS-NEROLIDOL	0.005	0.35	0.035		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ETA-PINENE	0.007	0.30	0.030		4451, 585, 4044	0.2008g		01/23/25 14	12:40	4451
LPHA-TERPINEOL	0.007	0.21	0.021		Analysis Method : SOP.T.30.06	1A.FL, SOP.T.40.061A.FL				
-CARENE	0.007	ND	ND		Analytical Batch : DA082549T Instrument Used : DA-GCMS-0					Date: 01/23/25 11:26:38
ORNEOL	0.013	ND	ND		Analyzed Date : 01/24/25 09:5				Batch L	Jate: 01/23/25 11:20:38
AMPHENE	0.007	ND	ND		Dilution : 10					
AMPHOR	0.007	ND	ND		Reagent : 032524.14					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 0431	2111; 2240626; 00003553	309			
EDROL	0.007	ND	ND		Pipette : DA-065					
UCALYPTOL	0.007	ND	ND		Terpenoid testing is performed uti	lizing Gas Chromatography M	ass Spectro	ometry. For all I	lower sam	ples, the Total Terpenes % is dry-weight corrected.
ARNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
IEXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
IEROL	0.007	ND	ND							
	0.007	ND	ND							
CIMENE	0.007	ND	ND							
DCIMENE PULEGONE GABINENE	0.007	ND	ND							
PULEGONE	0.007		ND ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/25/25



Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Derivative Type: Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50122014-009 Harvest/Lot ID: 7494910517731298

Sampled : 01/22/25 Ordered : 01/22/25

Batch#: 7494910517731298 Sample Size Received: 16 units Total Amount : 573 units Completed : 01/25/25 Expires: 01/25/26 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010	maa	3	PASS	ND
DTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010	maa	0.4	PASS	ND
OTAL SPINOSAD	0.010		3	PASS	ND	PROPICONAZOLE		0.010		1	PASS	ND
BAMECTIN B1A	0.010		0.3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEPHATE	0.010		3	PASS	ND					3	PASS	ND
CEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		0.010		-		
CETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010		3	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		3	PASS	ND
ZOXYSTROBIN	0.010		3		ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
FENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		3	PASS	ND	THIAMETHOXAM		0.010	ppm	1	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	3	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (P	CNP) *	0.010		0.2	PASS	ND
HLORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *	CND/	0.010		0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.010		3	PASS	ND ND			0.010		3	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS		CAPTAN *						
OFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
DUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
AZINON	0.010		3		ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:		Extractio	on date:		Extracted I	by:
IMETHOATE	0.010		0.1	PASS	ND	3379, 585, 4044	0.258g	01/23/25	14:42:23		450,3379	
THOPROPHOS	0.010		0.1		ND	Analysis Method : SOP.T.30.102.FL	, SOP.T.40.102.I	L				
TOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA082524PES						
TOXAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS-003 (P			Batch	Date :01/23/	25 10:43:56	
NHEXAMID	0.010		3	PASS	ND	Analyzed Date : 01/24/25 10:39:18 Dilution : 250						
NOXYCARB	0.010		0.1	PASS	ND	Reagent: 012225.R51; 081023.01						
NPYROXIMATE	0.010		2	PASS	ND	Consumables : 040724CH01; 2210						
PRONIL	0.010		0.1	PASS	ND	Pipette : N/A						
LONICAMID	0.010		2	PASS	ND	Testing for agricultural agents is perf	ormed utilizing L	quid Chrom	atography Tri	ple-Quadrupo	le Mass Spectror	metry in
LUDIOXONIL	0.010		3	PASS	ND	accordance with F.S. Rule 64ER20-39						
EXYTHIAZOX	0.010		2	PASS	ND	Analyzed by:	Weight:		action date:		Extracted	
IAZALIL	0.010		0.1	PASS	ND	450, 4640, 585, 4044	0.258g		3/25 14:42:2	3	450,3379	
MIDACLOPRID	0.010		1	PASS	ND	Analysis Method :SOP.T.30.151A.F	L, SOP.T.40.151	.FL				
RESOXIM-METHYL	0.010		1	PASS	ND	Analytical Batch : DA082526VOL Instrument Used : DA-GCMS-001			Ratch Da	te:01/23/25	10.48.07	
ALATHION	0.010		2	PASS	ND	Analyzed Date :01/24/25 10:36:22			Datcii Da	101/25/25	10.40.07	
ETALAXYL	0.010		3	PASS	ND	Dilution : 250						
ETHIOCARB	0.010		0.1	PASS	ND	Reagent : 012225.R51; 081023.01;	; 010725.R16; 0	10825.R35				
ETHOMYL	0.010		0.1	PASS	ND	Consumables : 040724CH01; 2210						
EVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
IYCLOBUTANIL	0.010		3	PASS	ND	Testing for agricultural agents is perf		as Chromat	ography Tripl	e-Quadrupole	Mass Spectrome	etry in
ALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64ER20-39						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/25/25

PASSED

PASSED



Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Derivative Type: Wax



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50122014-009 Harvest/Lot ID: 7494910517731298 Sampled : 01/22/25 Ordered : 01/22/25

Batch#: 7494910517731298 Sample Size Received: 16 units Total Amount : 573 units Completed : 01/25/25 Expires: 01/25/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
TEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
FOTAL XYLENES	15.000	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
analyzed by: 50, 585, 4044	Weight: 0.0269g	Extraction date: 01/24/25 17:11:20		E x 85	tracted by:				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA082558SOL Instrument Used : DA-GCMS-002 Analyzed Date : 01/24/25 17:36:49	Batch Date : 01/23/25 16:58:30								

Reagent : 030420.09 Consumables : 429651: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/25/25



..... Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Derivative Type: Wax



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50122014-009 Harvest/Lot ID: 7494910517731298

Sampled : 01/22/25 Ordered : 01/22/25

Batch#: 7494910517731298 Sample Size Received: 16 units Total Amount : 573 units Completed : 01/25/25 Expires: 01/25/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ç.	Microb	ial			PAS	SED	ç	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS	Level	AFLATOXIN E	2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN E			0.00	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXIN	A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN O	61		0.00	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN O	62		0.00	ppm	ND	PASS	0.02
ECOLI SHIGEL	LA			Not Present	PASS		Amplyzed by		Weight:	Extraction dat		E	ا اہ مغہ میں	
TOTAL YEAST	AND MOLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 404	4	0.258g	01/23/25 14:4			xtracted l 50,3379	by:
Analyzed by:	Weight		action date:	- F	Extracted	by:	Analysis Metho			P.T.40.102.FL				
	0.9818 I:SOP.T.40.056C, S :DA082514MIC		23/25 11:20:5 8.FL, SOP.T.4		4520		Analytical Batc Instrument Use Analyzed Date	d:DA-LCM	4S-004 (MYC)	В	atch Date	:01/23/25	5 10:45:3	2
Dilution : 10	01/24/25 10:59:38 24.29; 123124.31; 1 580001009		; 080724.10				accordance with	F.S. Rule 6		etals	-Quadrupo			SED
Analyzed by: 4520, 4531, 585		/eight: .9818g	Extraction da 01/23/25 11		Extracte 4520	d by:	Metal			LOD	Units	Result		Action
Analysis Method	: SOP.T.40.209.FL												Fail	Level
	: DA082515TYM	D					TOTAL CONT.	AMINANT	LOAD METAI		ppm	ND	PASS	5
DA-3821	I: Incubator (25*C)	DA- 328 [C	alibrated with	Batch Dat	te:01/23/2	5 09:38:50				0.02	ppm	<0.100 ND	PASS	1.5 0.5
	01/25/25 15:36:06						CADMIUM			0.02	ppm ppm	ND	PASS	0.5 3
Dilution : 10							LEAD			0.02	ppm	ND	PASS	0.5
Reagent : 123124.29; 123124.31; 110724.R13 Consumables : N/A Pipette : N/A							Analyzed by: 1022, 585, 404	4	Weight: 0.2311g	Extraction dat 01/23/25 14:2			(tracted k)22,4056	
Total yeast and m	old testing is perform S. Rule 64ER20-39.	ed utilizing M	PN and traditio	onal culture base	d techniques	in	Analysis Metho Analytical Batc Instrument Use Analyzed Date	h:DA0825 d:DA-ICP	516HEA MS-004		h Date : ()1/23/25 0	9:40:37	
							Dilution : 50 Reagent : 1220 120324.07; 01: Consumables : Pipette : DA-06	2125.R24 040724CH	I01; J609879-0	12125.R27; 0110 0193; 179436	25.R13; ()12125.R2	5; 01212	5.R26;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

01/25/25



Supply Sgr Wax 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix : Derivative Type: Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50122014-009 Harvest/Lot ID: 7494910517731298 Sampled : 01/22/25 Ordered : 01/22/25

Batch#: 7494910517731298 Sample Size Received: 16 units Total Amount : 573 units Completed : 01/25/25 Expires: 01/25/26 Sample Method : SOP.T.20.010

		Filth/For Material	PASSED								
	nalyte ilth and Forei	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level				
	nalyzed by: 379, 585, 4044	Weight: 1g		action da 23/25 21:		Ex 1	tracted by: 79				
Analysis Method : SOP.T.40.090 Analytical Batch : DA082560FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/23/25 21:12:28 Batch Date : 01/23/25 21:12:28											
R C	ilution: N/A eagent: N/A onsumables: N pette: N/A	/A									
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											
	\bigcirc	Water A	ctiv	ity		ΡΑ	SSED				

Analyte Water Activity		LOD Units Results 0.010 aw 0.4			P/F PASS	Action Level 0.85		
Analyzed by: Weight: Extraction date: Extracted by: 4512, 585, 4044 1.5988g 01/23/25 16:32:03 4512								
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA-0 Analyzed Date : 01/24/2	2511WAT 28 Rotronic Hy	gropal	m	Batch Da	i te : 01/23/2	25 09:26:02		
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 01/25/25

PASSED

Page 6 of 6