



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50123011-001



Production Method: Other - Not Listed
Harvest/Lot ID: 5276459800833024
Batch#: 5276459800833024
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 0219450108715967
Harvest Date: 01/21/25
Sample Size Received: 9 units
Total Amount: 1791.00 units
Retail Product Size: 3.5 gram
Servings: 1
Ordered: 01/23/25
Sampled: 01/23/25
Completed: 01/27/25
Sampling Method: SOP.T.20.010

Jan 27, 2025 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC
21.746%

Total THC/Container : 761.110 mg



Total CBD
0.048%

Total CBD/Container : 1.680 mg



Total Cannabinoids
25.858%

Total Cannabinoids/Container : 905.030 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.585	24.129	ND	0.055	0.033	0.083	0.906	ND	0.025	ND	0.042
mg/unit	20.48	844.52	ND	1.93	1.16	2.91	31.71	ND	0.88	ND	1.47
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.2014g

Extraction date:
01/24/25 11:17:51

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082570POT

Instrument Used : DA-LC-001

Analyzed Date : 01/27/25 09:23:14

Batch Date : 01/24/25 09:08:19

Dilution : 400

Reagent : 111224.R24; 012225.R30; 010825.48; 011325.R02

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/27/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-001
Harvest/Lot ID : 5276459800833024

Batch# : 5276459800833024 Sample Size Received : 9 units
Sampled : 01/23/25 Total Amount : 1791.00 units
Ordered : 01/23/25 Completed : 01/27/25 Expires : 01/27/26
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	96.04	2.744	ALPHA-BISABOLOL	0.007	ND	ND
BETA-MYRCENE	0.007	41.37	1.182	ALPHA-CEDRENE	0.005	ND	ND
LIMONENE	0.007	15.61	0.446	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	10.57	0.302	ALPHA-TERPINENE	0.007	ND	ND
OCIMENE	0.007	8.86	0.253	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	4.45	0.127	CIS-NEROLIDOL	0.003	ND	ND
GUAIOL	0.007	3.47	0.099	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	3.29	0.094	TRANS-NEROLIDOL	0.005	ND	ND
BETA-PINENE	0.007	2.94	0.084				
FENCHYL ALCOHOL	0.007	1.86	0.053	Analyzed by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.007	1.86	0.053	4451, 585, 1440	1.0571g	01/24/25 12:49:48	4451
ALPHA-PINENE	0.007	1.79	0.051				
3-CARENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	ND	ND	Analytical Batch : DA002567TER			
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-004			
CAMPHOR	0.007	ND	ND	Analyzed Date : 01/27/25 09:23:17			Batch Date : 01/24/25 08:44:51
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND	Dilution : 10			
EUCALYPTOL	0.007	ND	ND	Reagent : 032524.14			
FARNESENE	0.001	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309			
FENCHONE	0.007	ND	ND	Pipette : DA-065			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			2.744				

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/27/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-001
Harvest/Lot ID: 5276459800833024

Batch# : 5276459800833024 Sample Size Received : 9 units
Sampled : 01/23/25 Total Amount : 1791.00 units
Ordered : 01/23/25 Completed : 01/27/25 Expires: 01/27/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result																																																																																																																																																																																																																																																																										
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																										
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND																																																																																																																																																																																																																																																																										
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND																																																																																																																																																																																																																																																																										
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																										
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND																																																																																																																																																																																																																																																																										
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND																																																																																																																																																																																																																																																																										
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																										
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																										
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND																																																																																																																																																																																																																																																																										
DAMINOZIDE	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
DIAZINON	0.010	ppm	0.1	PASS	ND	<table border="0" style="width: 100%; font-size: 0.8em;"> <tr> <td>Analyzed by:</td> <td>3379, 585, 1440</td> <td>Weight:</td> <td>1.1663g</td> <td>Extraction date:</td> <td>01/27/25 08:19:00</td> <td>Extracted by:</td> <td>3379</td> </tr> <tr> <td>Analysis Method:</td> <td colspan="6">SOP.T.30.102.FL, SOP.T.40.102.FL</td> </tr> <tr> <td>Analytical Batch:</td> <td colspan="6">DA082573PES</td> </tr> <tr> <td>Instrument Used:</td> <td colspan="6">DA-LCMS-005 (PES)</td> </tr> <tr> <td>Analyzed Date:</td> <td colspan="6">01/27/25 11:04:21</td> </tr> <tr> <td>Dilution:</td> <td colspan="6">250</td> </tr> <tr> <td>Reagent:</td> <td colspan="6">012225.R51; 081023.01</td> </tr> <tr> <td>Consumables:</td> <td colspan="6">2240626; 040724CH01; 221021DD</td> </tr> <tr> <td>Pipette:</td> <td colspan="6">N/A</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> <tr> <td>HEXATHIAZOX</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td> <table border="0" style="width: 100%; font-size: 0.8em;"> <tr> <td>Analyzed by:</td> <td>4640, 450, 585, 1440</td> <td>Weight:</td> <td>1.1663g</td> <td>Extraction date:</td> <td>01/27/25 08:19:00</td> <td>Extracted by:</td> <td>3379</td> </tr> <tr> <td>Analysis Method:</td> <td colspan="6">SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td>Analytical Batch:</td> <td colspan="6">DA082574VOL</td> </tr> <tr> <td>Instrument Used:</td> <td colspan="6">DA-GCMS-011</td> </tr> <tr> <td>Analyzed Date:</td> <td colspan="6">01/27/25 10:53:07</td> </tr> <tr> <td>Dilution:</td> <td colspan="6">250</td> </tr> <tr> <td>Reagent:</td> <td colspan="6">012225.R51; 081023.01; 010725.R16; 010825.R35</td> </tr> <tr> <td>Consumables:</td> <td colspan="6">2240626; 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td>Pipette:</td> <td colspan="6">DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table> </td> </tr> <tr> <td>IMAZALIL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>IMIDACLOPRID</td> <td>0.010</td> <td>ppm</td> <td>0.4</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>KRESOXIM-METHYL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MALATHION</td> <td>0.010</td> <td>ppm</td> <td>0.2</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METALAXYL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METHIACARB</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>METHOMYL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MEVINPHOS</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MYCLOBUTANIL</td> <td>0.010</td> <td>ppm</td> <td>0.1</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>NALED</td> <td>0.010</td> <td>ppm</td> <td>0.25</td> <td>PASS</td> <td>ND</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Analyzed by:	3379, 585, 1440	Weight:	1.1663g	Extraction date:	01/27/25 08:19:00	Extracted by:	3379	Analysis Method:	SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch:	DA082573PES						Instrument Used:	DA-LCMS-005 (PES)						Analyzed Date:	01/27/25 11:04:21						Dilution:	250						Reagent:	012225.R51; 081023.01						Consumables:	2240626; 040724CH01; 221021DD						Pipette:	N/A						Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								HEXATHIAZOX	0.010	ppm	0.1	PASS	ND	<table border="0" style="width: 100%; font-size: 0.8em;"> <tr> <td>Analyzed by:</td> <td>4640, 450, 585, 1440</td> <td>Weight:</td> <td>1.1663g</td> <td>Extraction date:</td> <td>01/27/25 08:19:00</td> <td>Extracted by:</td> <td>3379</td> </tr> <tr> <td>Analysis Method:</td> <td colspan="6">SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td>Analytical Batch:</td> <td colspan="6">DA082574VOL</td> </tr> <tr> <td>Instrument Used:</td> <td colspan="6">DA-GCMS-011</td> </tr> <tr> <td>Analyzed Date:</td> <td colspan="6">01/27/25 10:53:07</td> </tr> <tr> <td>Dilution:</td> <td colspan="6">250</td> </tr> <tr> <td>Reagent:</td> <td colspan="6">012225.R51; 081023.01; 010725.R16; 010825.R35</td> </tr> <tr> <td>Consumables:</td> <td colspan="6">2240626; 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td>Pipette:</td> <td colspan="6">DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>	Analyzed by:	4640, 450, 585, 1440	Weight:	1.1663g	Extraction date:	01/27/25 08:19:00	Extracted by:	3379	Analysis Method:	SOP.T.30.151A.FL, SOP.T.40.151.FL						Analytical Batch:	DA082574VOL						Instrument Used:	DA-GCMS-011						Analyzed Date:	01/27/25 10:53:07						Dilution:	250						Reagent:	012225.R51; 081023.01; 010725.R16; 010825.R35						Consumables:	2240626; 040724CH01; 221021DD; 17473601						Pipette:	DA-080; DA-146; DA-218						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								IMAZALIL	0.010	ppm	0.1	PASS	ND							IMIDACLOPRID	0.010	ppm	0.4	PASS	ND							KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND							MALATHION	0.010	ppm	0.2	PASS	ND							METALAXYL	0.010	ppm	0.1	PASS	ND							METHIACARB	0.010	ppm	0.1	PASS	ND							METHOMYL	0.010	ppm	0.1	PASS	ND							MEVINPHOS	0.010	ppm	0.1	PASS	ND							MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND							NALED	0.010	ppm	0.25	PASS	ND						
Analyzed by:	3379, 585, 1440	Weight:	1.1663g	Extraction date:	01/27/25 08:19:00	Extracted by:	3379																																																																																																																																																																																																																																																																														
Analysis Method:	SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																																																																																																																																																				
Analytical Batch:	DA082573PES																																																																																																																																																																																																																																																																																				
Instrument Used:	DA-LCMS-005 (PES)																																																																																																																																																																																																																																																																																				
Analyzed Date:	01/27/25 11:04:21																																																																																																																																																																																																																																																																																				
Dilution:	250																																																																																																																																																																																																																																																																																				
Reagent:	012225.R51; 081023.01																																																																																																																																																																																																																																																																																				
Consumables:	2240626; 040724CH01; 221021DD																																																																																																																																																																																																																																																																																				
Pipette:	N/A																																																																																																																																																																																																																																																																																				
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																					
HEXATHIAZOX	0.010	ppm	0.1	PASS	ND	<table border="0" style="width: 100%; font-size: 0.8em;"> <tr> <td>Analyzed by:</td> <td>4640, 450, 585, 1440</td> <td>Weight:</td> <td>1.1663g</td> <td>Extraction date:</td> <td>01/27/25 08:19:00</td> <td>Extracted by:</td> <td>3379</td> </tr> <tr> <td>Analysis Method:</td> <td colspan="6">SOP.T.30.151A.FL, SOP.T.40.151.FL</td> </tr> <tr> <td>Analytical Batch:</td> <td colspan="6">DA082574VOL</td> </tr> <tr> <td>Instrument Used:</td> <td colspan="6">DA-GCMS-011</td> </tr> <tr> <td>Analyzed Date:</td> <td colspan="6">01/27/25 10:53:07</td> </tr> <tr> <td>Dilution:</td> <td colspan="6">250</td> </tr> <tr> <td>Reagent:</td> <td colspan="6">012225.R51; 081023.01; 010725.R16; 010825.R35</td> </tr> <tr> <td>Consumables:</td> <td colspan="6">2240626; 040724CH01; 221021DD; 17473601</td> </tr> <tr> <td>Pipette:</td> <td colspan="6">DA-080; DA-146; DA-218</td> </tr> <tr> <td colspan="8">Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td> </tr> </table>	Analyzed by:	4640, 450, 585, 1440	Weight:	1.1663g	Extraction date:	01/27/25 08:19:00	Extracted by:	3379	Analysis Method:	SOP.T.30.151A.FL, SOP.T.40.151.FL						Analytical Batch:	DA082574VOL						Instrument Used:	DA-GCMS-011						Analyzed Date:	01/27/25 10:53:07						Dilution:	250						Reagent:	012225.R51; 081023.01; 010725.R16; 010825.R35						Consumables:	2240626; 040724CH01; 221021DD; 17473601						Pipette:	DA-080; DA-146; DA-218						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																														
Analyzed by:	4640, 450, 585, 1440	Weight:	1.1663g	Extraction date:	01/27/25 08:19:00	Extracted by:	3379																																																																																																																																																																																																																																																																														
Analysis Method:	SOP.T.30.151A.FL, SOP.T.40.151.FL																																																																																																																																																																																																																																																																																				
Analytical Batch:	DA082574VOL																																																																																																																																																																																																																																																																																				
Instrument Used:	DA-GCMS-011																																																																																																																																																																																																																																																																																				
Analyzed Date:	01/27/25 10:53:07																																																																																																																																																																																																																																																																																				
Dilution:	250																																																																																																																																																																																																																																																																																				
Reagent:	012225.R51; 081023.01; 010725.R16; 010825.R35																																																																																																																																																																																																																																																																																				
Consumables:	2240626; 040724CH01; 221021DD; 17473601																																																																																																																																																																																																																																																																																				
Pipette:	DA-080; DA-146; DA-218																																																																																																																																																																																																																																																																																				
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																					
IMAZALIL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND																																																																																																																																																																																																																																																																																
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
MALATHION	0.010	ppm	0.2	PASS	ND																																																																																																																																																																																																																																																																																
METALAXYL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
METHIACARB	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
METHOMYL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
MEVINPHOS	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND																																																																																																																																																																																																																																																																																
NALED	0.010	ppm	0.25	PASS	ND																																																																																																																																																																																																																																																																																

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/27/25



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-001
Harvest/Lot ID: 5276459800833024
Batch# : 5276459800833024 Sample Size Received : 9 units
Sampled : 01/23/25 Total Amount : 1791.00 units
Ordered : 01/23/25 Completed : 01/27/25 Expires: 01/27/26
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------


Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	30000	PASS	100000

Analyzed by: 4531, 4520, 585, 1440 **Weight:** 0.989g **Extraction date:** 01/24/25 10:35:55 **Extracted by:** 4520,4044
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA082561MIC
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366
Batch Date : 01/24/25 07:33:53
Analyzed Date : 01/27/25 08:18:37
Dilution : 10
Reagent : 011025.01; 011025.04; 011525.R47; 080724.10
Consumables : 7580001008
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 1.1663g **Extraction date:** 01/27/25 08:19:00 **Extracted by:** 3379
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA082575MYC
Instrument Used : DA-LCMS-004 (MYC) **Batch Date :** 01/24/25 09:31:15
Analyzed Date : 01/27/25 09:30:55
Dilution : 250
Reagent : 012225.R51; 081023.01
Consumables : 2240626; 040724CH01; 221021DD
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

		Heavy Metals	PASSED		
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.08	ppm	ND	PASS	1.1
CADMIUM	0.02	ppm	<0.100	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2768g **Extraction date:** 01/24/25 10:16:50 **Extracted by:** 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA082576HEA
Instrument Used : DA-ICPMS-004 **Batch Date :** 01/24/25 09:31:26
Analyzed Date : 01/27/25 09:23:45
Dilution : 50
Reagent : 122024.R10; 112624.R32; 012125.R27; 012325.R19; 012125.R25; 012125.R26; 120324.07; 012125.R24
Consumables : 040724CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-216

Analyzed by: 4531, 1879, 4777, 585, 1440 **Weight:** 0.989g **Extraction date:** 01/24/25 10:35:55 **Extracted by:** 4520,4044
Analysis Method : SOP.T.40.209.FL
Analytical Batch : DA082562TYM
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] **Batch Date :** 01/24/25 07:39:03
Analyzed Date : 01/27/25 08:21:07
Dilution : 10
Reagent : 011025.01; 011025.04; 110724.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-001
Harvest/Lot ID: 5276459800833024
Batch# : 5276459800833024 Sample Size Received : 9 units
Sampled : 01/23/25 Total Amount : 1791.00 units
Ordered : 01/23/25 Completed : 01/27/25 Expires: 01/27/26
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.5	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/25/25 19:55:45	Extracted by: 1879			Analyzed by: 4512, 1879, 585, 1440	Weight: 0.507g	Extraction date: 01/24/25 15:41:19	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA082660FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/25/25 20:25:26 Batch Date : 01/25/25 19:40:56						Analysis Method : SOP.T.40.021 Analytical Batch : DA082592MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 01/27/25 09:23:11 Batch Date : 01/24/25 10:41:43					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 020124.02; 092520.50 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.454	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.525g	Extraction date: 01/24/25 16:24:46	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA082593WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 01/26/25 10:44:41 Batch Date : 01/24/25 10:42:38					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

