



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50123011-008



Jan 28, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

19.770%

Total THC/Container : 2767.800 mg



Total CBD

0.055%

Total CBD/Container : 7.700 mg



Total Cannabinoids

23.011%

Total Cannabinoids/Container : 3221.540 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.491	21.983	ND	0.063	<0.010	0.058	0.355	ND	ND	ND	0.061
mg/unit	68.74	3077.62	ND	8.82	<1.40	8.12	49.70	ND	ND	ND	8.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 585, 1440

Weight:
0.2102g

Extraction date:
01/24/25 11:13:49

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082572POT

Instrument Used : DA-LC-002

Analyzed Date : 01/28/25 08:42:59

Batch Date : 01/24/25 09:13:27

Dilution : 400

Reagent : 012225.R29; 010825.48; 011325.R04

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
01/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50123011-008
Harvest/Lot ID: 7090115324127178

Batch# : 7090115324127178 Sample Size Received : 4 units
Sampled : 01/23/25 Total Amount : 632 units
Ordered : 01/23/25 Completed : 01/28/25 Expires: 01/28/26
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	153.44	1.096		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	50.40	0.360		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	22.26	0.159		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	19.88	0.142		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	15.96	0.114		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	7.42	0.053		BETA-MYRCENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	7.28	0.052		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-PINENE	0.007	7.00	0.050		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	7.00	0.050		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FARNESENE	0.001	6.72	0.048		4451, 585, 1440	1.0388g	01/24/25 12:49:48	4451	
ALPHA-BISABOLOL	0.007	6.72	0.048		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	2.80	0.020		Analytical Batch : DA002567TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-004				
BORNEOL	0.013	ND	ND		Analyzed Date : 01/27/25 09:29:13				Batch Date : 01/24/25 08:44:51
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 032524.14				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.096						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED


Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-008
Harvest/Lot ID: 7090115324127178

Batch# : 7090115324127178 Sample Size Received : 4 units
Sampled : 01/23/25 Total Amount : 632 units
Ordered : 01/23/25 Completed : 01/28/25 Expires: 01/28/26
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.892g Extraction date: 01/27/25 08:19:00 Extracted by: 3379					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082573PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/27/25 11:05:10					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 012225.R51; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 2240626; 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 585, 1440 Weight: 0.892g Extraction date: 01/27/25 08:19:00 Extracted by: 3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082574VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/27/25 10:53:11					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 012225.R51; 081023.01; 010725.R16; 010825.R35					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 2240626; 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-008
Harvest/Lot ID: 7090115324127178
Batch# : 7090115324127178 Sample Size Received : 4 units
Sampled : 01/23/25 Total Amount : 632 units
Ordered : 01/23/25 Completed : 01/28/25 Expires: 01/28/26
Sample Method : SOP.T.20.010

Page 4 of 5

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 585, 1440 Weight: 0.892g Extraction date: 01/27/25 08:19:00 Extracted by: 3379					
TOTAL YEAST AND MOLD	10	CFU/g	1000	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082575MYC Instrument Used : DA-LCMS-004 (MYC) Batch Date : 01/24/25 09:31:15 Analyzed Date : 01/27/25 09:30:59					
Analyzed by: 4531, 4520, 585, 1440 Weight: 1.055g Extraction date: 01/24/25 10:35:56 Extracted by: 4520, 4044						Dilution : 250 Reagent : 012225.R51; 081023.01 Consumables : 2240626; 040724CH01; 221021DD Pipette : N/A					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082561MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366 Analyzed Date : 01/27/25 08:18:42						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : 10 Reagent : 011025.01; 011025.04; 011525.R47; 080724.10 Consumables : 7580001008 Pipette : N/A						Heavy Metals PASSED					
Analyzed by: 4531, 1879, 4777, 585, 1440 Weight: 1.055g Extraction date: 01/24/25 10:35:56 Extracted by: 4520, 4044						Metal	LOD	Units	Result	Pass / Fail	Action Level
Analysis Method : SOP.T.40.209.FL Analytical Batch : DA082562TYM Instrument Used : Incubator (25°C) DA-328 [calibrated with DA-382] Batch Date : 01/24/25 07:39:03 Analyzed Date : 01/27/25 08:21:22						TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
Dilution : 10 Reagent : 011025.01; 011025.04; 110724.R13 Consumables : N/A Pipette : N/A						ARSENIC	0.020	ppm	<0.100	PASS	0.2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						CADMIUM	0.020	ppm	ND	PASS	0.2
						MERCURY	0.020	ppm	ND	PASS	0.2
						LEAD	0.020	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 1440 Weight: 0.2169g Extraction date: 01/24/25 10:21:25 Extracted by: 4056					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082576HEA Instrument Used : DA-ICPMS-004 Batch Date : 01/24/25 09:31:26 Analyzed Date : 01/27/25 09:23:49					
						Dilution : 50 Reagent : 122024.R10; 112624.R32; 012125.R27; 012325.R19; 012125.R25; 012125.R26; 120324.07; 012125.R24 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/28/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50123011-008

Harvest/Lot ID: 7090115324127178

Batch# : 7090115324127178

Sampled : 01/23/25

Ordered : 01/23/25

Sample Size Received : 4 units

Total Amount : 632 units

Completed : 01/28/25 Expires: 01/28/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.3	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 01/25/25 19:55:46	Extracted by: 1879			Analyzed by: 4512, 585, 1440	Weight: 0.503g	Extraction date: 01/24/25 15:41:20	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA082660FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/25/25 20:25:22						Analysis Method : SOP.T.40.021 Analytical Batch : DA082592MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 01/26/25 10:43:32					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 020124.02; 092520.50 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.563	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.536g	Extraction date: 01/24/25 16:25:19	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA082593WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 01/26/25 10:44:46					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/28/25