



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50127005-003


Production Method: Other - Not Listed

Harvest/Lot ID: 6912400808915341

Batch#: 6912400808915341

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1166294694043629

Harvest Date: 01/22/25

Sample Size Received: 3 units

Total Amount: 376 units

Retail Product Size: 14 gram

Retail Serving Size: 14 gram

Servings: 1

Ordered: 01/27/25

Sampled: 01/27/25

Completed: 01/30/25

Sampling Method: SOP.T.20.010

Jan 30, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
 NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
PASSED

 Terpenes
PASSED

MISC.


Cannabinoid
PASSED

Total THC
19.526%

Total THC/Container : 2733.640 mg


Total CBD
0.036%

Total CBD/Container : 5.040 mg


Total Cannabinoids
23.122%

Total Cannabinoids/Container : 3237.080 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.465	21.735	ND	0.042	0.019	0.113	0.689	ND	ND	ND	0.059
mg/unit	65.10	3042.90	ND	5.88	2.66	15.82	96.46	ND	ND	ND	8.26
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 3605, 3379, 585, 1440

 Weight:
 0.2085g

 Extraction date:
 01/28/25 11:48:49

 Extracted by:
 3605, 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082711POT

Instrument Used : DA-LC-001

Analyzed Date : 01/29/25 10:04:39

Batch Date : 01/28/25 10:12:56

Dilution : 400

Reagent : 012825.R18; 010825.48; 012825.R17

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Slurricrasher (H)
Slurricrasher (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50127005-003

Harvest/Lot ID: 6912400808915341

Batch# : 6912400808915341

Sampled : 01/27/25

Ordered : 01/27/25

Sample Size Received : 3 units

Total Amount : 376 units

Completed : 01/30/25 Expires: 01/30/26

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	188.44	1.346		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	54.60	0.390		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	44.94	0.321		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	19.46	0.139		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	16.80	0.120		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	10.64	0.076		ALPHA-TERPINOLENE	0.007	ND	ND	
OCIMENE	0.007	9.94	0.071		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	7.98	0.057		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	7.98	0.057		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	7.14	0.051		4451, 3379, 585, 1440	1.01g	01/28/25 11:59:03	4451	
BETA-MYRCENE	0.007	5.88	0.042		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	3.08	0.022		Analytical Batch : DA002714TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-004				
BORNEOL	0.013	ND	ND		Analyzed Date : 01/29/25 10:04:43				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 032524.14				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.346						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Slurricrasher (H)

Slurricrasher (H)

Matrix : Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50127005-003

Harvest/Lot ID: 6912400808915341

Batch# : 6912400808915341

Sampled : 01/27/25

Ordered : 01/27/25

Sample Size Received : 3 units

Total Amount : 376 units

Completed : 01/30/25 Expires: 01/30/26

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	0.8746g	Extraction date:	01/28/25 15:39:26
DICHLORVOS	0.010	ppm	0.1	PASS	ND					Extracted by:	3621,450,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA082694PES				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-005 (PES)			Batch Date :	01/28/25 08:43:35
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/29/25 12:49:32				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent :	012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	0.8746g	Extraction date:	01/28/25 15:39:26
IMAZALIL	0.010	ppm	0.1	PASS	ND					Extracted by:	3621,450,3379
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA082696VOL				
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used :	DA-GCMS-001			Batch Date :	01/28/25 08:45:03
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	01/29/25 12:47:04				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent :	012725.R03; 081023.01; 010725.R16; 010825.R35				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD; 040724CH01; 17473601				
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
01/30/25



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA50127005-003

Harvest/Lot ID: 6912400808915341

Batch# : 6912400808915341

Sampled : 01/27/25

Ordered : 01/27/25


Sample Size Received : 3 units


Total Amount : 376 units


Completed : 01/30/25 Expires: 01/30/26

Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																													
<table><tr><td>Analyzed by: 4777, 3379, 585, 1440</td><td>Weight: 0.947g</td><td>Extraction date: 01/28/25 10:02:20</td><td>Extracted by: 4777,4520</td></tr></table>	Analyzed by: 4777, 3379, 585, 1440	Weight: 0.947g	Extraction date: 01/28/25 10:02:20	Extracted by: 4777,4520																																														
Analyzed by: 4777, 3379, 585, 1440	Weight: 0.947g	Extraction date: 01/28/25 10:02:20	Extracted by: 4777,4520																																															
<p>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082685MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366 Analyzed Date : 01/29/25 12:39:42</p> <p>Dilution : 10 Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 011525.R47; 093024.01 Consumables : 7580001029 Pipette : N/A</p>			<p>Batch Date : 01/28/25 08:31:47</p>																																															
<table><tr><td>Analyzed by: 4777, 4531, 585, 1440</td><td>Weight: 0.947g</td><td>Extraction date: 01/28/25 10:02:20</td><td>Extracted by: 4777,4520</td></tr></table>	Analyzed by: 4777, 4531, 585, 1440	Weight: 0.947g	Extraction date: 01/28/25 10:02:20	Extracted by: 4777,4520																																														
Analyzed by: 4777, 4531, 585, 1440	Weight: 0.947g	Extraction date: 01/28/25 10:02:20	Extracted by: 4777,4520																																															
<p>Analysis Method : SOP.T.40.209.FL Analytical Batch : DA082686TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 01/30/25 12:35:49</p> <p>Dilution : 10 Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 110724.R13 Consumables : N/A Pipette : N/A</p>																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																	
<table><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 0.8746g</td><td>Extraction date: 01/28/25 15:39:26</td><td>Extracted by: 3621,450,3379</td></tr></table>	Analyzed by: 3621, 585, 1440	Weight: 0.8746g	Extraction date: 01/28/25 15:39:26	Extracted by: 3621,450,3379																																		
Analyzed by: 3621, 585, 1440	Weight: 0.8746g	Extraction date: 01/28/25 15:39:26	Extracted by: 3621,450,3379																																			
<p>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082695MYC Instrument Used : N/A Analyzed Date : 01/29/25 08:11:19</p> <p>Batch Date : 01/28/25 08:45:01</p> <p>Dilution : 250 Reagent : 012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219</p>																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																	
ARSENIC	0.020	ppm	ND	PASS	0.2																																	
CADMIUM	0.020	ppm	ND	PASS	0.2																																	
MERCURY	0.020	ppm	ND	PASS	0.2																																	
LEAD	0.020	ppm	ND	PASS	0.5																																	
<table><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2524g</td><td>Extraction date: 01/28/25 10:34:55</td><td>Extracted by: 1022,4056</td></tr></table>	Analyzed by: 1022, 585, 1440	Weight: 0.2524g	Extraction date: 01/28/25 10:34:55	Extracted by: 1022,4056																																		
Analyzed by: 1022, 585, 1440	Weight: 0.2524g	Extraction date: 01/28/25 10:34:55	Extracted by: 1022,4056																																			
<p>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082702HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 01/29/25 09:17:07</p> <p>Batch Date : 01/28/25 09:51:31</p> <p>Dilution : 50 Reagent : 122024.R10; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216</p>																																						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Slurricrasher (H)
Slurricrasher (H)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50127005-003

Harvest/Lot ID: 6912400808915341

Batch# : 6912400808915341

Sampled : 01/27/25

Ordered : 01/27/25

Sample Size Received : 3 units

Total Amount : 376 units

Completed : 01/30/25 Expires: 01/30/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	11.9	PASS	15
Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 01/30/25 08:51:03	Extracted by: N/A			Analyzed by: 4512, 585, 1440	Weight: 0.506g	Extraction date: 01/28/25 11:49:45	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA082748FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/29/25 15:25:45						Analysis Method : SOP.T.40.021 Analytical Batch : DA082705MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:02:01 Moisture Analyzer Analyzed Date : 01/29/25 08:06:49					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.821g	Extraction date: 01/28/25 11:32:54	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA082706WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 01/28/25 10:02:18		
Analyzed Date : 01/29/25 08:05:05					
Dilution : N/A					
Reagent : 101724.36					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/25