



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50127005-005


**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 4070685809271975

**Batch#:** 4070685809271975

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 7861395725105486

**Harvest Date:** 01/22/25

**Sample Size Received:** 9 units

**Total Amount:** 2178 units

**Retail Product Size:** 3.5 gram

**Retail Serving Size:** 3.5 gram

**Servings:** 1

**Ordered:** 01/27/25

**Sampled:** 01/27/25

**Completed:** 01/30/25

**Sampling Method:** SOP.T.20.010

Jan 30, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
 NOT TESTED

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

 Terpenes  
**PASSED**

### MISC.


**Cannabinoid**
**PASSED**

**Total THC**  
**23.646%**

Total THC/Container : 827.610 mg


**Total CBD**  
**0.063%**

Total CBD/Container : 2.205 mg


**Total Cannabinoids**  
**27.802%**

Total Cannabinoids/Container : 973.070 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.317	26.601	ND	0.072	0.035	0.130	0.553	ND	0.035	ND	0.059
mg/unit	11.10	931.04	ND	2.52	1.23	4.55	19.36	ND	1.23	ND	2.07
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 3379, 585, 1440

 Weight:  
 0.2025g

 Extraction date:  
 01/28/25 11:47:31

 Extracted by:  
 3605,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082712POT

Instrument Used : DA-LC-002

Analyzed Date : 01/29/25 10:04:54

Batch Date : 01/28/25 10:14:20

Dilution : 400

Reagent : 012225.R29; 010825.48; 012825.R16

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 01/30/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dark Rnbw (S)  
Dark Rnbw (S)  
Matrix : Flower  
Type: Flower-Cured-Big



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50127005-005  
Harvest/Lot ID: 4070685809271975

Batch# : 4070685809271975 Sample Size Received : 9 units  
Sampled : 01/27/25 Total Amount : 2178 units  
Ordered : 01/27/25 Completed : 01/30/25 Expires: 01/30/26  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	67.13	1.918		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	17.99	0.514		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.26	0.436		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	8.47	0.242		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.30	0.180		ALPHA-TERPINENE	0.007	ND	ND	
GUAIOL	0.007	3.22	0.092		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	3.22	0.092		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	2.98	0.085		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.87	0.082		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	2.03	0.058		4451, 3379, 585, 1440	1.0202g	01/28/25 11:59:03	4451	
ALPHA-PINENE	0.007	1.89	0.054		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	1.86	0.053		Analytical Batch : DA002714TER				
TRANS-NEROLIDOL	0.005	1.05	0.030		Instrument Used : DA-GCMS-004			Batch Date : 01/28/25 10:33:44	
3-CARENE	0.007	ND	ND		Analyzed Date : 01/29/25 14:17:57				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 032524.14				
CAMPHOR	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.918						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dark Rnbw (S)  
Dark Rnbw (S)  
Matrix : Flower  
Type: Flower-Cured-Big



# Certificate of Analysis

**PASSED**


Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50127005-005  
Harvest/Lot ID: 4070685809271975

Batch# : 4070685809271975 Sample Size Received : 9 units  
Sampled : 01/27/25 Total Amount : 2178 units  
Ordered : 01/27/25 Completed : 01/30/25 Expires: 01/30/26  
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 3379, 585, 1440	Weight: 0.9335g	Extraction date: 01/28/25 15:39:27	Extracted by: 3621,450,3379		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082694PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)			Batch Date : 01/28/25 08:43:35		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/29/25 12:49:35					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 3379, 585, 1440	Weight: 0.9335g	Extraction date: 01/28/25 15:39:27	Extracted by: 3621,450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082696VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 01/28/25 08:45:03		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/29/25 12:47:05					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 012725.R03; 081023.01; 010725.R16; 010825.R35					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 221021DD; 040724CH01; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

  
Signature  
01/30/25



Cresco Premium Flower 3.5g - Dark Rnbw (S)  
Dark Rnbw (S)  
Matrix : Flower  
Type: Flower-Cured-Big






# PASSED

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
**Telephone:** (772) 631-0257  
**Email:** [Julio.Chavez@crescolabs.com](mailto:Julio.Chavez@crescolabs.com)

Sample : DA50127005-005  
Harvest/Lot ID: 4070685809271975  
Batch#: 4070685809271975  
Sampled : 01/27/25  
Ordered : 01/27/25

Sample Size Received : 9 units  
Total Amount : 2178 units  
Completed : 01/30/25 Expires: 01/30/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>30</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA082685MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366</td><td></td><td></td><td></td><td>Batch Date : 01/28/25 08:30:23</td><td></td></tr><tr><td>Analysis Date : 01/29/25 12:39:43</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 011525.R47; 093024.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7580001029</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA082686TYM</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</td><td></td><td></td><td></td><td>Batch Date : 01/28/25 08:31:47</td><td></td></tr><tr><td>Analysis Date : 01/30/25 12:35:50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 110724.R13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA082685MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366				Batch Date : 01/28/25 08:30:23		Analysis Date : 01/29/25 12:39:43						Dilution : 10						Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 011525.R47; 093024.01						Consumables : 7580001029						Pipette : N/A						Analysis Method : SOP.T.40.209.FL						Analytical Batch : DA082686TYM						Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 01/28/25 08:31:47		Analysis Date : 01/30/25 12:35:50						Dilution : 10						Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 110724.R13						Consumables : N/A						Pipette : N/A						Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							<h1>Mycotoxins</h1>	<h2>PASSED</h2>
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																				
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																					
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																					
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																					
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																					
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																					
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																					
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000																																																																																																																																																				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																									
Analytical Batch : DA082685MIC																																																																																																																																																									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366				Batch Date : 01/28/25 08:30:23																																																																																																																																																					
Analysis Date : 01/29/25 12:39:43																																																																																																																																																									
Dilution : 10																																																																																																																																																									
Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 011525.R47; 093024.01																																																																																																																																																									
Consumables : 7580001029																																																																																																																																																									
Pipette : N/A																																																																																																																																																									
Analysis Method : SOP.T.40.209.FL																																																																																																																																																									
Analytical Batch : DA082686TYM																																																																																																																																																									
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 01/28/25 08:31:47																																																																																																																																																					
Analysis Date : 01/30/25 12:35:50																																																																																																																																																									
Dilution : 10																																																																																																																																																									
Reagent : 011025.06; 011025.08; 011025.09; 111524.92; 110724.R13																																																																																																																																																									
Consumables : N/A																																																																																																																																																									
Pipette : N/A																																																																																																																																																									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Date : 01/29/25 08:11:20</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Weight: 0.9335g</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Extraction date: 01/28/25 15:39:27</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Extracted by: 3621,450,3379</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA082695MYC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : N/A</td><td></td><td></td><td></td><td>Batch Date : 01/28/25 08:45:01</td><td></td></tr><tr><td>Dilution : 250</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 221021DD</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-093; DA-094; DA-219</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analysis Date : 01/29/25 08:11:20						Weight: 0.9335g						Extraction date: 01/28/25 15:39:27						Extracted by: 3621,450,3379						Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL						Analytical Batch : DA082695MYC						Instrument Used : N/A				Batch Date : 01/28/25 08:45:01		Dilution : 250						Reagent : 012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01						Consumables : 221021DD						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																										
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																				
Analysis Date : 01/29/25 08:11:20																																																																																																																																																									
Weight: 0.9335g																																																																																																																																																									
Extraction date: 01/28/25 15:39:27																																																																																																																																																									
Extracted by: 3621,450,3379																																																																																																																																																									
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL																																																																																																																																																									
Analytical Batch : DA082695MYC																																																																																																																																																									
Instrument Used : N/A				Batch Date : 01/28/25 08:45:01																																																																																																																																																					
Dilution : 250																																																																																																																																																									
Reagent : 012725.R02; 012325.R01; 012725.R03; 012325.R05; 102124.R08; 012225.R02; 081023.01																																																																																																																																																									
Consumables : 221021DD																																																																																																																																																									
Pipette : DA-093; DA-094; DA-219																																																																																																																																																									
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																									
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Date : 01/29/25 09:17:08</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Weight: 0.2361g</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Extraction date: 01/28/25 10:38:08</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Extracted by: 1022,4056</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA082702HEA</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : DA-ICPMS-004</td><td></td><td></td><td></td><td>Batch Date : 01/28/25 09:51:31</td><td></td></tr><tr><td>Dilution : 50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 122024.R10; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 040724CH01; J609879-0193; 179436</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-061; DA-191; DA-216</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analysis Date : 01/29/25 09:17:08						Weight: 0.2361g						Extraction date: 01/28/25 10:38:08						Extracted by: 1022,4056						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA082702HEA						Instrument Used : DA-ICPMS-004				Batch Date : 01/28/25 09:51:31		Dilution : 50						Reagent : 122024.R10; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24						Consumables : 040724CH01; J609879-0193; 179436						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																																																				
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																																																				
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																																																				
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																																																				
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																																																				
Analysis Date : 01/29/25 09:17:08																																																																																																																																																									
Weight: 0.2361g																																																																																																																																																									
Extraction date: 01/28/25 10:38:08																																																																																																																																																									
Extracted by: 1022,4056																																																																																																																																																									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																									
Analytical Batch : DA082702HEA																																																																																																																																																									
Instrument Used : DA-ICPMS-004				Batch Date : 01/28/25 09:51:31																																																																																																																																																					
Dilution : 50																																																																																																																																																									
Reagent : 122024.R10; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24																																																																																																																																																									
Consumables : 040724CH01; J609879-0193; 179436																																																																																																																																																									
Pipette : DA-061; DA-191; DA-216																																																																																																																																																									
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dark Rnbw (S)  
Dark Rnbw (S)  
Matrix : Flower  
Type: Flower-Cured-Big



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50127005-005

Harvest/Lot ID: 4070685809271975

Batch# : 4070685809271975

Sampled : 01/27/25

Ordered : 01/27/25

Sample Size Received : 9 units

Total Amount : 2178 units

Completed : 01/30/25 Expires: 01/30/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	14.0	PASS	15
Analyzed by: 1879, 3379, 585, 1440	Weight: 1g	Extraction date: 01/30/25 08:51:03			Extracted by: N/A	Analyzed by: 4512, 585, 3379, 1440	Weight: 0.502g	Extraction date: 01/28/25 11:49:45			Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA082748FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/29/25 15:25:46 Batch Date : 01/29/25 09:26:37						Analysis Method : SOP.T.40.021 Analytical Batch : DA082705MOI Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 10:02:01 Moisture Analyzer Analyzed Date : 01/29/25 15:23:26 Batch Date : 01/28/25 10:02:01					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.490	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.883g	Extraction date: 01/28/25 11:32:54			Extracted by: 4512
Analysis Method : SOP.T.40.019 Analytical Batch : DA082706WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 01/29/25 08:05:06 Batch Date : 01/28/25 10:02:18					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/25