



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50130006-001


Production Method: Other - Not Listed

Harvest/Lot ID: 3565169279312085

Batch#: 3565169279312085

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 0662406355104618

Harvest Date: 01/21/25

Sample Size Received: 16 units

Total Amount: 1302 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 01/29/25

Sampled: 01/30/25

Completed: 02/01/25

Sampling Method: SOP.T.20.010

Feb 01, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filth
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
PASSED

MISC.


Cannabinoid
PASSED

Total THC
83.212%

Total THC/Container : 832.120 mg


Total CBD
0.215%

Total CBD/Container : 2.150 mg


Total Cannabinoids
87.753%

Total Cannabinoids/Container : 877.530 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.169	0.050	0.185	0.035	ND	2.812	ND	0.938	0.410	ND	0.154
mg/unit	831.69	0.50	1.85	0.35	ND	28.12	ND	9.38	4.10	ND	1.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1099g

 Extraction date:
 01/30/25 13:41:30

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA082784POT

Instrument Used : DA-LC-007

Analyzed Date : 01/31/25 12:46:24

Batch Date : 01/30/25 11:06:47

Dilution : 400

Reagent : 012825.R19; 010825.48; 011325.R09

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 02/01/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50130006-001
Harvest/Lot ID: 3565169279312085

Batch# : 3565169279312085 Sample Size Received : 16 units
Sampled : 01/30/25 Total Amount : 1302 units
Ordered : 01/30/25 Completed : 02/01/25 Expires: 02/01/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.40	1.640		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	6.14	0.614		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.02	0.302		ALPHA-TERPINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.95	0.195		ALPHA-TERPINEOL	0.007	ND	ND	
BETA-PINENE	0.007	1.43	0.143		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	1.36	0.136		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	0.85	0.085		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.85	0.085		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-HUMULENE	0.007	0.44	0.044						
FARNESENE	0.007	0.36	0.036		Analysis by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.007	ND	ND		4451, 585, 1440	0.2008g	01/30/25 12:20:05	4451	
BORNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	ND	ND		Analytical Batch : DA002780TER				
CAMPHOR	0.007	ND	ND		Instrument Used : DA-GCMS-009				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Analyzed Date : 02/01/25 16:38:51				
CEDROL	0.007	ND	ND		Dilution : 10				
EUCALYPTOL	0.007	ND	ND		Reagent : 032524.14				
FENCHONE	0.007	ND	ND		Consumables : 947.110; 04402004; 2240626; 0000355309				
FENCHYL ALCOHOL	0.007	ND	ND		Pipette : DA-065				
GERANIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENENE	0.007	ND	ND						
Total (%)			1.640						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50130006-001
Harvest/Lot ID: 3565169279312085

Batch# : 3565169279312085 Sample Size Received : 16 units
Sampled : 01/30/25 Total Amount : 1302 units
Ordered : 01/30/25 Completed : 02/01/25 Expires: 02/01/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.2672g	Extraction date: 01/30/25 13:30:02	Extracted by: 4640,3379		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082786PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/31/25 11:39:16					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 25					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 012925.R44; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 221021DD					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2672g	Extraction date: 01/30/25 13:30:02	Extracted by: 4640,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082789VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/31/25 10:15:14					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 25					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 012925.R44; 081023.01; 012825.R39; 012825.R40					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 040724CH01; 221021DD; 17473601					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50130006-001
Harvest/Lot ID: 3565169279312085

Batch# : 3565169279312085 Sample Size Received : 16 units
Sampled : 01/30/25 Total Amount : 1302 units
Ordered : 01/30/25 Completed : 02/01/25 Expires: 02/01/26
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0258g	Extraction date: 01/31/25 15:20:38	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA082803SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 01/31/25 16:21:37

Batch Date : 01/30/25 17:51:13

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Mng

Mango

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50130006-001
Harvest/Lot ID: 3565169279312085

Batch# : 3565169279312085 Sample Size Received : 16 units
Sampled : 01/30/25 Total Amount : 1302 units
Ordered : 01/30/25 Completed : 02/01/25 Expires: 02/01/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS		Analyzed by: 3621, 585, 1440		Weight: 0.2672g	Extraction date: 01/30/25 13:30:02		Extracted by: 4640,3379									
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL														
Analyzed by: 4571, 4531, 585, 1440		Weight: 1.123g	Extraction date: 01/30/25 11:30:42		Extracted by: 4044,4520		Analytical Batch : DA082788MYC		Batch Date : 01/30/25 11:19:17												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							Instrument Used : DA-LCMS-005 (MYC)														
Analytical Batch : DA082781MIC							Analyzed Date : 01/31/25 11:38:22														
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-013,Fisher Scientific Isotemp Heat Block (95°C)		Batch Date : 01/30/25 10:50:19					Dilution : 25														
DA-049,Fisher Scientific Isotemp Heat Block (55°C)		DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366					Reagent : 012925.R44; 081023.01														
Analyzed Date : 01/31/25 11:29:48							Consumables : 040724CH01; 221021DD														
Dilution : 10							Pipette : N/A														
Reagent : 011025.08; 011025.09; 011525.R47; 093024.01							Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.														
Consumables : 7577004071																					
Pipette : N/A																					
Analyzed by: 4571, 4531, 585, 1440		Weight: 1.123g	Extraction date: 01/30/25 11:30:42		Extracted by: 4044,4520																
Analysis Method : SOP.T.40.209.FL																					
Analytical Batch : DA082782TYM																					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]		Batch Date : 01/30/25 10:52:21																			
Analyzed Date : 02/01/25 16:33:32																					
Dilution : 10																					
Reagent : 011025.08; 011025.09; 110724.R13																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED							
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2		
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2		
LEAD	0.020	ppm	ND	PASS	0.5								
Analyzed by: 1022, 585, 1440		Weight: 0.2098g	Extraction date: 01/30/25 12:50:47		Extracted by: 1022,4056								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							Analytical Batch : DA082777HEA						
Instrument Used : DA-ICPMS-004							Batch Date : 01/30/25 09:52:48						
Analyzed Date : 01/31/25 10:10:30							Dilution : 50						
Reagent : 012925.R32; 112624.R32; 012725.R07; 012325.R19; 012725.R05; 012725.R06; 120324.07; 012125.R24							Consumables : 040724CH01; J609879-0193; 179436						
Pipette : DA-061; DA-191; DA-216							Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Mng
Mango
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50130006-001

Harvest/Lot ID: 3565169279312085

Batch# : 3565169279312085

Sampled : 01/30/25

Ordered : 01/30/25

Sample Size Received : 16 units

Total Amount : 1302 units

Completed : 02/01/25 Expires: 02/01/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/01/25 11:56:56	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA082871FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/01/25 10:37:35

Analyzed Date : 02/01/25 14:32:04

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.449	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.349g	Extraction date: 01/30/25 15:02:50	Extracted by: 4512
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA082764WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 01/30/25 09:05:56

Analyzed Date : 01/31/25 09:04:28

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/25