

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

SUNNYSIDE

Laboratory Sample ID: DA50131013-003

**Certificate of Analysis** 

**Kaycha Labs** 

Supply Shake 14g - Glto Mnts (I) Glto Mnts (I) Matrix: Flower Classification: High THC



Type: Flower-Cured Production Method: Other - Not Listed Harvest/Lot ID: 6418154657290541 Batch#: 6418154657290541 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 3588204567108858 Harvest Date: 01/24/25 Sample Size Received: 5 units Total Amount: 865 units Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Ordered: 01/31/25 Sampled: 01/31/25

Completed: 02/04/25 Sampling Method: SOP.T.20.010

## PASSED

22205 Sw M		Sunnysic	le		Sunn	ysic		ges 1 of 5	PASSED			
SAFETY R	ESULTS								MISC.			
Pesticio PASS	des Hea	Hg vy Metals ASSED	Microbials PASSED	کپ Mycotoxins <b>PASSED</b>	Residuals Solvents NOT TESTED	Filth PASSED	Water Activity PASSED	Moisture PASSED	Terpenes PASSED			
Ä	ដំ Cannabinoid PASSED											
~	✓ Total T	HC/Container : :	3236.940 mg		Total CBD/Containe	r : 6.860 mg	V V Total mg	Cannabinoids/Con	tainer : 3823.260			
% mg/unit LOD	D9-тнс 0.869 121.66 0.001 %	тнса 25.373 3552.22 0.001 %	CBD ND ND	0.057 N 7.98 N	в-тнс сва ID 0.064 ID 8.96 .001 0.001	CBGA 0.870 121.80 0.001 %	CBN THCV ND ND ND ND 0.001 0.001 % %	свру ND ND 0.001 %	свс 0.076 10.64 0.001 %			
Analyzed by: 3335, 1665, 337			,,,	Weight: 0.1942g	Extraction	on date: 5 11:39:15	,,	Extracted by: 3335	,			
Analytical Batch Instrument Used	I: SOP.T.40.031, SC : DA082910POT I: DA-LC-001 02/04/25 09:35:01	P.T.30.031				Batch Date : 02/03/25	07:51:49					
Consumables : 9 Pipette : DA-079	9; DA-108; DA-078	040724CH01; 0000		with UV detection in accorda	ance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/04/25



..... . . . . . . . . Supply Shake 14g - Glto Mnts (I) Glto Mnts (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA50131013-003 Harvest/Lot ID: 6418154657290541 Batch#: 6418154657290541 Sample Size Received: 5 units Sampled : 01/31/25 Ordered : 01/31/25

Total Amount : 865 units Completed : 02/04/25 Expires: 02/04/26 Sample Method : SOP.T.20.010

Page 2 of 5

Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	161.14	1.151		ALPHA-CEDRENE	0.005	ND	ND		
ETA-CARYOPHYLLENE	0.007	48.02	0.343		ALPHA-PHELLANDRENE	0.007	ND	ND		
IMONENE	0.007	30.52	0.218		ALPHA-PINENE	0.007	ND	ND		
INALOOL	0.007	24.92	0.178		ALPHA-TERPINENE	0.007	ND	ND		
LPHA-HUMULENE	0.007	14.98	0.107		ALPHA-TERPINOLENE	0.007	ND	ND		
ETA-MYRCENE	0.007	10.36	0.074		CIS-NEROLIDOL	0.003	ND	ND		
ARNESENE	0.007	9.24	0.066		GAMMA-TERPINENE	0.007	ND	ND		
LPHA-TERPINEOL	0.007	6.30	0.045		TRANS-NEROLIDOL	0.005	ND	ND		
ENCHYL ALCOHOL	0.007	6.02	0.043		Analyzed by:	Weight:	Ext	traction date:		Extracted by:
LPHA-BISABOLOL	0.007	5.88	0.042		1879, 4451, 3379, 585, 1440	1.0154g		/02/25 10:04:	35	1879,3605
ETA-PINENE	0.007	4.90	0.035		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL				
-CARENE	0.007	ND	ND		Analytical Batch : DA082889TER Instrument Used : DA-GCMS-008				02/01/25 11:46:12	
ORNEOL	0.013	ND	ND		Analyzed Date : 02/03/25 14:14:30			Batch Date	e:02/01/25 11:46:12	
AMPHENE	0.007	ND	ND		Dilution : 10					
AMPHOR	0.007	ND	ND		Reagent : N/A					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : N/A					
EDROL	0.007	ND	ND		Pipette : N/A					
UCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	atography Mass Spectro	ometry. For all I	Flower samples	i, the Total Terpenes % I	s dry-weight corrected.
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
ABINENE HYDRATE	0.007	ND	ND							
ALENCENE	0.007	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/04/25



. . . . . . . . . . . Supply Shake 14g - Glto Mnts (I) Glto Mnts (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

#### Sample : DA50131013-003 Harvest/Lot ID: 6418154657290541

Sampled : 01/31/25 Ordered : 01/31/25

Batch#: 6418154657290541 Sample Size Received: 5 units Total Amount : 865 units Completed : 02/04/25 Expires: 02/04/26 Sample Method : SOP.T.20.010

## Page 3 of 5



## **Pesticides**

resticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	< 0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
DTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
BAMECTIN B1A	0.010	P.P.	0.1	PASS	ND					PASS	
EPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1		ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
RBARYL	0.010	P.P.	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.13	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	< 0.050	PARATHION-METHYL *	0.010				
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	: E:	traction da	te:	Extract	ed by:
METHOATE	0.010		0.1	PASS	ND	3621, 3379, 585, 1440 0.99890		2/01/25 15:03		3621	,-
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.102.FL, SOP.T.40.102	.FL				
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA082880PES					
OXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date :02/01/	25 10:53:30	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/04/25 09:25:11					
NOXYCARB	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 012925.R30; 012925.R31; 013125.R07;	012025 02	0. 012025 0	01. 012025 D		
NPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 221021DD	U12825.K2	U; U12925.RI	J1; U12925.RU	JS; 081023.01	
PRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	iquid Chron	natography Tr	iple-Quadrupo	le Mass Spectron	netry in
UDIOXONIL	0.010	P.P.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		/			-
XYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weight:		traction date		Extracte	ed by:
AZALIL	0.010		0.1	PASS	ND	<b>4640, 450, 585, 1440</b> 0.9989g		/01/25 15:03	:36	3621	
IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151A.FL, SOP.T.40.15	1.FL				
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analytical Batch :DA082882VOL Instrument Used :DA-GCMS-001		Ratch D	ate:02/01/25	10.55.24	
LATHION	0.010		0.2	PASS	ND	Analyzed Date :02/03/25 11:16:42		Datel De	.UZ/U1/ZJ	10.33.24	
TALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
THIOCARB	0.010		0.1	PASS	ND	Reagent : 012925.R30; 012925.R31; 013125.R07;	012825.R2	0; 012925.R	01; 012925.R0	)3; 081023.01	
THOMYL	0.010		0.1	PASS	ND	Consumables : 221021DD					
EVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
YCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	try in
IALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Supply Shake 14g - Glto Mnts (I) Glto Mnts (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50131013-003 Harvest/Lot ID: 6418154657290541 Batch# : 6418154657290541 Sampled : 01/31/25 Total Amount : 865 units

 Sampled:
 01/31/25
 Total Amount:
 865 units

 Ordered:
 01/31/25
 Completed:
 02/04/25
 Expires:
 02/04/26

 Sample Method:
 SOP.T.20.010
 Sample Method:
 SOP.T.20.010
 Source

Page 4 of 5

(F	Micro	bial				PAS	SED	Ş	Мусс	otoxin	S			PAS	SED
Analyte		I	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Actior Level
ASPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN	B1		0.002		ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	IE .			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA				Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracte	ad by:
TOTAL YEAS	T AND MOLD		10	CFU/g	6000	PASS	100000	3621, 3379, 58	35, 1440	0.9989g		15:03:36		3621	su by:
Analyzed by: 1777, 4531, 58	5, 3379, 1440				t: Extraction da g 02/01/25 11:0				od:SOP.T.30.10 ch:DA082881M		0.102.FL				
	od : SOP.T.40.056 h : DA082862MI		40.058	.FL, SOP.T.	40.209.FL				ed : DA-LCMS-00 : 02/04/25 09:1		Ba	atch Date	: 02/01/25	5 10:55:2	3
Block (55*C) D DA-366	Block (95*C) DA- A-021,Fisher Sci : 02/04/25 11:05	entific Isot				59:18		081023.01 Consumables	925.R30; 01292 : 221021DD 93; DA-094; DA-		5.1.07, 0120.	23.1120, 0	12929.110	1, 01232.	
Dilution : 10 Reagent : 0110 Consumables : Pipette : N/A	)25.11; 011025.3 7580001013	12; 011525	5.R47;	093024.01					ting utilizing Liquid h F.S. Rule 64ER2		hy with Triple	-Quadrupol	e Mass Spe	ctrometry	in
Analyzed by: 1777, 3379, 58	5, 1440	Weight: 0.948g		action date 01/25 11:03		tracted by 71,4044,4		Hg	Heav	y Met	als		l	PAS	SE
Analytical Bate	d: SOP.T.40.209 h: DA082863TY	Μ	20 [	11		02/01/2	25 08:02:25	Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-3821	ed : Incubator (2	5"C) DA- 5	20 [Cd	indrated wit	Batch Dat	e: 02/01/2	25 06:02:23	TOTAL CON	AMINANT LOA	D METALS	0.080	ppm	ND	PASS	1.1
	: 02/04/25 09:18	3:35						ARSENIC			0.020	ppm	<0.100	PASS	0.2
ilution: 10								CADMIUM			0.020	ppm	ND	PASS	0.2
	)25.11; 011025.3	12; 110724	4.R13					MERCURY			0.020	ppm	ND	PASS	0.2
Consumables : Pipette : N/A	N/A							LEAD			0.020	ppm	<0.100	PASS	0.5
Fotal yeast and	mold testing is per		zing MP	'N and traditi	onal culture base	d technique	s in	Analyzed by: 1022, 3379, 58	35, 1440	Weight: 0.2555g	Extraction 02/02/25			Extracted 1879,102	
accordance with	F.S. Rule 64ER20-	39.						Analytical Bat Instrument Us	od:SOP.T.30.08 ch:DA082890H ed:DA-ICPMS-0 :02/04/2509:1	EA 04		h Date : 0	2/01/25 1	1:46:48	
								120324.07; 03	925.R32; 01302 L3125.R04 : 040724CH01: L			25.R19; 0	12725.R0	5; 01272	5.R06;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/04/25



. . . . . . . . . . . . . . . . . . . Supply Shake 14g - Glto Mnts (I) Glto Mnts (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

**Material** 

## **Certificate of Analysis**

Sunnyside

1000

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50131013-003 Harvest/Lot ID: 6418154657290541 Batch#: 6418154657290541 Sample Size Received: 5 units

Sampled : 01/31/25 Total Amount : 865 units Ordered : 01/31/25

PASSED

Completed : 02/04/25 Expires: 02/04/26 Sample Method : SOP.T.20.010

(\_

Moisture

Page 5 of 5

DASS	FD

Analyte Filth and Foreign M	aterial	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.0	Units %	Result 12.6	P/F PASS	Action Level 15
Analyzed by: 1879, 585, 1440	Weight: 1g		raction dat 01/25 11:5		<b>Ext</b> 18	tracted by: 79		Weight: 0.493g		xtraction 0 2/01/25 14			tracted by: 797
Analysis Method : SOP Analytical Batch : DAO Instrument Used : Filth Analyzed Date : 02/01	82871FIL n/Foreign Materi	ial Micro	oscope	Batch I	<b>Date :</b> 02/02	1/25 10:37:35	Analysis Method : SOP.T.40 Analytical Batch : DA08287 Instrument Used : DA-003 M Analyzed Date : 02/03/25 1	2MOI 4oisture A	analyze	r	Batch Dat	<b>e:</b> 02/01/2	25 10:44:30
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 0201 Consumables : N/A Pipette : DA-066	24.02					
Filth and foreign materia technologies in accordan				pection utiliz	ing naked ey	e and microscope	Moisture Content analysis utiliz	zing loss-or	n-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
( <u>()</u> ) w	later A	ctiv	ity		PA	SSED							

Analyte Water Activity	_	. <b>OD</b> ).010	<b>Units</b> aw	<b>Result</b> 0.464	P/F PASS	Action Level 0.65
Analyzed by: 4797, 585, 1440	<b>Weight:</b> 1.4443g		traction o			tracted by: 97
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- Analyzed Date : 02/03/	82873WAT 028 Rotronic Hyg	gropal	m	Batch Dat	e:02/01/2	25 10:45:42
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/04/25