



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50203001-010



**Production Method:** Cured  
**Harvest/Lot ID:** 1536648643689221  
**Batch#:** 1536648643689221  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 7346398577902386  
**Harvest Date:** 01/28/25  
**Sample Size Received:** 9 units  
**Total Amount:** 944 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Ordered:** 02/03/25  
**Sampled:** 02/03/25  
**Completed:** 02/06/25  
**Sampling Method:** SOP.T.20.010

Feb 06, 2025 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**20.589%**  
 Total THC/Container : 720.615 mg



**Total CBD**  
**0.051%**  
 Total CBD/Container : 1.785 mg



**Total Cannabinoids**  
**24.083%**  
 Total Cannabinoids/Container : 842.905 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.159	22.156	ND	0.059	ND	0.093	0.527	ND	ND	ND	0.089
mg/unit	40.57	775.46	ND	2.07	ND	3.26	18.45	ND	ND	ND	3.12
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 3379, 1440

Weight:  
0.2089g

Extraction date:  
02/04/25 11:36:49

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA082939POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 02/05/25 08:53:00

Batch Date : 02/04/25 09:26:45

Dilution : 400  
 Reagent : 012225.R29; 010825.48; 012825.R16  
 Consumables : 947.110; 04312111; 040724CH01; 0000355309  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



Signature  
 02/06/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50203001-010  
Harvest/Lot ID: 1536648643689221

Batch# : 1536648643689221 Sample Size Received : 9 units  
Sampled : 02/03/25 Total Amount : 944 units  
Ordered : 02/03/25 Completed : 02/06/25 Expires: 02/06/26  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	60.45	1.727	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	20.76	0.593	VALENCENE	0.007	ND	ND
BETA-MYRCENE	0.007	9.94	0.284	ALPHA-CEDRENE	0.005	ND	ND
ALPHA-HUMULENE	0.007	8.82	0.252	ALPHA-PHELLANDRENE	0.007	ND	ND
LIMONENE	0.007	7.35	0.210	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	4.31	0.123	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	1.89	0.054	CIS-NEROLIDOL	0.003	ND	ND
FARNESENE	0.007	1.86	0.053	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.65	0.047	Analyzed by: 4451, 3379, 1440 Weight: 1.0305g Extraction date: 02/04/25 10:57:34 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA002952TER Instrument Used : DA-GCMS-009 Analyzed Date : 02/05/25 08:53:03 Batch Date : 02/04/25 10:02:48 Dilution : 10 Reagent : 032524.12 Consumables : 947.110; 04312111; 2240626; 0000355309 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINEOL	0.007	1.02	0.029				
FENCHYL ALCOHOL	0.007	0.98	0.028				
TRANS-NEROLIDOL	0.005	0.98	0.028				
ALPHA-PINENE	0.007	0.91	0.026				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.727</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50203001-010  
Harvest/Lot ID: 1536648643689221

Batch# : 1536648643689221 Sample Size Received : 9 units  
Sampled : 02/03/25 Total Amount : 944 units  
Ordered : 02/03/25 Completed : 02/06/25 Expires: 02/06/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 3379, 1440 <b>Weight:</b> 0.8189g <b>Extraction date:</b> 02/04/25 10:52:47 <b>Extracted by:</b> 450,3621					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA082931PES <b>Instrument Used :</b> DA-LCMS-005 (PES) <b>Batch Date :</b> 02/04/25 08:55:11					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 02/05/25 08:04:01 <b>Dilution :</b> 250 <b>Reagent :</b> 020325.R01; 012925.R31; 012925.R44; 020325.R02; 012925.R01; 012925.R03; 081023.01 <b>Consumables :</b> 221021DD					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 3379, 1440 <b>Weight:</b> 0.8189g <b>Extraction date:</b> 02/04/25 10:52:47 <b>Extracted by:</b> 450,3621					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA082933VOL <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 02/04/25 08:56:18					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 02/06/25 10:34:26 <b>Dilution :</b> 250 <b>Reagent :</b> 012925.R44; 081023.01; 012825.R39; 012825.R40 <b>Consumables :</b> 221021DD; 040724CH01; 17473601					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/06/25



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50203001-010  
 Harvest/Lot ID: 1536648643689221

 Batch# : 1536648643689221 Sample Size Received : 9 units  
 Sampled : 02/03/25 Total Amount : 944 units  
 Ordered : 02/03/25 Completed : 02/06/25 Expires: 02/06/26  
 Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000
Analyzed by: 4777, 3379, 1440    Weight: 0.955g    Extraction date: 02/04/25 09:50:33    Extracted by: 4520,4777 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA082917MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 02/04/25 08:11:11 Analyzed Date : 02/05/25 11:03:38 Dilution : 10 Reagent : 011025.07; 012525.01; 011525.R47; 080724.12 Consumables : 7580001018 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3621, 3379, 1440    Weight: 0.8189g    Extraction date: 02/04/25 10:52:47    Extracted by: 450,3621 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA082932MYC Instrument Used : N/A    Batch Date : 02/04/25 08:56:17 Analyzed Date : 02/05/25 07:59:25 Dilution : 250 Reagent : 020325.R01; 012925.R31; 012925.R44; 020325.R02; 012925.R01; 012925.R03; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURIUM	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 3379, 1440    Weight: 0.2391g    Extraction date: 02/04/25 10:23:58    Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082945HEA Instrument Used : DA-ICPMS-004    Batch Date : 02/04/25 09:42:10 Analyzed Date : 02/05/25 07:47:25 Dilution : 50 Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURIUM	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURIUM	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 3379, 1440    Weight: 0.2391g    Extraction date: 02/04/25 10:23:58    Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA082945HEA Instrument Used : DA-ICPMS-004    Batch Date : 02/04/25 09:42:10 Analyzed Date : 02/05/25 07:47:25 Dilution : 50 Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50203001-010  
Harvest/Lot ID: 1536648643689221  
Batch# : 1536648643689221 Sample Size Received : 9 units  
Sampled : 02/03/25 Total Amount : 944 units  
Ordered : 02/03/25 Completed : 02/06/25 Expires: 02/06/26  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 1440 Weight: 1g Extraction date: 02/05/25 20:52:23 Extracted by: 1879  
Analysis Method : SOP.T.40.090  
Analytical Batch : DA082995FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 02/05/25 19:47:58  
Analyzed Date : 02/06/25 07:38:02

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.453	PASS	0.65

Analyzed by: 4512, 585, 3379, 1440 Weight: 0.82g Extraction date: 02/04/25 10:54:19 Extracted by: 4512  
Analysis Method : SOP.T.40.019  
Analytical Batch : DA082950WAT  
Instrument Used : DA257 Rotronic HygroPalm Batch Date : 02/04/25 09:59:45  
Analyzed Date : 02/04/25 13:01:52

Dilution : N/A  
Reagent : 101724.36  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.0	%	11.7	PASS	15

Analyzed by: 4512, 585, 3379, 1440 Weight: 0.504g Extraction date: 02/04/25 11:53:21 Extracted by: 4512  
Analysis Method : SOP.T.40.021  
Analytical Batch : DA082947MOI  
Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer Batch Date : 02/04/25 09:51:41  
Analyzed Date : 02/04/25 13:00:46

Dilution : N/A  
Reagent : 092520.50  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

