

DAVIE, FL, 33314, US (954) 368-7664

FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H)



Zooted Samoas (H) Matrix: Derivative Classification: High THC Type: Live Rosin Cart

Kaycha Labs

Production Method: Other - Not Listed

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Harvest/Lot ID: 9208491567485757

Seed to Sale#: 3304948440786650

Sampling Method: SOP.T.20.010

Pages 1 of 6

Batch#: 9208491567485757

Harvest Date: 01/22/25 Sample Size Received: 31 units Total Amount: 922 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

> Servings: 1 Ordered: 02/03/25 Sampled: 02/03/25 Completed: 02/06/25

> > PASSED

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50203001-014



Feb 06, 2025 | Sunnyside 22205 Sw Martin Hwv indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.
н÷ Ø		Hg	Ċ5	ç	ڲ۠	Ĺ		\bigcirc			Ô
Pesticio PASSI		avy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Solv	duals rents P ISED	Filth PASSED	Water Activity PASSED		Moisture NOT TESTED	Terpenes PASSED
Ä	Cannak	pinoid								I	PASSED
	78	I THC B.634 THC/Container				D 33% Container : 0.66	5 mg		-)8:	al Cannabinoids 3.769% Cannabinoids/Conta)
%	D9-ТНС 78.474	тнса 0.183	CBD 0.122			вс св 3.868 О.	GA 079	CBN 0.043	тнсv 0.254	CBDV	свс 0.733
⁷⁰ mg/unit	392.37	0.92	0.61				40	0.22	1.27	ND	3.67
LOD	0.001	0.001	0.001	0.001 0	.001 (0.001 0.	001	0.001	0.001	0.001	0.001
	%	%	%	% %	, a	%		%	%	%	%
Analyzed by: 1665, 3379, 1440	D		Weight: 0.1063g		Extraction date 02/04/25 11:45					acted by: 5,4351	
Analytical Batch Instrument Used	Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA082940POT Instrument Used : DA-L-C-033 Batch Date : 02/05/25 08:53:15 Batch Date : 02/04/25 09:28:47										
Dilution: 400 Reagent: 011325.R06; 010825.48; 011325.R03 Consumables: 947.110; 04312111; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-078											

Sunnyside*

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25



Type: Live Rosin Cart

..... FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H) Zooted Samoas (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50203001-014 Harvest/Lot ID: 9208491567485757 Batch#: 9208491567485757 Sample Size Received: 31 units Sampled : 02/03/25 Ordered : 02/03/25

Total Amount : 922 units Completed : 02/06/25 Expires: 02/06/26 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	28.56	5.711		PULEGONE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	8.16	1.632		SABINENE		0.007	ND	ND		
LIMONENE	0.007	6.97	1.394		SABINENE HYDRAT	E	0.007	ND	ND		
ALPHA-HUMULENE	0.007	2.77	0.553		VALENCENE		0.007	ND	ND		
BETA-MYRCENE	0.007	2.69	0.537		ALPHA-CEDRENE		0.005	ND	ND		
LPHA-BISABOLOL	0.007	1.41	0.281		ALPHA-PHELLANDR	ENE	0.007	ND	ND		
LPHA-PINENE	0.007	1.30	0.260		ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	1.04	0.208		CIS-NEROLIDOL		0.003	ND	ND		
ENCHYL ALCOHOL	0.007	0.90	0.180		Analyzed by:	W	eight:	Extraction da	ate:		Extracted by:
LPHA-TERPINEOL	0.007	0.80	0.160		4451, 3379, 1440	0.	205g	02/04/25 11	:57:26		4451
ORNEOL	0.013	0.44	0.087			P.T.30.061A.FL, SOP.T.40.	061A.FL				
RANS-NEROLIDOL	0.005	0.42	0.084		Analytical Batch : DAG					ate: 02/04/25 10:04:52	
ETA-PINENE	0.007	0.30	0.059		Analyzed Date : 02/05				Batch Da	ate: 02/04/25 10:04:52	
AMPHENE	0.007	0.29	0.058		Dilution : 10						
GERANIOL	0.007	0.27	0.054		Reagent : 032524.12						
LPHA-TERPINOLENE	0.007	0.23	0.045		Consumables : 947.11 Pipette : DA-065	.0; 04312111; 2240626; (0000355309				
ENCHONE	0.007	0.18	0.036							les, the Total Terpenes % is dr	
AMMA-TERPINENE	0.007	0.16	0.031		Terpenoid testing is per	ormed utilizing Gas Chromat	ograpny Mass Spectr	ometry. For all F	lower sampl	ies, the Total Terpenes % is dr	y-weight corrected.
UCALYPTOL	0.007	0.13	0.026								
OBORNEOL	0.007	0.13	0.026								
-CARENE	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	ND	ND								
EDROL	0.007	ND	ND								
ARNESENE	0.001	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
	0.007	ND	ND								
NEROL											
NEROL DCIMENE	0.007	ND	ND								

Total (%)

5.711

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25



Type: Live Rosin Cart

FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H) Zooted Samoas (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

bs.com

 Sample : DA50203001-014

 Harvest/Lot ID: 9208491567485757

 Batch# : 9208491567485757

 Sampled : 02/03/25

 Completed : 02/06/25

 Completed : 02/06/25

 Expression

Total Amount : 922 units Completed : 02/06/25 Expires: 02/06/26 Sample Method : SOP.T.20.010 Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	1.1.	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE						
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010	1.1.	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	TE E	0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	maa	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND ND	PENTACHLORONITROBENZENE (I	PCNR) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS		PARATHION-METHYL *	(HD)	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND	CAPTAN *		0.010		0.7	PASS	ND
CHLORPYRIFOS	0.010 0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
CLOFENTEZINE COUMAPHOS	0.010		0.2	PASS	ND	CHLORDANE *					PASS	
	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1		ND
DAMINOZIDE DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by:	Weight:		ction date:		Extracted	l by:
ETHOPROPHOS	0.010		0.1	PASS	ND	3621, 3379, 1440	0.2455g	02/04/	/25 12:40:46		3621	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.F Analytical Batch : DA082928PES	L, SOP.1.40.102.FL					
ETOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch I	Date :02/04/2	5 08-51-51	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/05/25 08:09:54			Duten	butto 102/01/2	00101101	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 013125.R16; 012925.R3	31; 012925.R44; 02	0425.R0	2; 012925.R0	1; 012925.R03	3;081023.01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		lia Chron	natograpny Trip	pie-Quadrupoie	e Mass Spectrom	ietry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	hv:
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 3379, 1440	0.2455g		25 12:40:46		3621	29.
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151A.	FL, SOP.T.40.151.F	L				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA082930VOL						
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001	F		Batch Dat	te:02/04/25(08:53:43	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :02/06/25 10:36:0	2					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 012925.R44; 081023.01	I · 012825 839· 012	825 R/O				
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 221021DD; 04072		020.1140				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per		Chromat	tography Triple	-Quadrupole N	lass Spectromet	ry in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-3	9.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25

PASSED

PASSED



Type: Live Rosin Cart

..... FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H) Zooted Samoas (H) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50203001-014 Harvest/Lot ID: 9208491567485757 Batch#: 9208491567485757 Sample Size Received: 31 units Sampled : 02/03/25 Ordered : 02/03/25

Total Amount : 922 units Completed : 02/06/25 Expires: 02/06/26 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
TOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 3379, 1440	Weight: 0.0198g	Extraction date: 02/05/25 11:25:5	52	Extracted by: 850			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA082955SOL Instrument Used : DA-GCMS-002 Analyzed Date : 02/05/25 12:10:02	Batch Date : 02/04/25 13:33:03						

Reagent : 030420.09 Consumables : 429651: 315545 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25



Type: Live Rosin Cart

FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H) Zooted Samoas (H) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample: DA50203001-014 Harvest/Lot ID: 9208491567485757 Batch#: 9208491567485757 Sample Size Received : 31 units Sampled: 02/03/25 Total Amount : 922 units

Sampled: 02/03/25 Total Amount: 922 units Ordered: 02/03/25 Completed: 02/06/25 Expires: 02/06/26 Sample Method: SOP.T.20.010 Page 5 of 6

G	Microb	oial				PAS	SED	လို့	Μ	ycotoxi	ns			PAS	SED		
Analyte		L	OD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02		
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN	B1		0.002		ND	PASS	0.02		
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02		
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02		
SALMONELL	A SPECIFIC GENI				Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02		
ECOLI SHIGE					Not Present			Analyzed by:		Weight:	Extraction date:			Extracted b			
FOTAL YEAS	T AND MOLD	1	LO	CFU/g	<10	PASS	100000	3621, 3379, 14	40	0.2455g	02/04/25 12:	40:46		3621			
Analyzed by: 1777, 3379, 14	Wei 40 1.04 bd : SOP.T.40.0560	lg (02/04	tion date: /25 09:50:3	4	Extracted b 4520,4777	y:	Analysis Metho Analytical Bato Instrument Us	h:DA0			Date : 03	2/04/25 08	8:53:41	53:41		
Dilution : 10	: 02/05/25 11:03: 025.07; 012525.01 7580001018		R47;	080724.12				Consumables : Pipette : DA-0 Mycotoxins test accordance wit	93; DA-0	094; DA-219	raphy with Triple-	Quadrupo	le Mass Spe	ectrometry	in		
Analyzed by: 1777, 3390, 33	379, 1440	Weight: 1.04g		xtraction d a 2/04/25 09:		Extracted 4520,477		Hg	He	eavy Me	tals			PAS	SEC		
Analytical Bato nstrument Uso DA-382]	<pre>bd : SOP.T.40.209. ch : DA082918TYM ed : Incubator (25* : 02/06/25 13:56:)</pre>	°C) DA- 32	8 [cal	librated with	Batch Dat	te:02/04/2	5 08:12:03		AMINA	NT LOAD METALS	LOD 0.080	Units	Result ND	Pass / Fail PASS	Action Level		
Dilution : 10	. 02,00,20 201001							ARSENIC			0.020	ppm	ND	PASS	0.2		
	025.07; 012525.01	L: 110724.	R13					CADMIUM			0.020	ppm	ND	PASS	0.2		
consumables :		-, 110,11						MERCURY			0.020	ppm	ND	PASS	0.2		
ipette : N/A								LEAD			0.020	ppm	ND	PASS	0.5		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							in	Analyzed by: Weight: Extraction date: 1022, 3379, 1440 0.2278g 02/04/25 11:23:29						Extracted by: 3621,4056			
								Analysis Metho Analytical Bato Instrument Us Analyzed Date	h : DA0 ed : DA-	ICPMS-004		h Date : ()2/04/25 0	9:56:10			
								Dilution : 50 Reagent : 012	925.R32	2; 013025.R04; 020	325.R06; 02032	25.R03; C	20325.R0	4; 02032!	5.R05;		

Reagent: 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05 120324.07; 013125.R04 Consumables: 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25



Type: Live Rosin Cart

FloraCal Live Rosin Cartridge 500mg - Zooted Samoas (H) Zooted Samoas (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50203001-014 Harvest/Lot ID: 9208491567485757 Batch#: 9208491567485757 Sample Size Received: 31 units Sampled : 02/03/25 Ordered : 02/03/25

Total Amount : 922 units Completed : 02/06/25 Expires: 02/06/26 Sample Method : SOP.T.20.010



Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	LOI 0.0	D Units	Result 0.455	P/F PASS	Action Level 0.85			
Analyzed by: 4444, 3379, 1440	Weight: 0.3583g	Extraction 02/04/25 1		Extracted by: 4444				
Analysis Method : SOP. Analytical Batch : DA08 Instrument Used : DA29 Analyzed Date : 02/04/2	2951WAT 57 Rotronic HygroF	Palm	Batch Date : 02/04/25 10:00:08					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/06/25

PASSED

Page 6 of 6