

COMPLIANCE FOR RETAIL

Sunnyside 0A50204013-013

Laboratory Sample ID: DA50204013-013

Kaycha Labs

Supply Budder Wax 1g - Rnbw Belts (I)

Rnbw Belts (I) Matrix: Derivative

Classification: High THC Type: Wax

Production Method: Other - Not Listed Harvest/Lot ID: 0083089760190961

Batch#: 0083089760190961

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 8511512170139983

Harvest Date: 01/29/25

Sample Size Received: 16 units Total Amount: 3784 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 02/04/25 Sampled: 02/04/25

Completed: 02/07/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Feb 07, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US



SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 02/05/25 08:06:39



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **PASSED**

PASSED



Cannabinoid

Total THC

Total THC/Container : 612.470 mg



Total CBD Total CBD/Container: 0.980 mg

Total Cannabinoids

Total Cannabinoids/Container: 701.770

		Ш	П								
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	13.326	77.922	ND	0.150	ND	0.353	1.508	0.133	ND	ND	0.163
mg/unit	133.26	779.22	ND	1.50	ND	3.53	15.08	1.33	ND	ND	1.63
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 337	9, 1440			Weight: 0.1028g		Extraction date 02/05/25 11:46				Extracted by: 3335	

Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA082961POT Instrument Used: DA-LC-003 Analyzed Date: 02/06/25 23:20:25

Reagent: 012825.R19; 010825.48; 011325.R09

Consumables: 9291.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50204013-013 Harvest/Lot ID: 0083089760190961

Sampled: 02/04/25 Ordered: 02/04/25

Batch#: 0083089760190961 Sample Size Received: 16 units Total Amount : 3784 units **Completed:** 02/07/25 **Expires:** 02/07/26 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpenes	LC (%		mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	61.92	6.192		NEROL	0.0		ND	ND		
LINALOOL	0.007	14.41	1.441		PULEGONE	0.0	007	ND	ND		
BETA-CARYOPHYLLENE	0.007	12.62	1.262		SABINENE	0.0	007	ND	ND		
LIMONENE	0.007	11.51	1.151		VALENCENE	0.0	007	ND	ND		
ALPHA-HUMULENE	0.007	4.37	0.437		ALPHA-CEDRENE	0.0	005	ND	ND		
TRANS-NEROLIDOL	0.005	3.43	0.343		ALPHA-PHELLANDRE	NE 0.0	007	ND	ND		
ALPHA-BISABOLOL	0.007	2.82	0.282		ALPHA-TERPINENE	0.0	007	ND	ND		
FENCHYL ALCOHOL	0.007	2.68	0.268		CIS-NEROLIDOL	0.0	003	ND	ND		
BETA-PINENE	0.007	1.51	0.151		Analyzed by:	Weight:		Extracti	on date:		Extracted by:
ALPHA-TERPINEOL	0.007	1.37	0.137		4444, 4451, 3379, 1440	0.2049g			5 11:49:05		4451,4444
BETA-MYRCENE	0.007	1.12	0.112			Г.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-PINENE	0.007	0.83	0.083		Analytical Batch : DA08					. 02/05/25 00:47:5	A
FARNESENE	0.001	0.82	0.082		Instrument Used : DA-0 Analyzed Date : 02/07/				Batch Da	te: 02/05/25 08:47:5	4
BORNEOL	0.013	0.77	0.077		Dilution: 10						
CARYOPHYLLENE OXIDE	0.007	0.57	0.057		Reagent: 032524.12						
ALPHA-TERPINOLENE	0.007	0.43	0.043			; 04312111; 2240626; 0000355309					
FENCHONE	0.007	0.41	0.041		Pipette : DA-065						
OCIMENE	0.007	0.38	0.038		Terpenoid testing is perform	med utilizing Gas Chromatography Mass	Spectrome	try. For all F	lower sampl	es, the Total Terpenes %	is dry-weight corrected.
EUCALYPTOL	0.007	0.34	0.034								
GERANYL ACETATE	0.007	0.34	0.034								
CAMPHENE	0.007	0.33	0.033								
GAMMA-TERPINENE	0.007	0.30	0.030								
SABINENE HYDRATE	0.007	0.29	0.029								
ISOBORNEOL	0.007	0.27	0.027								
3-CARENE	0.007	ND	ND								
CAMPHOR	0.007	ND	ND								
CEDROL	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
otal (%)			6.192								


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50204013-013 Harvest/Lot ID: 0083089760190961

Pass/Fail Result

Sampled: 02/04/25 Ordered: 02/04/25

Batch#: 0083089760190961 Sample Size Received: 16 units Total Amount : 3784 units Completed: 02/07/25 Expires: 02/07/26 Sample Method: SOP.T.20.010

Pesticide

Page 3 of 6

Action

LOD Units



Pesticides

PASSED

Pass/Fail Result

		Level			resticiae			Oilies	Level	1 433/1 411	itesui
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND					0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010				
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	mag	0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010 ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM					PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1		
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZEN	IE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
OUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	mag	0.5	PASS	ND
IAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
ICHLORVOS	0.010 ppm	0.1	PASS	ND					0.5		
IMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 1440	Weight: 0.2523g		ion date: 5 12:44:31		Extracted 4640.3621	by:
THOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10			J 12.44.J1		4040,3021	
TOFENPROX	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA082983PI		_				
TOXAZOLE	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-00	03 (PES)		Batch	Date: 02/05/2	25 10:29:25	
ENHEXAMID	0.010 ppm	0.1	PASS	ND	Analyzed Date: 02/06/25 09:4	5:28					
ENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250						
ENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Reagent: 020325.R07; 08102						
IPRONIL	0.010 ppm	0.1	PASS	ND	Consumables: 2240626; 0407 Pipette: N/A	24CHU1; 221U21DD					
LONICAMID	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is	norformed utilizing 11:	uid Chr	antography: T-	inla Ouada:!	o Mass Coost	matru i-
LUDIOXONIL	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER2		laia Ciiron	iacograpny II	ipie-Quaurupoi	e mass spectroi	metry in
EXYTHIAZOX	0.010 ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	ov:
MAZALIL	0.010 ppm	0.1	PASS	ND	450, 3379, 1440	0.2523g		12:44:31		4640,3621	.,.
MIDACLOPRID	0.010 ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.15						
RESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA082984V	OL					
IALATHION	0.010 ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-0			Batch Da	ite:02/05/25	10:31:33	
ETALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date : 02/06/25 10:3	1:53					
ETHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250	2 01 - 012025 020 01	2025 040				
ETHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 020325.R07; 081023 Consumables: 040724CH01; 2						
IEVINPHOS	0.010 ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-						
TYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is		s Chromat	tography Trin	e-Quadrupole I	Mass Spectrome	etry in
	0.010 ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER2			2. ob., 111b	audurupoic i	opecaonic	7


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50204013-013 Harvest/Lot ID: 0083089760190961

Batch#: 0083089760190961 Sample Size Received: 16 units Sampled: 02/04/25 Ordered: 02/04/25

Total Amount: 3784 units **Completed:** 02/07/25 **Expires:** 02/07/26 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE				PASS/Fall		
·	0.800	ppm	8		ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 3379, 1440	Weight: 0.0196g	Extraction date: 02/06/25 13:14:2	20		extracted by:	

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA082985SOL Instrument Used: DA-GCMS-002

Analyzed Date: 02/06/25 14:17:17Dilution: 1

Reagent: 030420.09 Consumables: 429651: 315545 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 02/05/25 10:32:53

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for


pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample: DA50204013-013 Harvest/Lot ID: 0083089760190961

Sampled: 02/04/25 Ordered: 02/04/25

Batch#: 0083089760190961 Sample Size Received: 16 units Total Amount: 3784 units Completed: 02/07/25 Expires: 02/07/26 Sample Method: SOP.T.20.010

Page 5 of 6

Batch Date: 02/05/25 10:33:05



Microbial



Mvcotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND
ECOLI SHIGELLA	10	CELL!	Not Present	PASS	100000	Analyzed by:	Weight:	Extraction dat		E
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3621, 3379, 1440	0.2523g	02/05/25 12:4	14:31	

Analyzed by: 4777, 4531, 3379, 1440 Weight: **Extraction date:** Extracted by: 02/05/25 10:04:53 1879,4777 1.011g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA082966MIC

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 02/05/25 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block

(95*C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)

Analyzed Date : 02/06/25 11:51:29

Dilution: 10

Reagent: 012525.02; 111524.84; 011525.R47; 080724.12

Consumables: 7580001031

Pipette : N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4777, 4571, 3379, 1440	1.011g	02/05/25 10:04:53	1879,4777

Analysis Method : SOP.T.40.209.FL Analytical Batch : DA082967TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with

DA-3821

Analyzed Date: 02/07/25 16:38:57

Dilution: 10

Reagent: 012525.02; 111524.84; 110724.R13; 013025.R13

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02

PASS Extracted by: 4640,3621

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : DA082986MYC Instrument Used : N/A

Analyzed Date : 02/06/25 08:12:03

Dilution: 250

Reagent: 020325.R07; 081023.01 Consumables: 2240626; 040724CH01; 221021DD

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Batch Date : 02/05/25 08:15:42	Metal	LOD	Units	Result	Pass / Fail	Action Level
Date: 02/03/23 00.13.42	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
	ARSENIC	0.020	ppm	ND	PASS	0.2
	CADMIUM	0.020	ppm	ND	PASS	0.2
	MERCURY	0.020	ppm	ND	PASS	0.2
	LEAD	0.020	ppm	ND	PASS	0.5

Weight: **Extraction date:** Extracted by: 1022, 3379, 1440 0.2339g 02/05/25 12:20:51 1022.4056

Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL Analytical Batch : DA082978HEA

Instrument Used: DA-ICPMS-004 Batch Date: 02/05/25 09:59:44 Analyzed Date: 02/06/25 10:07:15

Dilution: 50

Reagent: 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04

Consumables: 040724CH01; J609879-0193; 179436

Pipette: DA-061: DA-191: DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50204013-013 Harvest/Lot ID: 0083089760190961

Sampled: 02/04/25 Ordered: 02/04/25

Batch#: 0083089760190961 Sample Size Received: 16 units Total Amount: 3784 units Completed: 02/07/25 Expires: 02/07/26 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 3379, 1440 Extraction date Weight: Extracted by: 1g 02/05/25 20:52:26 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA082995FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 02/05/25 19:47:58 Analyzed Date: 02/06/25 07:42:14

Dilution: N/AReagent: N/A Consumables : N/A

Pipette: N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.471	PASS	0.85
Analyzed by: 4797, 4571, 3379, 1440	Weight: 0.3806g		on date: 5 12:44:42		Extracted by: 4797

Analysis Method: SOP.T.40.019

Analytical Batch : DA082981WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 02/05/25 10:05:09 Analyzed Date: 02/05/25 15:15:43

Dilution: N/A

Reagent: 101724.36 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Signature

02/07/25

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)