



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50205011-006



Feb 08, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC  
**85.081%**

Total THC/Container : 425.405 mg



Total CBD  
**0.193%**

Total CBD/Container : 0.965 mg



Total Cannabinoids  
**89.428%**

Total Cannabinoids/Container : 447.140 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.982	0.114	0.193	ND	ND	2.727	ND	0.942	0.328	ND	0.142
mg/unit	424.91	0.57	0.97	ND	ND	13.64	ND	4.71	1.64	ND	0.71
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 3379, 1440

Weight:  
0.1135g

Extraction date:  
02/06/25 12:17:59

Extracted by:  
3335,1879

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083010POT

Instrument Used : DA-LC-003

Analyzed Date : 02/07/25 12:55:12

Batch Date : 02/06/25 09:19:12

Dilution : 400  
Reagent : 011325.R06; 010825.48; 011325.R03  
Consumables : 9291.110; 04402004; 040724CH01; 0000355309  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/08/25



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50205011-006  
Harvest/Lot ID: 8036175911659204

Batch# : 8036175911659204 Sample Size Received : 31 units  
Sampled : 02/05/25 Total Amount : 581 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	17.09	3.418	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	4.81	0.961	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	3.66	0.732	ALPHA-CEDRENE	0.005	ND	ND
BETA-MYRCENE	0.007	2.96	0.591	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	1.30	0.260	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	1.00	0.199	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	0.86	0.172	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	0.61	0.122	TRANS-NEROLIDOL	0.005	ND	ND
FENCHYL ALCOHOL	0.007	0.59	0.118				
ALPHA-PINENE	0.007	0.54	0.108	Analyzed by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.007	0.54	0.108	4451, 3379, 1440	0.2246g	02/06/25 12:17:30	4451
ALPHA-HUMULENE	0.007	0.14	0.027				
GERANIOL	0.007	0.10	0.020	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND	ND	Analytical Batch : DA083004TER			
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	ND	ND	Analyzed Date : 02/07/25 12:08:44			
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 032524.12			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.110; 04312111; 2240626; 0000355309			
FARNESENE	0.007	ND	ND	Pipette : DA-065			
FENCHONE	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>3.418</b>				

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/08/25



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA50205011-006  
Harvest/Lot ID: 8036175911659204

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch# : 8036175911659204 Sample Size Received : 31 units  
Sampled : 02/05/25 Total Amount : 581 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 3379, 1440 <b>Weight:</b> 0.2256g <b>Extraction date:</b> 02/06/25 12:30:34 <b>Extracted by:</b> 4640,450,3621 <b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA083039PES <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 02/06/25 10:34:21 <b>Analyzed Date :</b> 02/07/25 12:51:00 <b>Dilution :</b> 250 <b>Reagent :</b> 020525.R41; 081023.01 <b>Consumables :</b> 040724CH01; 221021DD <b>Pipette :</b> N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 3379, 1440 <b>Weight:</b> 0.2256g <b>Extraction date:</b> 02/06/25 12:30:34 <b>Extracted by:</b> 4640,450,3621 <b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL <b>Analytical Batch :</b> DA083041VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 02/06/25 10:35:36 <b>Analyzed Date :</b> 02/07/25 12:48:36 <b>Dilution :</b> 250 <b>Reagent :</b> 020525.R41; 081023.01; 012825.R39; 012825.R40 <b>Consumables :</b> 040724CH01; 221021DD; 17473601 <b>Pipette :</b> DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/08/25



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50205011-006  
 Harvest/Lot ID: 8036175911659204

 Batch# : 8036175911659204 Sample Size Received : 31 units  
 Sampled : 02/05/25 Total Amount : 581 units  
 Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
 Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 3379, 1440	Weight: 0.022g	Extraction date: 02/07/25 15:19:06	Extracted by: 850
---------------------------------	-------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA083051SOL Instrument Used : DA-GCMS-002 Analyzed Date : 02/07/25 16:48:33	Batch Date : 02/06/25 14:54:21
---	--------------------------------

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 315545  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50205011-006  
Harvest/Lot ID: 8036175911659204  
Batch#: 8036175911659204 Sample Size Received : 31 units  
Sampled : 02/05/25 Total Amount : 581 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4044, 4520, 3379, 1440 Weight: 1.0909g Extraction date: 02/06/25 10:43:29 Extracted by: 4571,4044  
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA082997MIC  
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C)  
Batch Date : 02/06/25 07:58:13  
Analyzed Date : 02/07/25 19:22:57

Dilution : 10  
Reagent : 012525.02; 111524.84; 011525.R47; 080724.12  
Consumables : 7578003088  
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 4044, 4531, 3379, 1440 Weight: 1.0909g Extraction date: 02/06/25 10:43:29 Extracted by: 4571,4044  
Analysis Method : SOP.T.40.209.FL  
Analytical Batch : DA083000TYM  
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 02/06/25 08:00:36  
Analyzed Date : 02/08/25 14:31:47  
Dilution : 10  
Reagent : 012525.02; 111524.84; 013025.R13; 110724.R13  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3621, 3379, 1440 Weight: 0.2256g Extraction date: 02/06/25 12:30:34 Extracted by: 4640,450,3621  
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : DA083040MYC  
Instrument Used : N/A Batch Date : 02/06/25 10:35:13  
Analyzed Date : 02/07/25 09:29:06

Dilution : 250  
Reagent : 020525.R41; 081023.01  
Consumables : 040724CH01; 221021DD  
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 3379, 1440 Weight: 0.2335g Extraction date: 02/06/25 13:13:38 Extracted by: 1022,4056  
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA083021HEA  
Instrument Used : DA-ICPMS-004 Batch Date : 02/06/25 09:57:39  
Analyzed Date : 02/07/25 09:26:02

Dilution : 50  
Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04  
Consumables : 040724CH01; J609879-0193; 179436  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50205011-006

Harvest/Lot ID: 8036175911659204

Batch# : 8036175911659204 Sample Size Received : 31 units  
Sampled : 02/05/25 Total Amount : 581 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 1440	Weight: 1g	Extraction date: 02/07/25 09:30:50	Extracted by: 1879
----------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA083053FIL  
Instrument Used : Filth/Foreign Material Microscope Batch Date : 02/06/25 19:11:52  
Analyzed Date : 02/07/25 15:05:13

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.457	PASS	0.85

Analyzed by: 4797, 3379, 1440	Weight: 0.5008g	Extraction date: 02/06/25 12:55:22	Extracted by: 1879,4797
----------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA083045WAT  
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 02/06/25 10:48:40  
Analyzed Date : 02/06/25 15:40:27

Dilution : N/A  
Reagent : 101724.36  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

