

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50205011-010



Feb 08, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***
**PASSED**

Pages 1 of 5

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**NOT TESTED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

### MISC.


Terpenes  
**PASSED**

**Cannabinoid**
**PASSED**

**Total THC**
**24.917%**

Total THC/Container : 3488.380 mg


**Total CBD**
**0.105%**

Total CBD/Container : 14.700 mg


**Total Cannabinoids**
**29.051%**

Total Cannabinoids/Container : 4067.140 mg

|         | D9-THC | THCA    | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 0.347  | 28.016  | ND    | 0.120 | 0.041  | 0.129 | 0.318 | ND    | ND    | ND    | 0.080 |
| mg/unit | 48.58  | 3922.24 | ND    | 16.80 | 5.74   | 18.06 | 44.52 | ND    | ND    | ND    | 11.20 |
| LOD     | 0.001  | 0.001   | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       |        |         |       |       |        |       |       |       |       |       |       |

Analyzed by:  
3335, 1665, 3379, 1440

Weight:  
0.1996g

Extraction date:  
02/06/25 11:58:00

Extracted by:  
3335,1879

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083012POT

Instrument Used : DA-LC-002

Analyzed Date : 02/07/25 12:55:48

Batch Date : 02/06/25 09:23:57

Dilution : 400

Reagent : 012825.R18; 010825.48; 012825.R17

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/08/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Apl and Bnanas (S)  
Apl and Bnanas (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50205011-010  
Harvest/Lot ID: 7990359049408228

Batch# : 7990359049408228 Sample Size Received : 4 units  
Sampled : 02/05/25 Total Amount : 776 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOD (%) | mg/unit | %     | Result (%) | Terpenes                                                                                                                                             | LOD (%) | mg/unit           | %             | Result (%)                     |
|---------------------|---------|---------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|---------------|--------------------------------|
| TOTAL TERPENES      | 0.007   | 302.68  | 2.162 |            | SABINENE HYDRATE                                                                                                                                     | 0.007   | ND                | ND            |                                |
| LINALOOL            | 0.007   | 71.26   | 0.509 |            | VALENCENE                                                                                                                                            | 0.007   | ND                | ND            |                                |
| BETA-CARYOPHYLLENE  | 0.007   | 66.64   | 0.476 |            | ALPHA-CEDRENE                                                                                                                                        | 0.005   | ND                | ND            |                                |
| LIMONENE            | 0.007   | 64.96   | 0.464 |            | ALPHA-PHELLANDRENE                                                                                                                                   | 0.007   | ND                | ND            |                                |
| ALPHA-HUMULENE      | 0.007   | 20.86   | 0.149 |            | ALPHA-TERPINENE                                                                                                                                      | 0.007   | ND                | ND            |                                |
| BETA-MYRCENE        | 0.007   | 20.86   | 0.149 |            | ALPHA-TERPINOLENE                                                                                                                                    | 0.007   | ND                | ND            |                                |
| ALPHA-BISABOLOL     | 0.007   | 20.16   | 0.144 |            | CIS-NEROLIDOL                                                                                                                                        | 0.003   | ND                | ND            |                                |
| BETA-PINENE         | 0.007   | 11.06   | 0.079 |            | GAMMA-TERPINENE                                                                                                                                      | 0.007   | ND                | ND            |                                |
| FENCHYL ALCOHOL     | 0.007   | 7.98    | 0.057 |            | Analysis by:                                                                                                                                         | Weight: | Extraction date:  | Extracted by: |                                |
| ALPHA-TERPINEOL     | 0.007   | 7.98    | 0.057 |            | 4451, 3379, 1440                                                                                                                                     | 1.1635g | 02/06/25 12:20:35 | 4451          |                                |
| ALPHA-PINENE        | 0.007   | 7.00    | 0.050 |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                                                                                                 |         |                   |               |                                |
| TRANS-NEROLIDOL     | 0.005   | 3.92    | 0.028 |            | Analytical Batch : DA083006TER                                                                                                                       |         |                   |               |                                |
| 3-CARENE            | 0.007   | ND      | ND    |            | Instrument Used : DA-GCMS-009                                                                                                                        |         |                   |               |                                |
| BORNEOL             | 0.013   | ND      | ND    |            | Analyzed Date : 02/07/25 12:24:44                                                                                                                    |         |                   |               | Batch Date : 02/06/25 08:59:07 |
| CAMPHENE            | 0.007   | ND      | ND    |            | Dilution : 10                                                                                                                                        |         |                   |               |                                |
| CAMPHOR             | 0.007   | ND      | ND    |            | Reagent : 032524.12                                                                                                                                  |         |                   |               |                                |
| CARYOPHYLLENE OXIDE | 0.007   | ND      | ND    |            | Consumables : 947.110; 04312111; 2240626; 0000355309                                                                                                 |         |                   |               |                                |
| CEDROL              | 0.007   | ND      | ND    |            | Pipette : DA-065                                                                                                                                     |         |                   |               |                                |
| EUCALYPTOL          | 0.007   | ND      | ND    |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |                   |               |                                |
| FARNESENE           | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| FENCHONE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| GERANIOL            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| GERANYL ACETATE     | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| GUAIOL              | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| ISOBORNEOL          | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| ISOPULEGOL          | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| NEROL               | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| OCIMENE             | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| PULEGONE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| SABINENE            | 0.007   | ND      | ND    |            |                                                                                                                                                      |         |                   |               |                                |
| Total (%)           |         |         | 2.162 |            |                                                                                                                                                      |         |                   |               |                                |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/08/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Shake 14g - Apl and Bnanas (S)  
Apl and Bnanas (S)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50205011-010

Harvest/Lot ID: 7990359049408228

Batch# : 7990359049408228

Sampled : 02/05/25

Ordered : 02/05/25

Sample Size Received : 4 units

Total Amount : 776 units

Completed : 02/08/25 Expires: 02/08/26

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                | LOD     | Units             | Action Level  | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL                                                                                                                                                   | 0.010   | ppm               | 0.5           | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                            | 0.010   | ppm               | 0.1           | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET                                                                                                                                                  | 0.010   | ppm               | 0.1           | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                       | 0.010   | ppm               | 3             | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN                                                                                                                                              | 0.010   | ppm               | 0.1           | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE                                                                                                                                            | 0.010   | ppm               | 0.1           | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR                                                                                                                                                 | 0.010   | ppm               | 0.1           | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN                                                                                                                                                | 0.010   | ppm               | 0.2           | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN                                                                                                                                             | 0.010   | ppm               | 0.1           | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT                                                                                                                                            | 0.010   | ppm               | 0.1           | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                              | 0.010   | ppm               | 0.1           | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE                                                                                                                                             | 0.010   | ppm               | 0.1           | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID                                                                                                                                              | 0.010   | ppm               | 0.1           | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM                                                                                                                                             | 0.010   | ppm               | 0.5           | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                          | 0.010   | ppm               | 0.1           | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                         | 0.010   | ppm               | 0.15          | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                       | 0.010   | ppm               | 0.1           | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *                                                                                                                                                 | 0.070   | ppm               | 0.7           | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *                                                                                                                                              | 0.010   | ppm               | 0.1           | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                           | 0.010   | ppm               | 0.1           | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                             | 0.050   | ppm               | 0.5           | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                           | 0.050   | ppm               | 0.5           | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |         |                   |               |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by:                                                                                                                                             | Weight: | Extraction date:  | Extracted by: |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | 3621, 3379, 1440                                                                                                                                         | 0.9716g | 02/06/25 12:41:32 | 4640,450,3621 |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                                       |         |                   |               |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA083029PES                                                                                                                           |         |                   |               |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)                                                                                                                      |         |                   |               |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 02/07/25 09:47:49                                                                                                                        |         |                   |               |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250                                                                                                                                           |         |                   |               |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 020525.R41; 081023.01                                                                                                                          |         |                   |               |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 040724CH01; 221021DD                                                                                                                       |         |                   |               |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : N/A                                                                                                                                            |         |                   |               |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |         |                   |               |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by:                                                                                                                                             | Weight: | Extraction date:  | Extracted by: |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     | 450, 3379, 1440                                                                                                                                          | 0.9716g | 02/06/25 12:41:32 | 4640,450,3621 |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL                                                                                                      |         |                   |               |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     | Analytical Batch : DA083031VOL                                                                                                                           |         |                   |               |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-010                                                                                                                            |         |                   |               |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     | Analyzed Date : 02/07/25 09:45:21                                                                                                                        |         |                   |               |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250                                                                                                                                           |         |                   |               |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 020525.R41; 081023.01; 012825.R39; 012825.R40                                                                                                  |         |                   |               |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 040724CH01; 221021DD; 17473601                                                                                                             |         |                   |               |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218                                                                                                                         |         |                   |               |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |         |                   |               |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |                                                                                                                                                          |         |                   |               |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/08/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Apl and Bnanas (S)  
Apl and Bnanas (S)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**




Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50205011-010  
Harvest/Lot ID: 7990359049408228

Batch# : 7990359049408228 Sample Size Received : 4 units  
Sampled : 02/05/25 Total Amount : 776 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 4 of 5

|                                                                                                                                                                                       |                                |                                    |                             |                    |                     |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------------------|-----------------------------|--------------------|---------------------|--|--|
|                                                                                                      | <b>Microbial</b>               | <b>PASSED</b>                      |                             |                    |                     |  |  |
| <b>Analyte</b>                                                                                                                                                                        | <b>LOD</b>                     | <b>Units</b>                       | <b>Result</b>               | <b>Pass / Fail</b> | <b>Action Level</b> |  |  |
| ASPERGILLUS TERREUS                                                                                                                                                                   |                                |                                    | Not Present                 | PASS               |                     |  |  |
| ASPERGILLUS NIGER                                                                                                                                                                     |                                |                                    | Not Present                 | PASS               |                     |  |  |
| ASPERGILLUS FUMIGATUS                                                                                                                                                                 |                                |                                    | Not Present                 | PASS               |                     |  |  |
| ASPERGILLUS FLAVUS                                                                                                                                                                    |                                |                                    | Not Present                 | PASS               |                     |  |  |
| SALMONELLA SPECIFIC GENE                                                                                                                                                              |                                |                                    | Not Present                 | PASS               |                     |  |  |
| ECOLI SHIGELLA                                                                                                                                                                        |                                |                                    | Not Present                 | PASS               |                     |  |  |
| TOTAL YEAST AND MOLD                                                                                                                                                                  | 10                             | CFU/g                              | 7000                        | PASS               | 100000              |  |  |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL                                                                                                                     | Weight: 0.8525g                | Extraction date: 02/06/25 10:31:22 | Extracted by: 4044,4571     |                    |                     |  |  |
| Analytical Batch : DA083008MIC                                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) | Batch Date : 02/06/25 09:12:04 |                                    |                             |                    |                     |  |  |
| Analysis Date : 02/07/25 19:25:16                                                                                                                                                     |                                |                                    |                             |                    |                     |  |  |
| Dilution : 10                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Reagent : 012525.02; 111524.84; 011525.R47; 080724.12                                                                                                                                 |                                |                                    |                             |                    |                     |  |  |
| Consumables : 7578003088                                                                                                                                                              |                                |                                    |                             |                    |                     |  |  |
| Pipette : N/A                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Analysis Method : SOP.T.40.209.FL                                                                                                                                                     | Weight: 0.8525g                | Extraction date: 02/06/25 10:31:22 | Extracted by: 4044,4571     |                    |                     |  |  |
| Analytical Batch : DA083009TYM                                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]                                                                                                                   | Batch Date : 02/06/25 09:13:29 |                                    |                             |                    |                     |  |  |
| Analysis Date : 02/08/25 14:39:26                                                                                                                                                     |                                |                                    |                             |                    |                     |  |  |
| Dilution : 10                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Reagent : 012525.02; 111524.84; 013025.R13; 110724.R13                                                                                                                                |                                |                                    |                             |                    |                     |  |  |
| Consumables : N/A                                                                                                                                                                     |                                |                                    |                             |                    |                     |  |  |
| Pipette : N/A                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                                              |                                |                                    |                             |                    |                     |  |  |
|                                                                                                      | <b>Mycotoxins</b>              | <b>PASSED</b>                      |                             |                    |                     |  |  |
| <b>Analyte</b>                                                                                                                                                                        | <b>LOD</b>                     | <b>Units</b>                       | <b>Result</b>               | <b>Pass / Fail</b> | <b>Action Level</b> |  |  |
| AFLATOXIN B2                                                                                                                                                                          | 0.002                          | ppm                                | ND                          | PASS               | 0.02                |  |  |
| AFLATOXIN B1                                                                                                                                                                          | 0.002                          | ppm                                | ND                          | PASS               | 0.02                |  |  |
| OCHRATOXIN A                                                                                                                                                                          | 0.002                          | ppm                                | ND                          | PASS               | 0.02                |  |  |
| AFLATOXIN G1                                                                                                                                                                          | 0.002                          | ppm                                | ND                          | PASS               | 0.02                |  |  |
| AFLATOXIN G2                                                                                                                                                                          | 0.002                          | ppm                                | ND                          | PASS               | 0.02                |  |  |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                                                                    | Weight: 0.9716g                | Extraction date: 02/06/25 12:41:32 | Extracted by: 4640,450,3621 |                    |                     |  |  |
| Analytical Batch : DA083030MYC                                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Instrument Used : N/A                                                                                                                                                                 | Batch Date : 02/06/25 10:17:34 |                                    |                             |                    |                     |  |  |
| Analysis Date : 02/07/25 09:49:34                                                                                                                                                     |                                |                                    |                             |                    |                     |  |  |
| Dilution : 250                                                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Reagent : 020525.R41; 081023.01                                                                                                                                                       |                                |                                    |                             |                    |                     |  |  |
| Consumables : 040724CH01; 221021DD                                                                                                                                                    |                                |                                    |                             |                    |                     |  |  |
| Pipette : N/A                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                                                   |                                |                                    |                             |                    |                     |  |  |
|                                                                                                    | <b>Heavy Metals</b>            | <b>PASSED</b>                      |                             |                    |                     |  |  |
| <b>Metal</b>                                                                                                                                                                          | <b>LOD</b>                     | <b>Units</b>                       | <b>Result</b>               | <b>Pass / Fail</b> | <b>Action Level</b> |  |  |
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                         | 0.080                          | ppm                                | ND                          | PASS               | 1.1                 |  |  |
| ARSENIC                                                                                                                                                                               | 0.020                          | ppm                                | <0.100                      | PASS               | 0.2                 |  |  |
| CADMIUM                                                                                                                                                                               | 0.020                          | ppm                                | ND                          | PASS               | 0.2                 |  |  |
| MERCURY                                                                                                                                                                               | 0.020                          | ppm                                | ND                          | PASS               | 0.2                 |  |  |
| LEAD                                                                                                                                                                                  | 0.020                          | ppm                                | ND                          | PASS               | 0.5                 |  |  |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                                                                                    | Weight: 0.253g                 | Extraction date: 02/06/25 12:05:43 | Extracted by: 1022,4056     |                    |                     |  |  |
| Analytical Batch : DA083017HEA                                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Instrument Used : DA-ICPMS-004                                                                                                                                                        | Batch Date : 02/06/25 09:50:16 |                                    |                             |                    |                     |  |  |
| Analysis Date : 02/07/25 08:47:50                                                                                                                                                     |                                |                                    |                             |                    |                     |  |  |
| Dilution : 50                                                                                                                                                                         |                                |                                    |                             |                    |                     |  |  |
| Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04                                                                               |                                |                                    |                             |                    |                     |  |  |
| Consumables : 040724CH01; J609879-0193; 179436                                                                                                                                        |                                |                                    |                             |                    |                     |  |  |
| Pipette : DA-061; DA-191; DA-216                                                                                                                                                      |                                |                                    |                             |                    |                     |  |  |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                                                         |                                |                                    |                             |                    |                     |  |  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/08/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Supply Shake 14g - Apl and Bnanas (S)  
Apl and Bnanas (S)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50205011-010  
Harvest/Lot ID: 7990359049408228

Batch# : 7990359049408228 Sample Size Received : 4 units  
Sampled : 02/05/25 Total Amount : 776 units  
Ordered : 02/05/25 Completed : 02/08/25 Expires: 02/08/26  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

| Analyte                                                                                                                                                      | LOD           | Units                                 | Result | P/F  | Action Level          | Analyte                                                                                                                                             | LOD               | Units                                 | Result | P/F  | Action Level          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|--------|------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|--------|------|-----------------------|
| Filth and Foreign Material                                                                                                                                   | 0.100         | %                                     | ND     | PASS | 1                     | Moisture Content                                                                                                                                    | 1.0               | %                                     | 14.6   | PASS | 15                    |
| Analyzed by:<br>1879, 3379, 1440                                                                                                                             | Weight:<br>1g | Extraction date:<br>02/07/25 10:13:52 |        |      | Extracted by:<br>1879 | Analyzed by:<br>4797, 3379, 1440                                                                                                                    | Weight:<br>0.494g | Extraction date:<br>02/06/25 14:18:45 |        |      | Extracted by:<br>4797 |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : DA083049FIL<br>Instrument Used : Filth/Foreign Material Microscope<br>Analyzed Date : 02/07/25 11:44:44 |               |                                       |        |      |                       | Analysis Method : SOP.T.40.021<br>Analytical Batch : DA083043MOI<br>Instrument Used : DA-003 Moisture Analyzer<br>Analyzed Date : 02/06/25 15:45:44 |                   |                                       |        |      |                       |
| Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A                                                                                        |               |                                       |        |      |                       | Dilution : N/A<br>Reagent : 092520.50; 120324.07<br>Consumables : N/A<br>Pipette : DA-066                                                           |                   |                                       |        |      |                       |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte                                     | LOD               | Units                                 | Result                         | P/F  | Action Level |
|---------------------------------------------|-------------------|---------------------------------------|--------------------------------|------|--------------|
| Water Activity                              | 0.010             | aw                                    | 0.532                          | PASS | 0.65         |
| Analyzed by:<br>4797, 3379, 1440            | Weight:<br>1.467g | Extraction date:<br>02/06/25 12:18:59 | Extracted by:<br>4797          |      |              |
| Analysis Method : SOP.T.40.019              |                   |                                       |                                |      |              |
| Analytical Batch : DA083047WAT              |                   |                                       |                                |      |              |
| Instrument Used : DA-028 Rotronic Hygropalm |                   |                                       | Batch Date : 02/06/25 10:51:51 |      |              |
| Analyzed Date : 02/06/25 15:19:27           |                   |                                       |                                |      |              |
| Dilution : N/A                              |                   |                                       |                                |      |              |
| Reagent : 101724.36                         |                   |                                       |                                |      |              |
| Consumables : PS-14                         |                   |                                       |                                |      |              |
| Pipette : N/A                               |                   |                                       |                                |      |              |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/08/25