

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50206013-010



Feb 10, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
PASSED

MISC.


Cannabinoid
PASSED

Total THC
90.212%

Total THC/Container : 451.060 mg


Total CBD
0.218%

Total CBD/Container : 1.090 mg


Total Cannabinoids
94.855%

Total Cannabinoids/Container : 474.275 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 90.101 | 0.127 | 0.197 | 0.025 | ND | 2.886 | ND | 1.010 | 0.354 | ND | 0.155 |
| mg/unit | 450.51 | 0.64 | 0.99 | 0.13 | ND | 14.43 | ND | 5.05 | 1.77 | ND | 0.78 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

 Analyzed by:
 3335, 1665, 3379, 1440

 Weight:
 0.1023g

 Extraction date:
 02/07/25 12:00:30

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083081POT

Instrument Used : DA-LC-003

Analyzed Date : 02/10/25 10:53:21

Batch Date : 02/07/25 09:19:08

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 02/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Prpl Pnch (I)
Prpl Pnch (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50206013-010
Harvest/Lot ID: 4476784969814239

Batch# : 4476784969814239 Sample Size Received : 31 units
Sampled : 02/06/25 Total Amount : 600 units
Ordered : 02/06/25 Completed : 02/10/25 Expires: 02/10/26
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 21.60 | 4.319 | | SABINENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 5.29 | 1.057 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 3.79 | 0.757 | | VALENCENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 3.72 | 0.743 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 1.47 | 0.293 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 1.21 | 0.242 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 0.96 | 0.191 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| ALPHA-TERPINOLENE | 0.007 | 0.74 | 0.148 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ALPHA-PINENE | 0.007 | 0.74 | 0.147 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | Weight: | Extraction date: | Extracted by: | |
| ALPHA-TERPINEOL | 0.007 | 0.65 | 0.129 | | 4444, 3605, 3379, 1440 | 0.2107g | 02/07/25 12:19:50 | 4444 | |
| FENCHYL ALCOHOL | 0.007 | 0.54 | 0.108 | | Analysis Batch : DA083073TER | | | | |
| CAMPHENE | 0.007 | 0.42 | 0.084 | | Instrument Used : DA-GCMS-004 | | | | |
| ALPHA-HUMULENE | 0.007 | 0.30 | 0.060 | | Analysis Date : 02/10/25 11:40:54 | | | | |
| GERANIOL | 0.007 | 0.26 | 0.052 | | Dilution : 10 | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | 0.24 | 0.048 | | Reagent : 032524.12 | | | | |
| NEROL | 0.007 | 0.23 | 0.045 | | Consumables : 947.110; 04312111; 2240626; 0000355309 | | | | |
| OCIMENE | 0.007 | 0.19 | 0.037 | | Pipette : DA-065 | | | | |
| 3-CARENE | 0.007 | 0.18 | 0.036 | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| GUAJOL | 0.007 | 0.15 | 0.030 | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | 0.15 | 0.030 | | | | | | |
| CAMPHOR | 0.007 | 0.15 | 0.029 | | | | | | |
| ISOBORNEOL | 0.007 | 0.14 | 0.028 | | | | | | |
| ALPHA-CEDRENE | 0.005 | 0.13 | 0.025 | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FARNESENE | 0.001 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 4.319 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Prpl Pnch (I)
Prpl Pnch (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50206013-010
Harvest/Lot ID: 4476784969814239

Batch# : 4476784969814239 Sample Size Received : 31 units
Sampled : 02/06/25 Total Amount : 600 units
Ordered : 02/06/25 Completed : 02/10/25 Expires: 02/10/26
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|---------|-------------------|---------------|--------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3621, 3379, 1440 | 0.2044g | 02/07/25 12:16:07 | 3621 | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA083078PES | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-005 (PES) | | | | Batch Date : 02/07/25 09:16:31 | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 02/09/25 09:50:56 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 020525.R32; 020525.R28; 020525.R41; 020325.R02; 012925.R01; 020525.R01; 081023.01 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 221021DD | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | 450, 4640, 3379, 1440 | 0.2044g | 02/07/25 12:16:07 | 3621 | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analytical Batch : DA083080VOL | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | | Batch Date : 02/07/25 09:18:39 | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Analyzed Date : 02/09/25 09:47:06 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 020525.R41; 081023.01; 012825.R39; 012825.R40 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 221021DD; 040724CH01; 17473601 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Prpl Pnch (I)

Prpl Pnch (I)

Matrix : Derivative

Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50206013-010
Harvest/Lot ID: 4476784969814239

Batch# : 4476784969814239

Sampled : 02/06/25

Ordered : 02/06/25

Sample Size Received : 31 units

Total Amount : 600 units

Completed : 02/10/25 Expires: 02/10/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 3379, 1440

Weight:
0.0279g

Extraction date:
02/10/25 11:30:50

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083116SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 02/10/25 12:42:07

Batch Date : 02/07/25 14:28:09

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 315545
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Prpl Pnch (I)
Prpl Pnch (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED


Sunnyside



22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50206013-010
Harvest/Lot ID: 4476784969814239

Batch# : 4476784969814239 Sample Size Received : 31 units
Sampled : 02/06/25 Total Amount : 600 units
Ordered : 02/06/25 Completed : 02/10/25 Expires: 02/10/26
Sample Method : SOP.T.20.010

Page 5 of 6

| | | | | | | | |
|---|--------------------------------|------------------------------------|-------------------------|--------------------|---------------------|--|--|
|  | Microbial | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | Weight: 1.2g | Extraction date: 02/07/25 10:30:31 | Extracted by: 4520,4531 | | | | |
| Analytical Batch : DA083058MIC | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) | Batch Date : 02/07/25 07:52:17 | | | | | | |
| Analysis Date : 02/09/25 09:56:29 | | | | | | | |
| Dilution : 10 | | | | | | | |
| Reagent : 012525.05; 012525.07; 011525.R47; 080724.12 | | | | | | | |
| Consumables : 7578003087 | | | | | | | |
| Pipette : N/A | | | | | | | |
| Analysis Method : SOP.T.40.209.FL | Weight: 1.2g | Extraction date: 02/07/25 10:30:31 | Extracted by: 4520,4531 | | | | |
| Analytical Batch : DA083059TYM | | | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | Batch Date : 02/07/25 07:53:44 | | | | | | |
| Analysis Date : 02/10/25 10:12:48 | | | | | | | |
| Dilution : 10 | | | | | | | |
| Reagent : 012525.05; 012525.07; 013025.R13; 110724.R13 | | | | | | | |
| Consumables : N/A | | | | | | | |
| Pipette : N/A | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | |

| | | | | | | | |
|---|--------------------------------|------------------------------------|--------------------|--------------------|---------------------|--|--|
|  | Mycotoxins | PASSED | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL | Weight: 0.2044g | Extraction date: 02/07/25 12:16:07 | Extracted by: 3621 | | | | |
| Analytical Batch : DA083079MYC | | | | | | | |
| Instrument Used : N/A | Batch Date : 02/07/25 09:18:38 | | | | | | |
| Analysis Date : 02/09/25 09:48:17 | | | | | | | |
| Dilution : 250 | | | | | | | |
| Reagent : 020525.R32; 020525.R28; 020525.R41; 020325.R02; 012925.R01; 020525.R01; 081023.01 | | | | | | | |
| Consumables : 221021DD | | | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |
|  | Heavy Metals | PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | | |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | Weight: 0.2204g | Extraction date: 02/07/25 11:54:44 | Extracted by: 4056 | | | | |
| Analytical Batch : DA083097HEA | | | | | | | |
| Instrument Used : DA-ICPMS-004 | Batch Date : 02/07/25 09:47:05 | | | | | | |
| Analysis Date : 02/09/25 09:43:38 | | | | | | | |
| Dilution : 50 | | | | | | | |
| Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04 | | | | | | | |
| Consumables : 040724CH01; J609879-0193; 179436 | | | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/10/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Disposable Vape 500mg - Prpl Pnch (I)
Prpl Pnch (I)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA50206013-010
Harvest/Lot ID: 4476784969814239

Batch# : 4476784969814239 Sample Size Received : 31 units
Sampled : 02/06/25 Total Amount : 600 units
Ordered : 02/06/25 Completed : 02/10/25 Expires: 02/10/26
Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|----------------------------------|---------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 3379, 1440 | Weight: 1g | Extraction date: 02/07/25 09:30:53 | Extracted by: 1879 |
|----------------------------------|---------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.090
Analytical Batch : DA083053FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date : 02/06/25 19:11:52
Analyzed Date : 02/07/25 15:04:40

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.594 | PASS | 0.85 |

| | | | |
|--|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 4797, 3379, 1440 | Weight: 0.454g | Extraction date: 02/07/25 12:41:15 | Extracted by: 4797 |
|--|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019
Analytical Batch : DA083104WAT
Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 02/07/25 10:15:14
Analyzed Date : 02/07/25 15:36:55

Dilution : N/A
Reagent : 101724.36
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/10/25