

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664 Kaycha Labs

Supply Sgr Wax 1g - Mt. Ripsmore (H) Mt. Ripsmore (H) Matrix: Derivative Classification: High THC Type: Sugar Wax



СОМ	PLIAN ory Sample	CE FOI	R RETA		۹na	lys	is	Cultivat Processi	Harvest/ ion Facility ing Facility iource Faci	Lot ID: 2921 Batch#: 292 y: FL - India : FL - India ility: FL - India	ther - Not Listed 406259787244 21406259787244 <b>antown (4430)</b> <b>antown (4430)</b> diantown (4430) 9583255088230
		SUNNYSIDE DA50207008-00 Merci stor a transmit Parka dia dia 40103 Millione di Antonio Millione di Antonio Produca di a Strangesto							Re	le Size Rec Total Am etail Produc etail Servin Ord Sam Compl	Date: 01/31/25 eived: 16 units ount: 616 units ct Size: 1 gram g Size: 1 gram Servings: 1 ered: 02/07/25 epled: 02/07/25 leted: 02/12/25 d: SOP.T.20.010
22205 Sw M	<b>, 2025  </b> Martin Hwy , FL, 34956, US	Sunnysic	le		Sı	Inn	ysio	de <sup>*</sup>	® Page	es 1 of 6	PASSED
SAFETY R	ESULTS										MISC.
Pestici PASS	<b>.</b> ides Hea	Hg vy Metals ASSED	Microbials PASSED	Mycot PAS	SED	Residuals Solvents	Filth PASSED		Activity SSED	Moisture	Terpenes PASSED
Ä	Cannab	inoid									PASSED
	1	THC 2899 HC/Container :			3 0.	I CBD <b>114%</b> CBD/Container	<b>0</b> : 1.140 mg		390	Cannabinoid 8459 nnabinoids/Cor	ls /0 ntainer : 908.450
% mg/unit LOD	рэ-тнс 10.588 105.88 0.001 %	THCA 79.477 794.77 0.001 %	CBD ND ND 0.001 %	CBDA 0.131 1.31 0.001 %	D8-THC ND ND 0.001 %	свс 0.055 0.55 0.001 %	CBGA 0.553 5.53 0.001 %	CBN ND ND 0.001 %	тнсу ND ND 0.001 %	своу ND ND 0.001 %	свс 0.041 0.41 0.001 %
Analyzed by: 3335, 3605, 166				W	eight: 1096g	Extracti	on date: 5 11:26:08			Extracted by: 3335	
Analysis Metho Analytical Batcl Instrument Use Analyzed Date : Dilution : 400	d:SOP.T.40.031,SO h:DA083167POT					02/20/2	Batch Date : 02/10/2	25 09:00:56			

Reagent: 011325.R06; 010825.48; 011325.R03 Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/12/25



Supply Sgr Wax 1g - Mt. Ripsmore (H) . . . . . . . . . . . . . . . . Mt. Ripsmore (H) Matrix : Derivative Type: Sugar Wax



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50207008-008 Harvest/Lot ID: 2921406259787244 Batch#: 2921406259787244 Sample Size Received: 16 units Sampled : 02/07/25 Ordered : 02/07/25

Total Amount : 616 units Completed : 02/12/25 Expires: 02/12/26 Sample Method : SOP.T.20.010

Page 2 of 6

### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes			.OD %)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.96	3.896		VALENCENE			.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	14.42	1.442		ALPHA-CEDRE	NE	C	.005	ND	ND	
ALPHA-HUMULENE	0.007	5.24	0.524		ALPHA-PHELL	ANDRENE	C	.007	ND	ND	
IMONENE	0.007	4.14	0.414		ALPHA-PINEN		C	.007	ND	ND	
ARNESENE	0.007	3.99	0.399		ALPHA-TERPI	IENE	C	.007	ND	ND	
INALOOL	0.007	3.39	0.339		ALPHA-TERPI	OLENE	C	.007	ND	ND	
ENCHYL ALCOHOL	0.007	2.37	0.237		CIS-NEROLIDO	L	C	.003	ND	ND	
ETA-MYRCENE	0.007	2.28	0.228		GAMMA-TERP	NENE	C	.007	ND	ND	
LPHA-BISABOLOL	0.007	1.86	0.186		Analyzed by:		Weight:		Extraction d	ate:	Extracted by:
RANS-NEROLIDOL	0.005	0.55	0.055		4451, 3379, 144	)	0.2088g		02/10/25 10	:56:15	4451
LPHA-TERPINEOL	0.007	0.41	0.041			: SOP.T.30.061A.FL, SOP.T	Г.40.061A.FL				
ETA-PINENE	0.007	0.31	0.031		Analytical Batch Instrument Used						Pate : 02/08/25 11:18:31
CARENE	0.007	ND	ND			: DA-GCMS-009 02/12/25 07:57:46				Batch D	late: 02/08/25 11:18:31
DRNEOL	0.013	ND	ND		Dilution : 10						
AMPHENE	0.007	ND	ND		Reagent : 03252						
AMPHOR	0.007	ND	ND			47.110; 04402004; 22406	26; 000035530	9			
ARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065						
EDROL	0.007	ND	ND		Terpenoid testing	s performed utilizing Gas Chro	omatography Mas	s Spectro	metry. For all F	lower samp	oles, the Total Terpenes % is dry-weight corrected
JCALYPTOL	0.007	ND	ND								
NCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								

Total (%)

3.896

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/12/25



Supply Sgr Wax 1g - Mt. Ripsmore (H) . . . . . . . . . . . . . . . . Mt. Ripsmore (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

### Sample : DA50207008-008 Harvest/Lot ID: 2921406259787244

Sampled : 02/07/25 Ordered : 02/07/25

Batch#: 2921406259787244 Sample Size Received: 16 units Total Amount : 616 units Completed : 02/12/25 Expires: 02/12/26 Sample Method : SOP.T.20.010

Page 3 of 6



### **Pesticides**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
FOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
FOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
BAMECTIN B1A	0.010	T. P.	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1		ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	T. P.	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND		0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	1° P	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		1.1.			
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010	T. P.	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted b	W'
DIMETHOATE	0.010		0.1	PASS	ND	<b>3379, 3621, 1440</b> 0.2601g		5 14:39:12		4640.3379	·y.
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.1					
TOFENPROX	0.010	T. P.	0.1	PASS	ND	Analytical Batch : DA083136PES					
TOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch I	Date :02/08/2	5 11:15:57	
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/11/25 10:28:34					
FENOXYCARB	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 020525.R29; 020525.R28; 020725.R(	1. 020525 02	0. 012025 001	. 020525 001	. 001022.01	
FENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 221021DD	11; UZU5Z5.K3	U; UI2925.RU	L; UZU5Z5.KU1	1; 081023.01	
FIPRONIL	0.010	The first state of the state of	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	The first state of the state of	0.1	PASS	ND	Testing for agricultural agents is performed utilizin	a Liauid Chron	natography Trip	le-Ouadrupole	Mass Spectron	netrv in
FLUDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					-
HEXYTHIAZOX	0.010	The first state of the state of	0.1	PASS	ND	Analyzed by: Weigh		raction date:		Extracted	
MAZALIL	0.010		0.1	PASS	ND	<b>4640, 450, 3379, 1440</b> 0.2601		08/25 14:39:1	2	4640,3379	)
MIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.	151.FL				
KRESOXIM-METHYL	0.010	The first state of the state of	0.1	PASS	ND	Analytical Batch : DA083139VOL Instrument Used : DA-GCMS-001		Patch Dat	te:02/08/25 1	1.17.22	
MALATHION	0.010		0.2	PASS	ND	Analyzed Date :02/11/25 10:24:07		Datch Dat	le:02/06/25 1	11.17.25	
METALAXYL	0.010		0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	F F	0.1	PASS	ND	Reagent : 020725.R01; 081023.01; 012825.R39	; 012825.R40				
METHOMYL	0.010		0.1	PASS	ND	Consumables : 221021DD; 040724CH01; 1747					
MEVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizin	g Gas Chroma	tography Triple	-Quadrupole M	lass Spectrome	try in
NALED	0.010	ppm	0.25	PASS	ND	accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/12/25

### PASSED

PASSED



Supply Sgr Wax 1g - Mt. Ripsmore (H) . . . . . . . . . . . . . . . Mt. Ripsmore (H) Matrix : Derivative Type: Sugar Wax



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50207008-008 Harvest/Lot ID: 2921406259787244 Sampled : 02/07/25 Ordered : 02/07/25

Batch#: 2921406259787244 Sample Size Received: 16 units Total Amount : 616 units Completed : 02/12/25 Expires: 02/12/26 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

0.800 0.200 50.000 75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	8 2 500 750 60 1 5000 2 125 5000	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND		
50.000 75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm ppm	500 750 60 1 5000 2 125 5000	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND		
75.000 6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm	750 60 1 5000 2 125 5000	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND		
6.000 0.100 500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm ppm ppm	60 1 5000 2 125 5000	PASS PASS PASS PASS PASS	ND ND ND ND ND		
0.100 500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm ppm	1 5000 2 125 5000	PASS PASS PASS PASS	ND ND ND ND		
500.000 0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm ppm	5000 2 125 5000	PASS PASS PASS	ND ND ND		
0.200 12.500 500.000 40.000 50.000	ppm ppm ppm ppm	2 125 5000	PASS	ND ND		
12.500 500.000 40.000 50.000	ppm ppm ppm	125 5000	PASS	ND		
500.000 40.000 50.000	ppm ppm	5000				
40.000 50.000	ppm		PASS			
50.000				ND		
		400	PASS	ND		
0 5 0 0	ppm	500	PASS	ND		
0.500	ppm	5	PASS	ND		
500.000	ppm	5000	PASS	ND		
25.000	ppm	250	PASS	ND		
25.000	ppm	250	PASS	ND		
75.000	ppm	750	PASS	ND		
500.000	ppm	5000	PASS	ND		
15.000	ppm	150	PASS	ND		
15.000	ppm	150	PASS	ND		
2.500	ppm	25	PASS	ND		
Weight: 0.0279g	Extraction date: 02/10/25 14:22:28		Extracted by: 850			
FL Batch Date : 02/08/25 14:35:00 42						
	500.000 15.000 15.000 2.500 Weight:	500.000         ppm           15.000         ppm           15.000         ppm           2.500         ppm           Weight:         Extraction date:	500.000         ppm         5000           15.000         ppm         150           15.000         ppm         25           Weight:           0.0279g         02/10/25 14:22:28	No.000         ppm         500         PASS           500.000         ppm         5000         PASS           15.000         ppm         150         PASS           2.500         ppm         25         PASS           Weight:         Extraction date:         Extraction date:         8		

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/12/25



Supply Sgr Wax 1g - Mt. Ripsmore (H) . . . . . . . . . . . . . . . . Mt. Ripsmore (H) Matrix : Derivative Type: Sugar Wax



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50207008-008 Harvest/Lot ID: 2921406259787244 Sampled : 02/07/25 Ordered : 02/07/25

Batch#: 2921406259787244 Sample Size Received: 16 units Total Amount : 616 units Completed : 02/12/25 Expires: 02/12/26 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Microb	oial			PAS	SED	သို့	My	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS	2010.	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002		ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
SPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGEL				Not Present	PASS		Analyzed by:		Weight:	Extraction da			xtracted	
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS		3379, 3621, 14		0.2601g	02/08/25 14:	39:12	4	640,3379	)
nalyzed by: 531, 3390, 337	9, 1440	Weight: 0.8578g	Extraction 02/08/25 1		Extracte 4520	ed by:	Analysis Meth Analytical Bat		.30.102.FL, SOF 3138MYC	.T.40.102.FL				
nalysis Metho	: SOP.T.40.056C : DA083117MIC	5			1520		Instrument Us Analyzed Date	ed:N/A		Batch	<b>Date</b> :0	2/08/25 11	:17:21	
Dilution : 10 Reagent : 0125 Consumables :	02/11/25 10:16:3 25.03; 012525.06 2578003013; 757	; 011525.R47					Consumables Pipette : DA-0 Mycotoxins tes accordance wit	93; DA-09 ting utilizin	4; DA-219 g Liquid Chromato	graphy with Triple	-Quadrupo	le Mass Spe	ctrometry	in
ipette : N/A nalyzed by: 531, 4777, 337	<b>9, 1440</b> I : SOP.T.40.209.F	<b>Weight:</b> 0.8578g	Extraction 02/08/25 1		<b>Extracte</b> 4520	ed by:	Hg	Не	avy M	etals			PAS	SEC
nalytical Batch	: DA083118TYM 1 : Incubator (25*)		alibrated wit	h Batch Dat	e:02/08/2	5 08:10:02	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]	02/11/25 10:18:5	8					TOTAL CONT		T LOAD METAI	LS 0.080	ppm	ND	PASS	1.1
ilution : 10	02/11/20 10.10.3						ARSENIC			0.020	ppm	<0.100	PASS	0.2
	25.03; 012525.06	· 013025 R13	3				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :		, 01002011120					MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by:         Weight:         Extraction date:           1022, 3379, 1440         0.2363g         02/08/25 15:40:29						Extracted by: 4571,4056		
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA083 ed : DA-IC	PMS-004		h Date : (	)2/08/25 1	1:01:11	
							Dilution : 50 Reagent : 012 120324.07; 02	925.R32; L3125.R04	013025.R04; 02	0325.R06; 0203	25.R03; (	)20325.R0	4; 02032	5.R05;

**Consumables :** 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/12/25



Page 6 of 6

Supply Sgr Wax 1g - Mt. Ripsmore (H) . . . . . . . . . . . . . . . . Mt. Ripsmore (H) Matrix : Derivative Type: Sugar Wax



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

## PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50207008-008 Harvest/Lot ID: 2921406259787244 Batch#: 2921406259787244 Sample Size Received: 16 units Sampled : 02/07/25 Ordered : 02/07/25

Total Amount : 616 units Completed : 02/12/25 Expires: 02/12/26 Sample Method : SOP.T.20.010

		Filth/For Material	PASSED				
	nalyte Ith and Forei	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
	alyzed by: 79, 3379, 1440	Weight: 1q		raction da 08/25 13			tracted by: 79
In: An Di Re Co		: Filth/Foreign Mater 02/08/25 13:24:20	ial Micro	oscope	Batch I	<b>Pate :</b> 02/08	3/25 13:06:20
		aterial inspection is per ordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope
	$\bigcirc$					DA	SSED
	$(\bigcirc)$	Water A	ctiv	ity		<b>FA</b>	33ED

Analyzed by: 1879, 4797, 3379, 1440	Weight: 0.5819g	Extraction date: 02/08/25 13:16:40	Extracted by: 4797
Analysis Method : SOP.T.40.03 Analytical Batch : DA083141W Instrument Used : DA-028 Rot Analyzed Date : 02/10/25 15:1	IAT ronic Hygropalm	Batch Date :	02/08/25 11:17:37
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/12/25