



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50207008-009



Production Method: Other - Not Listed

Harvest/Lot ID: 8184147389997421

Batch#: 8184147389997421

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1146863399726802

Harvest Date: 02/03/25

Sample Size Received: 16 units

Total Amount: 439 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 02/07/25

Sampled: 02/07/25

Completed: 02/11/25

Sampling Method: SOP.T.20.010

Feb 11, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

90.308%

Total THC/Container : 903.080 mg



Total CBD

0.215%

Total CBD/Container : 2.150 mg



Total Cannabinoids

95.254%

Total Cannabinoids/Container : 952.540 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.280	0.032	0.183	0.037	ND	3.069	ND	1.023	0.425	0.050	0.155
mg/unit	902.80	0.32	1.83	0.37	ND	30.69	ND	10.23	4.25	0.50	1.55
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3605, 3379, 1440

Weight:
0.1104g

Extraction date:
02/10/25 11:26:08

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083167POT

Instrument Used : DA-LC-003

Analyzed Date : 02/11/25 10:37:05

Batch Date : 02/10/25 09:00:56

Dilution : 400

Reagent : 011325.R06; 010825.48; 011325.R03

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Strwbrry Cough (S)
Strwbrry Cough (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50207008-009

Harvest/Lot ID: 8184147389997421

Batch# : 8184147389997421

Sampled : 02/07/25

Ordered : 02/07/25

Sample Size Received : 16 units

Total Amount : 439 units

Completed : 02/11/25 Expires: 02/11/26

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED


Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	39.42	3.942		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.76	0.976		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	8.19	0.819		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	4.40	0.440		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.13	0.313		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.47	0.247		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	2.44	0.244		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.21	0.221		TRANS-NEROLIDOL	0.005	ND	ND	
LINALOOL	0.007	1.54	0.154		Analyzed by:	Weight:	Extraction date:	Extracted by:	
OCIMENE	0.007	1.38	0.138		4451, 3379, 1440	0.2255g	02/10/25 10:56:15	4451	
VALENCENE	0.007	1.37	0.137		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	0.61	0.061		Analytical Batch : DA083142TER				
FARNESENE	0.007	0.58	0.058		Instrument Used : DA-GCMS-009				
FENCHYL ALCOHOL	0.007	0.55	0.055		Analyzed Date : 02/11/25 10:37:07			Batch Date : 02/08/25 11:18:31	
CARYOPHYLLENE OXIDE	0.007	0.33	0.033		Dilution : 10				
ALPHA-TERPINOLENE	0.007	0.29	0.029		Reagent : 032524.12				
ALPHA-CEDRENE	0.005	0.17	0.017		Consumables : 947.110; 04402004; 2240626; 0000355309				
3-CARENE	0.007	ND	ND		Pipette : DA-065				
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			3.942						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/11/25



Certificate of Analysis

PASSED


Sunnyside

 22205 Sw Martin Hwy
 Indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

 Sample : DA50207008-009
 Harvest/Lot ID: 8184147389997421

 Batch# : 8184147389997421 Sample Size Received : 16 units
 Sampled : 02/07/25 Total Amount : 439 units
 Ordered : 02/07/25 Completed : 02/11/25 Expires: 02/11/26
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides


PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 1440 Weight: 0.264g Extraction date: 02/08/25 14:39:12 Extracted by: 4640,3379 Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083136PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/08/25 11:15:57 Analyzed Date : 02/11/25 10:28:36 Dilution : 250 Reagent : 020525.R29; 020525.R28; 020725.R01; 020525.R30; 012925.R01; 020525.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 4640, 450, 3379, 1440 Weight: 0.264g Extraction date: 02/08/25 14:39:12 Extracted by: 4640,3379 Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : DA083139VOL Instrument Used : DA-GCMS-001 Batch Date : 02/08/25 11:17:23 Analyzed Date : 02/11/25 10:24:07 Dilution : 250 Reagent : 020725.R01; 081023.01; 012825.R39; 012825.R40 Consumables : 221021DD; 040724.CH01; 17473601 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Strwbrry Cough (S)
Strwbrry Cough (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50207008-009

Harvest/Lot ID: 8184147389997421

Batch# : 8184147389997421

Sampled : 02/07/25

Ordered : 02/07/25

Sample Size Received : 16 units

Total Amount : 439 units

Completed : 02/11/25 Expires: 02/11/26

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 3379, 1440

Weight:
0.0264g

Extraction date:
02/10/25 14:22:28

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA083154SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 02/11/25 10:33:45

Batch Date : 02/08/25 14:35:00

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Supply Vape Cartridge 1g - Strawberry Cough (S)
Strawberry Cough (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50207008-009
Harvest/Lot ID: 8184147389997421

Batch# : 8184147389997421 Sample Size Received : 16 units
Sampled : 02/07/25 Total Amount : 439 units
Ordered : 02/07/25 Completed : 02/11/25 Expires: 02/11/26
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 3621, 1440	Weight: 0.264g	Extraction date: 02/08/25 14:39:12	Extracted by: 4640,3379			
Analyzed by: 4531, 3390, 3379, 1440	Weight: 1.17g	Extraction date: 02/08/25 10:01:36		Extracted by: 4520		Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA083138MYC Instrument Used : N/A Analyzed Date : 02/11/25 10:31:25						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA083117MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date : 02/11/25 10:16:31						Batch Date : 02/08/25 08:04:01						
Dilution : 10 Reagent : 012525.03; 012525.06; 011525.R47; 080724.12 Consumables : 7578003013; 7578003088; 7580001022 Pipette : N/A						Dilution : 250 Reagent : 020525.R29; 020525.R28; 020725.R01; 020525.R30; 012925.R01; 020525.R01; 081023.01 Consumables : 221021DD Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
<div><div><div>Hg</div></div></div>						Heavy Metals						PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5							
Analyzed by: 1022, 3379, 1440	Weight: 0.2775g	Extraction date: 02/08/25 15:41:37		Extracted by: 4571,4056		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA083133HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/11/25 10:29:56						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Batch Date : 02/08/25 11:01:11						
Dilution : 10 Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						Dilution : 50 Reagent : 012925.R32; 013025.R04; 020325.R06; 020325.R03; 020325.R04; 020325.R05; 120324.07; 013125.R04 Consumables : 040724CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
02/11/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Strwbrry Cough (S)
Strwbrry Cough (S)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50207008-009

Harvest/Lot ID: 8184147389997421

Batch# : 8184147389997421

Sampled : 02/07/25

Ordered : 02/07/25

Sample Size Received : 16 units

Total Amount : 439 units

Completed : 02/11/25 Expires: 02/11/26

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3379, 1440	Weight: 1g	Extraction date: 02/08/25 13:12:05	Extracted by: 1879
----------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA083153FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 02/08/25 13:06:20

Analyzed Date : 02/08/25 13:24:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.516	PASS	0.85

Analyzed by: 1879, 4797, 3379, 1440	Weight: 0.2216g	Extraction date: 02/08/25 13:18:31	Extracted by: 4797
--	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA083141WAT

Instrument Used : DA-028 Rotronic Hygropalm

Batch Date : 02/08/25 11:17:37

Analyzed Date : 02/10/25 15:12:49

Dilution : N/A

Reagent : 101724.36

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/11/25