

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Shake 7g - Blue Pave (I) Blue Pave (I) Matrix: Flower Classification: High THC Type: Flower-Cured



Production Method: Cured

Batch#: 4247759850861137

Harvest Date: 02/06/25 Sample Size Received: 5 units Total Amount: 427 units Retail Product Size: 7 gram

> Servings: 1 Ordered: 02/10/25 Sampled: 02/10/25 Completed: 02/13/25

> > PASSED

Harvest/Lot ID: 4247759850861137

Seed to Sale#: 0758290960507668

Sampling Method: SOP.T.20.010

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Pages 1 of 5

Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50210003-001



Feb 13, 2025 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US





Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/13/25



..... Supply Shake 7g - Blue Pave (I) Blue Pave (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50210003-001 Harvest/Lot ID: 4247759850861137 Batch#: 4247759850861137 Sample Size Received: 5 units Sampled : 02/10/25 Ordered : 02/10/25

Total Amount : 427 units Completed : 02/13/25 Expires: 02/13/26 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

erpenes	LOD (%)	mg/unit	: %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	140.07	2.001			SABINENE HYDRATE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	32.20	0.460			VALENCENE	0.007	ND	ND	
IMONENE	0.007	28.56	0.408			ALPHA-CEDRENE	0.005	ND	ND	
INALOOL	0.007	15.33	0.219			ALPHA-PHELLANDRENE	0.007	ND	ND	
ETA-MYRCENE	0.007	14.70	0.210			ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	10.92	0.156			ALPHA-TERPINOLENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	10.50	0.150			CIS-NEROLIDOL	0.003	ND	ND	
RANS-NEROLIDOL	0.005	6.16	0.088			GAMMA-TERPINENE	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	5.67	0.081			Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LPHA-TERPINEOL	0.007	5.53	0.079			4451, 3379, 585, 1440	1.0245g		/25 11:29:22	
ETA-PINENE	0.007	4.97	0.071			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	61A.FL			
LPHA-PINENE	0.007	3.64	0.052			Analytical Batch : DA083182TER Instrument Used : DA-GCMS-009			Batab D	te:02/11/25 09:13:00
CIMENE	0.007	1.89	0.027			Analyzed Date : 02/13/25 08:04:31			Batch Dat	m : 07/11/52 03:12:00
CARENE	0.007	ND	ND		·	Dilution : 10				
ORNEOL	0.013	ND	ND			Reagent : 120224.08				
AMPHENE	0.007	ND	ND			Consumables : 947.110; 04312111; 2240626; 0	000355309			
AMPHOR	0.007	ND	ND			Pipette : DA-065				
ARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromato	graphy Mass Spectro	metry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
DROL	0.007	ND	ND							
ICALYPTOL	0.007	ND	ND							
ARNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							

Total (%)

2.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/13/25



Supply Shake 7g - Blue Pave (I) Blue Pave (I) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA50210003-001 Harvest/Lot ID: 4247759850861137

Sampled : 02/10/25 Ordered : 02/10/25

Batch#: 4247759850861137 Sample Size Received: 5 units Total Amount : 427 units Completed : 02/13/25 Expires: 02/13/26 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P.P.	5	PASS	0.106	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010				
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
DSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.13	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	0.106				0.1	PASS	ND
ILORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070				
OFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
DUMAPHOS	0.010	P.P.	0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	t: E	xtraction da	ite:	Extrac	ted by:
METHOATE	0.010		0.1	PASS	ND	3621, 3379, 585, 1440 1.0353	g 0	2/11/25 13:0	0:24	450	
HOPROPHOS	0.010		0.1		ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102	.FL				
TOFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA083202PES					
TOXAZOLE	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch	Date :02/11	/25 10:51:33	
NHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/12/25 10:36:10 Dilution : 250					
ENOXYCARB	0.010		0.1	PASS	ND	Reagent : 021125.R08; 020525.R28; 020725.R01	· 021125 Pr	0. 012025 P	01.020525 0	1.081023.01	
ENPYROXIMATE	0.010		0.1	PASS	ND	Consumables : 221021DD	, 021123.NU	, , UIZ 323.N	.01, UZUJZJ.NI	1, 001020.01	
PRONIL	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
ONICAMID	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chror	natography T	riple-Quadrupo	le Mass Spectror	metry in
UDIOXONIL	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
XYTHIAZOX	0.010		0.1	PASS	ND	Analyzed by: Weight:		traction dat		Extract	ed by:
	0.010		0.1	PASS	ND ND	450, 3379, 585, 1440 1.0353g		/11/25 13:00	1:24	450	
	0.010		0.4	PASS		Analysis Method :SOP.T.30.151A.FL, SOP.T.40.15 Analytical Batch :DA083204VOL	1.FL				
RESOXIM-METHYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch D	ate:02/11/25	10:54:14	
ALATHION	0.010		0.2 0.1		ND ND	Analyzed Date :02/12/25 10:30:59		Bacch B			
ETALAXYL	0.010		0.1	PASS	ND	Dilution: 250					
ETHIOCARB	0.010			PASS		Reagent: 020725.R01; 081023.01; 012825.R39;)			
ETHOMYL	0.010		0.1	PASS	ND	Consumables : 221021DD; 040724CH01; 174736	01				
EVINPHOS	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	etry in
IALED	0.010	ppm	0.25	PASS	ND	accordance WILLERS, RUIE 04ERZU-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/13/25



Supply Shake 7g - Blue Pave (I) Blue Pave (I) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50210003-001 Harvest/Lot ID: 4247759850861137 Batch# : 4247759850861137 Sampled : 02/10/25 Sampled : 02/10/25 Total Amount : 427 units

 Sampled:
 02/10/25
 Total

 Ordered:
 02/10/25
 Com

 Sampled:
 02/10/25
 Sampled:

Sample Size Received : 5 units Total Amount : 427 units Completed : 02/13/25 Expires: 02/13/26 Sample Method : SOP.T.20.010

Page 4 of 5

ر ب Micro	bial			PAS	SED	٠¢٠	Мусо	toxin	S			PAS	SED
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOX	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GEN	IE		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extract	ed by:
TOTAL YEAST AND MOLD	10	CFU/g	230	PASS	100000		85, 1440	1.0353g	02/11/25		ļ	450	eu by.
Analyzed by: 4531, 4777, 3379, 585, 1440	Weight: 0.8492g		on date:	Extract 4520	ted by:		od : SOP.T.30.102		0.102.FL				
									Batch Date : 02/11/25 10:54:12				
Instrument Used : PathogenDx 2720 Thermocycler DA-010,Fis (95*C) DA-049,DA-402 Thermo Analyzed Date : 02/12/25 12:39 Dilution : 10	her Scientific Isc Scientific Heat	temp Heat	Block 07:4	: h Date : 03 1:27	2/11/25	081023.01 Consumables	125.R08; 020525		5.R01; 0211;	25.R09; 0	12925.R0	1; 02052	5.R01;
Reagent : 012525.08; 012525 Consumables : 7580001022 Pipette : N/A	10; 011525.R47;	; 080724.09	; 080724.12				ting utilizing Liquid th F.S. Rule 64ER20		hy with Triple-	Quadrupo	e Mass Spe	ectrometry	in
Analyzed by: 4531, 4044, 585, 1440	0.8492g	Extraction 0 02/11/25 09		Extracte 4520	d by:	Hg	Heavy	/ Met	als			PAS	SED
Analysis Method : SOP.T.40.209 Analytical Batch : DA083172TY Instrument Used : Incubator (2)	Μ	librated wit	th Batch Date	02/11/2	5 07.45.00	Metal			LOD	Units	Result	Pass /	Action
DA-3821	D'C) DA- 520 [C	and aleu wi	Batch Date	e:UZ/11/2	5 07.45.00							Fail	Level
Analyzed Date : 02/13/25 13:06	5:40						TAMINANT LOAI	D METALS	0.080	ppm	ND	PASS	1.1
Dilution: 10						ARSENIC			0.020	ppm	ND	PASS	0.2
Reagent: 012525.08; 012525.2	LO; 013025.R13					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A						LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is per accordance with F.S. Rule 64ER20-		PN and tradit	ional culture based	l techniques	in	Analyzed by: 1022, 3379, 5	85, 1440	Weight: 0.2347g	Extraction 02/11/25			Extracted 1022,405	
						Analytical Bat Instrument Us	od:SOP.T.30.082 ch:DA083187HE sed:DA-ICPMS-00 a:02/12/25 09:00	A 14		h Date : (2/11/25 0	9:42:38	
						Dilution : 50 Reagent : 012 120324.07; 0	925.R32; 013025 13125.R04	.R04; 021025	5.R03; 0203	25.R03; 0	21025.R0	1; 02102	5.R02;

Consumables : 040724CH01; J609879-0193; 179436

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/13/25



Page 5 of 5

Result

Extraction date

02/11/25 12:37:38

14.8

P/F

PASS

. Supply Shake 7g - Blue Pave (I) Blue Pave (I) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 09:56:20

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA50210003-001 Harvest/Lot ID: 4247759850861137 Batch#: 4247759850861137 Sample Size Received: 5 units

Sampled : 02/10/25 Total Amount : 427 units Ordered : 02/10/25 Completed : 02/13/25 Expires: 02/13/26 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





	_				
P	Δ	S	S	Е	D

Action Level

15

4512,4444

Batch Date : 02/11/25

Extracted by:

Analyte Filth and Foreign Mate		LOD 0.100	Units %	Result ND	/ -	Action Level	Analyte Moisture Content	LOD 1.0	Un %	its	Resul 14
Analyzed by: 1879, 585, 1440	Weight: 1g		raction dat 12/25 11:2			ctracted by: 379	Analyzed by: 4512, 4444, 3379, 585, 1440	Weigh 0.5g	t:	Extract 02/11/2	
Analysis Method : SOP.T.4 Analytical Batch : DA0832 Instrument Used : Filth/Foi Analyzed Date : 02/12/25 Dilution : N/A Reagent : N/A	32FIL reign Materia	I Micro	oscope	Batc	h Date : 02/1	12/25 09:18:55	Analysis Method : SOP.T.40.021 Analytical Batch : DA083196MOI Instrument Used : DA-003 Moisture A Analyzer,DA-263 Moisture Analyser,I Moisture Analyzer Analyzed Date : 02/11/25 14:46:21				
Consumables : N/A Pipette : N/A Filth and foreign material insy technologies in accordance w				pection uti	lizing naked e	ye and microscope	Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066				
	ter Ac				ΡΑ	SSED	Moisture Content analysis utilizing loss-or	n-drying t	echn	ology in a	accordar

Analyte Water Activity	LOD 0.010	Units aw	Result 0.537	P/F PASS	Action Level 0.65
Analyzed by: 4512, 3379, 585, 1440	Weight: 0.788g		on date: 5 12:06:53		Extracted by: 4512
Analysis Method : SOP.T.40.0 Analytical Batch : DA083197 Instrument Used : DA257 Rot Analyzed Date : 02/11/25 14:	VAT ronic HygroPalm		Batch Dat	e:02/11	/25 09:56:41
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/13/25