



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50210003-003



Feb 13, 2025 | Sunnyside

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

**Sunnyside\***
**PASSED**

Pages 1 of 5

### SAFETY RESULTS


 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals  
 Solvents  
**NOT TESTED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

 Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**

**Total THC**  
**27.102%**

Total THC/Container : 948.570 mg


**Total CBD**  
**0.061%**

Total CBD/Container : 2.135 mg


**Total Cannabinoids**  
**32.018%**

Total Cannabinoids/Container : 1120.630 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.586	30.236	ND	0.070	0.031	0.152	0.869	ND	ND	ND	0.074
mg/unit	20.51	1058.26	ND	2.45	1.09	5.32	30.42	ND	ND	ND	2.59
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

 Analyzed by:  
 3335, 3379, 585, 1440

 Weight:  
 0.2098g

 Extraction date:  
 02/11/25 11:54:48

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA083181POT

Instrument Used : DA-LC-002

Analyzed Date : 02/12/25 11:13:25

Batch Date : 02/11/25 09:05:51

Dilution : 400

Reagent : 010825.48; 012825.R17; 012825.R18

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 02/13/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)  
Zooted Samoas (H)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50210003-003

Harvest/Lot ID: 6207342144085291

Batch# : 6207342144085291

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 9 units

Total Amount : 311 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	75.74	2.164		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	21.91	0.626		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	19.25	0.550		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	10.68	0.305		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	7.63	0.218		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.64	0.104		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	3.22	0.092		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	2.63	0.075		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.03	0.058		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	1.96	0.056		4451, 3379, 585, 1440	1.0108g	02/11/25 11:29:22	4451	
ALPHA-PINENE	0.007	1.89	0.054		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	0.91	0.026		Analytical Batch : DA0031927ER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
BORNEOL	0.013	ND	ND		Analyzed Date : 02/12/25 11:13:27				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 120224.08				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.110; 04312111; 2240626; 0000355309				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.164						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)  
Zooted Samoas (H)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-003

Harvest/Lot ID: 6207342144085291

Batch# : 6207342144085291

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 9 units

Total Amount : 311 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3621, 3379, 585, 1440	Weight:	1.1608g	Extraction date:	02/11/25 13:00:24
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.102.FL, SOP.T.40.102.FL			Extracted by:	450
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083202PES				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)			Batch Date :	02/11/25 10:51:33
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/12/25 10:36:17				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	021125.R08; 020525.R28; 020725.R01; 021125.R09; 012925.R01; 020525.R01; 081023.01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 3379, 585, 1440	Weight:	1.1608g	Extraction date:	02/11/25 13:00:24
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151A.FL, SOP.T.40.151.FL			Extracted by:	450
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA083204VOL				
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	02/11/25 10:54:14
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/12/25 10:31:00				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	020725.R01; 081023.01; 012825.R39; 012825.R40				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	221021DD; 040724.CH01; 17473601				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director


State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/13/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)  
Zooted Samoas (H)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED


Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-003  
Harvest/Lot ID: 6207342144085291

Batch# : 6207342144085291 Sample Size Received : 9 units  
Sampled : 02/10/25 Total Amount : 311 units  
Ordered : 02/10/25 Completed : 02/13/25 Expires: 02/13/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	11000	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649g	Extraction date: 02/11/25 09:52:02	Extracted by: 4520				
Analytical Batch : DA083171MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)	Batch Date : 02/11/25 07:41:27						
Analysis Date : 02/12/25 12:40:01							
Dilution : 10							
Reagent : 012525.08; 012525.10; 011525.R47; 080724.09; 080724.12							
Consumables : 7580001022							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9649						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



FloraCal Craft Cannabis Flower 3.5g Smalls - Zooted Samoas (H)  
Zooted Samoas (H)  
Matrix : Flower  
Type: Flower-Cured

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50210003-003

Harvest/Lot ID: 6207342144085291

Batch# : 6207342144085291

Sampled : 02/10/25

Ordered : 02/10/25

Sample Size Received : 9 units

Total Amount : 311 units

Completed : 02/13/25 Expires: 02/13/26

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	13.9	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 02/12/25 11:28:11	Extracted by: 1879			Analyzed by: 4512, 4444, 3379, 585, 1440	Weight: 0.5g	Extraction date: 02/11/25 12:37:38	Extracted by: 4512,4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA083232FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/12/25 11:40:37						Analysis Method : SOP.T.40.021 Analytical Batch : DA083196MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:56:20 Moisture Analyzer Analyzed Date : 02/11/25 14:46:22					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 120324.07 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.529	PASS	0.65
Analyzed by: 4512, 3379, 585, 1440	Weight: 0.85g	Extraction date: 02/11/25 12:06:53		Extracted by: 4512	
Analysis Method : SOP.T.40.019 Analytical Batch : DA083197WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 02/11/25 14:42:43					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/25